

Pure Freude
an Wasser



SPECIFIERS' CATALOGUE 2018

EDITION FOR PROFESSIONALS

GROHE

TABLE OF CONTENTS

Our brand			8
Turn up your shower experience - GROHE SmartControl			12
GROHE Sense			22
Identify your Water System			28
Bath Taps	SmartControl	SmartControl Mixers	43
	Single Lever Mixers	Veris	47
		Allure Brilliant	59
		Allure	69
		Atrio New	83
		Atrio	97
		Grandera	113
		Lineare	125
		Eurocube Joy	135
		Eurocube	139
		Europlus	147
		Essence	153
		Eurodisc Joy	169
		Eurodisc Cosmopolitan	173
		Concetto	179
		Eurostyle Cosmopolitan	185
		Eurostyle	191
		Eurosmart Cosmopolitan	199
		Eurosmart	205
		BauEdge	211
	Two Handle fittings	Costa L	215
	Bath Sets	Talentofill	219
	Accessories	Selection Cube	223
		Essentials	227
		Essentials Cube	235
		BauCosmopolitan	241
		Essentials Authentic	245

GROHE

TABLE OF CONTENTS

Thermostats		Grohtherm SmartControl	255
		Grohtherm F	265
		Grohtherm 3000 Cosmopolitan	269
		Grohtherm 2000	275
		Grohtherm Cube	281
		Grohtherm 1000 Cosmopolitan M	285
		Grohtherm 1000	289
		Grohtherm 800	295
		Avensys	299
Concealed Solutions		GROHE Rapido T	311
		GROHE Rapido E	313
		GROHE Rapido C / Concealed Valves	315
Showers	GROHE Digital	F-digital Deluxe	327
		F-digital Controllers	335
	Electric Showers	Electric Showers	339
	Shower Systems	Rainshower System SmartControl	341
		Rainshower System	349
		Euphoria Shower System	355
		New Tempesta System	363
		Retro-fit Shower System	367
		Shower System Accessories	369
		Head Showers	Head Showers
	Showers	Sena	395
		Rainshower	397
		Power&Soul	405
		Relaxa	411
		Euphoria	415
		New Tempesta	425
		Sena Trigger Sprays	439
		Tempesta Trigger Sprays	441
Shower Hoses	443		

GROHE

TABLE OF CONTENTS

		Shower Accessories	447	
Kitchen Fittings	Water Systems	GROHE Blue Professional	469	
		GROHE Blue Home	473	
		GROHE Blue Pure	481	
		GROHE Blue Accessories	483	
		GROHE Red	487	
		Premium Lines	K7	491
			Foot Control	493
			Minta / Minta Touch	495
			Zedra / Zedra Touch	499
			Essence	501
			Eurocube	505
		Competence Lines	Ambi	507
			Parkfield	509
			Eurodisc Cosmopolitan	511
			Eurodisc	513
			Concetto	515
			Eurostyle Cosmopolitan	519
			Eurosmart Cosmopolitan	523
			Eurosmart	525
			Euroeco / Euroeco Special	529
		Costa	531	
		Bau Lines	533	
		Soap dispensers	535	
Commercial fittings	Electronic Fittings	Essence E	545	
		Eurocube E	549	
		Bluetooth monitoring	553	
		Europlus E	563	
		Eurosmart Cosmopolitan E	567	
		Euroeco Cosmopolitan E	573	
		Special Thermostats	Grohtherm Ergomix	577

GROHE

TABLE OF CONTENTS

		Grohtherm Micro	579
		Grohtherm Special	581
		Grohtherm 2000 Special	587
		Automatic 2000	591
		Grohtherm XL	593
	Single-Lever Mixers	Commercial Showers	595
		Euroeco Special	599
		Hospita	603
		Euroeco Single Sequential	605
	Self-closing Fittings	Eurodisc SE	609
		Eurosmart Cosmopolitan T	613
		Euroeco Cosmopolitan T	615
Shower Toilet		GROHE Sensia IGS	623
		GROHE Sensia Arena	625
Ceramics		Bau Ceramic	637
		Euro Ceramic	645
		Cube Ceramic	651
Installation Systems	Rapid SL	Rapid SL for WC	661
		Rapid SL for Urinal	671
		Rapid SL for Wash Basin and Bidet	673
		Rapid SL for the Disabled	677
		Rapid SL Fitting Supports	679
		Rapid SL Accessories	681
Flushing Systems	WC	Flushing Cisterns	687
		Accessories for Flushing Cisterns	691
		Electronic Actuators for WC	697
	Urinal	Electronic Actuators for Urinal	701
		Urinal Flush Valves	705
Actuations	WC	Wall Plates for WC	717
		GROHE Fresh	725
	Urinal	Wall Plates for Urinal	727

GROHE

TABLE OF CONTENTS

Connection and Security Technology	Angle Valves	733
Spare Parts and Accessories	Spare Parts and Accessories	739
	Spare parts for Ceramics	124
Survey of Contents		758
Discover the World of GROHE		780
A Globally Connected Company		782

PURE FREUDE AN WASSER.

Life-giving, universal, joyful – water itself is the source of inspiration for the whole of our distinctive product portfolio.

Each of these products is always based on our four core values: Quality, Technology, Design and Sustainability. Balancing these in everything we do, allows us to deliver unrivalled water enjoyment to our customers.







QUALITY

GERMAN PERFECTIONISM INSPIRES ULTIMATE CUSTOMER CONFIDENCE.

We strive for an excellence that goes way beyond the surface of our products. In fact, from design to production and customer service we aim for nothing less than perfection at every stage. Our history of great German engineering, rigorous internal tests and numerous external certification processes are what gives our customers complete confidence in a name they can trust.



NO. 1 MOST TRUSTED BRAND BY CONSUMERS
(IN THE SANITARY INDUSTRY)

TECHNOLOGY

MASTERING WATER THROUGH TECHNOLOGY.

In our relentless search for technological innovation we work to integrate the latest digital advances, creating smart solutions that enhance our customers' enjoyment of water. Our in-house experts harness the power of water to enhance the experience of our customers every day – the moment of truth, for our products and brand.



FORTUNE MAGAZINE: AMONG TOP 50
COMPANIES TO "CHANGE THE WORLD"



DESIGN

SIGNATURE ELEMENTS STYLED TO PERFECTION.

An empathetic and intuitive design language offers us the opportunity to create products that feel as if they were designed just for you. This unique GROHE DNA that is both ergonomic and visually distinctive has earned us numerous design awards: world class references are testimony to our world-wide recognition.

300+
DESIGN AWARDS

DESIGN AWARDS
WON SINCE 2003

SUSTAINABILITY

ENSURING WATER ENJOYMENT FOR GENERATIONS TO COME.

Water is as essential as the air that we breathe, one more reason why we are so passionate about it. To be able to offer "Pure Freude an Wasser", not just to today's consumer but for generations to come, we offer sustainable product solutions like GROHE Blue, GROHE EcoJoy and GROHE SilkMove ES, and we demonstrate through our Sustainability Report and Sustainability accolades that we have made a serious corporate commitment to protecting the planet.



Winner 2017

CSR AWARD WINNER OF THE
GERMAN GOVERNMENT



TURN UP YOUR
SHOWER EXPERIENCE

GROHE SMARTCONTROL



GROHE



38



YOU WON'T BELIEVE HOW MUCH **INTELLIGENT CONTROL** IS HIDDEN IN THIS SMART BUTTON

Enjoying a refreshing and personalised shower has never been easier. Just push the button to choose your preferred shower spray and enjoy. Switch whenever you like between a refreshing GROHE PureRain/GROHE Rain O² spray, the new TrioMassage spray to massage your head and shoulders, or simply use the Power & Soul hand shower. Perhaps you'd prefer two sprays at the same time? No problem, just activate both buttons.

And showering with GROHE SmartControl is even smarter... the innovative GROHE SmartControl technology offers spray selection and volume adjustment in one. Turn the GROHE ProGrip handle and alter the volume as you like. Your preferred setting is stored – perfect if you want to pause the shower or till the next time you use it. Smooth and intuitive controls, operated directly from the main shower unit, mean operation is simple and easy for the entire family. Now that's smart.



3 WAYS TO PLAN YOUR **IDEAL** **SHOWER MOMENT**

So that you can create your perfect shower, GROHE offers you three different ways to go about it – giving you maximum freedom to plan and to enjoy. Whether you are thinking of a simple makeover or want to completely redesign your shower area, GROHE has a range of installation solutions to suit all your needs.



01

SMARTCONTROL EXPOSED

GROHE SmartControl Exposed, combined with the striking Rainshower 360 head shower and shower rod, can be installed with minimum fuss for maximum effect.



02

SMARTCONTROL COMBI SHOWER SYSTEM

The "exceeded" solution – no visible shower rod, just the impressive Rainshower 360 head shower and GROHE SmartControl.




03

SMARTCONTROL CONCEALED

Reduce to the max. GROHE SmartControl Concealed is installed behind the wall for a clean, minimalistic look and more freedom of space.

SMART

GROHE
RAPIDO SMARTBOX





DESIGN

GROHE
SMARTCONTROL

SIMPLER INSTALLATION: AN IN-DEPTH LOOK.

FITS IN EVERY WALL – EVEN THIN ONES

With an installation depth of only 75 mm, the GROHE Rapido SmartBox fits into every kind of wall, even particularly narrow ones. And it can be installed faster and more easily into brick walls.

THE ROUGH-IN THAT'S ALWAYS ON THE JOB.

EASY JOB-SIDE MOUNTING – LEAVE THE BENCH VICE AT HOME


GROHE Rapido SmartBox is the smart innovation that enables fast and easy installation of rough-ins. Thanks to brass outlets, which are readily accessible, the rough-in can be mounted using an adjustable spanner or pipe wrench, allowing for efficient, on-site installation.



ONLY 75 MM
INSTALLATION
DEPTH



ONLY PIPE
WRENCH
NEEDED



SLIM IS THE NEW BEAUTIFUL.

43 MM TOTAL OUTREACH

No matter what the installation depth of the rough-in is, the total height of the trim never exceeds 43 mm. The GROHE SmartControl Concealed combines space-saving convenience in the shower and slim good looks.

THINNER WALL PLATES


With a height of only 10 mm, its super slim design makes the GROHE SmartControl Concealed wall plate both elegant and space saving.

HIDDEN SEALING SYSTEM

The GROHE SmartControl Concealed has an integrated sealing system, completely eliminating water behind the wall.

SYMBOLS CAN BE CHANGED

The control knobs come with a range of different symbols, representing the different shower options. These symbols are clear and recognisable and their functionality distinct. They can be individually configured and also easily exchanged if required.



43 MM
SLIM DESIGN



BEFORE A DRIP
BECOMES A FLOOD.


DETECT TO TAKE CARE WITH GROHE SENSE.



GROHE



CONNECTION



WATER ON/OFF

GROHE SENSE

THE SMART WATER SENSOR
THAT DETECTS WATER
IN YOUR HOME



GROHE Sense monitors temperature and humidity levels and gives warning if the levels become too high or too low.

When water touches the base of the sensor due to leaks or flooding, GROHE Sense alerts you instantly...



...so you have time to react.



GROHE SENSE GUARD

THE SMART WATER CONTROLLER
THAT DETECTS LEAKS AND AUTOMATICALLY
SHUTS OFF THE WATER SUPPLY



GROHE Sense Guard tracks water consumption, detects micro leaks and unusual water consumption.






When a pipe bursts, ...



... GROHE Sense Guard shuts off the water supply automatically and instantly alerts you on your smartphone.



WATER OFF

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	22 505 LNO	4005176411779	white	43.33
 	22 506 LNO	4005176411786	white	22.49
	22 517 LNO	4005176416729	white	465.83

GROHE Sense

Smart water sensor

for wireless LAN, battery powered
instant flooding alarm
senses room temperature
receive updates on temperature and humidity once a day
customise settings via GROHE Ondus App for iOS and Android
status indication via LED light, audible alarm and app
for placement on a flat non-conductive surface
supports connections to wireless LAN protected by password of up to 32 characters in length
LongLife Battery: lifetime up to 4 years, depending on the use of the water sensor including:
- 1 x water sensor
- 3 x AAA batteries included with water sensor
CE approved
wireless LAN 2.4 GHz
Made in Germany

GROHE Sense

**Extension set
for GROHE Sense 22 505 LNO
for difficult to reach locations**

for placement on a flat non-conductive surface or installation on the wall including:
- base plate
- sensor extension cable 1.2 m length
- rawl and screw set
not included: Smart water sensor 22 505 LNO
CE approved

GROHE Sense kit







Smart water controller + 3 x smart water sensor

Consisting of:
Smart water controller
for wireless LAN, mains powered, 230 V, UK plug type G
3 x Smart water sensor
for wireless LAN, battery powered
customise settings via GROHE Ondus App for iOS and Android
status indication via LED light, audible alarm and app
CE approved
wireless LAN 2.4 GHz
Made in Germany

1 x GROHE Sense Guard
for wireless LAN, mains powered, 230 V, UK plug type G
for one family house
detects pipe breaks, micro leaks, frost and unusual water flow
automatic, manual or remote shut off function to limit water damage
senses flow rate and water pressure
measures system temperature to indicate frost risk
If you have a powercut the valve remains open, to allow for drinking water to still be provided to the property
customise settings via GROHE Ondus App for iOS and Android
status indication via LED light, audible alarm and app
residential use recommended
min.recomended pressure 1 bar
for horizontal or vertical installation right after the water meter, cold water only
use of wall mounting set 22 501 000 recommended, sold separately
including:
- 1 x water controller with 1" connection
- mounting nuts 3/4"
- extendable power cable 0.7 m length, plug type G
noise classification 1 in accordance with DIN4109

3 x GROHE Sense

for wireless LAN, battery powered
instant flooding alarm
senses room temperature
receive updates on temperature and humidity once a day
customise settings via GROHE Ondus App for iOS and Android
status indication via LED light, audible alarm and app
for placement on a flat non-conductive surface
supports connections to wireless LAN protected by password of up to 32 characters in length
LongLife Battery: lifetime up to 4 years, depending on the use of the water sensor including:
- 3 x AAA batteries included with water sensor

new	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	22 513 LN0	4005176416484	white	365.83
	<p data-bbox="813 311 1013 353">GROHE Sense Guard Smart water controller</p> <p data-bbox="813 351 1289 394">for wireless LAN, mains powered, 230 V, UK plug type G for one family house</p> <p data-bbox="813 394 1390 461">detects pipe breaks, micro leaks, frost and unusual water flow automatic, manual or remote shut off function to limit water damage senses flow rate and water pressure</p> <p data-bbox="813 461 1240 483">measures system temperature to indicate frost risk</p> <p data-bbox="813 483 1487 506">If you have a powercut the valve remains open, to allow for drinking water to still be provided to the property</p> <p data-bbox="813 524 1341 566">customise settings via GROHE Ondus App for iOS and Android status indication via LED light, audible alarm and app</p> <p data-bbox="813 566 1062 589">residential use recommended</p> <p data-bbox="813 589 1097 611">min.recomended pressure 1 bar</p> <p data-bbox="813 611 1471 678">for horizontal or vertical installation right after the water meter, cold water only use of wall mounting set 22 501 000 recommended, sold separately</p> <p data-bbox="813 678 1243 745">including: - 1 x water controller with 1" connection - mounting nuts 3/4" - extendable power cable 0.7 m length, plug type G</p> <p data-bbox="813 745 919 768">CE approved</p> <p data-bbox="813 768 997 790">wireless LAN 2.4 GHz</p> <p data-bbox="813 790 1110 813">noise classification 1 in accordance with DIN4109</p> <p data-bbox="813 813 964 835">Made in Germany</p> <p data-bbox="813 835 967 857">Launch Feb 2018</p> <p data-bbox="813 857 1016 880">available January 2018</p>			
	22 521 LN0	4005176437151	white	n.A.
	<p data-bbox="813 947 1013 990">GROHE Sense Guard Power extension cable</p> <p data-bbox="813 990 951 1012">cable length 3 m</p> <p data-bbox="813 1012 1146 1034">for GROHE Sense Guard (all plug types)</p>			
	22 501 000	4005176409318	Chrome	57.91
	<p data-bbox="813 1249 1179 1314">GROHE Sense Guard Wall mounting set for GROHE Sense Guard water controller</p> <p data-bbox="813 1314 1029 1337">for installation on the wall</p> <p data-bbox="813 1337 1127 1359">for use with 22 513 LN0, 22 517 LN0</p>			

IDENTIFY YOUR WATER SYSTEM

By identifying the plumbing system in your home, you can select the product that is best suited to your water pressure. The majority of GROHE's products can be used with most systems and we have a number of products that are suited to low Pressure. Water pressure is measured in Bar. Please refer to the diagrams to help identify your water system.

GRAVITY FED SYSTEMS

Measure from the base of the cold water tank to the exact position of where the water is coming out from in a vertical measurement (if it's a shower it will be to where the shower head is or if it's a tap to where the spout of the tap finishes). For each meter in vertical distance you will have 0.1 bar in pressure. So if you select a kitchen tap that requires 0.5 bar pressure then you will need 5 meters in vertical distance, if you select a basin tap that requires 0.2 bar then you will require 2 meters as you will see in the below drawing.




Fig 1

FOR EXAMPLE WATER PRESSURE CAN BE CALCULATED AS FOLLOWS:

Upstairs bathroom shower	1 m = 0.1 bar pressure
Upstairs bathroom basin taps	2 m = 0.2 bar pressure
Kitchen Tap	5 m = 0.5 bar pressure




Fig 2

GRAVITY FED (LOW PRESSURE) SYSTEMS

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- NO shower pump

How does it work?

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by distance from the bottom of cold water tank to the top of highest outlet (Fig 2)

BOOSTED GRAVITY FED WATER SYSTEM

Your home has:

- A cold water storage tank in the loft
- A hot water cylinder (usually in an airing cupboard)
- An additional booster pump

How does it work?

- 1 - Cold water is fed to a storage tank in the loft
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - The pressure of water is determined by a separately installed pump (1–3 bar/dynamic) (Fig 3)




Fig 3




Fig 4

MAINS HIGH PRESSURE WATER SYSTEM

Your home has:

- An unvented cylinder with an expansion vessel (usually located in a garage or service cupboard)
- NO cold water tank in the loft
- NO shower pump

How does it work?

- 1 - Cold water delivered at mains pressure (min 1.5 bar & 20 l/min)
- 2 - Water passes to a cylinder where it is heated by a boiler circuit flow
- 3 - An expansion vessel replaces the storage tank in loft to deal with expansion
- 4 - The water pressure is determined by mains pressure (Fig 4)

COMBINATION BOILER WATER SYSTEM

Your home has:

- A combination boiler for hot water on demand (usually located in the kitchen)
- NO storage tanks
- NO shower pump

How does it work?

- 1 - Cold water delivered at mains pressure (min 1.0 bar to boiler & cold supply)
- 2 - Water is heated as it travels through the combination boiler providing hot water on demand
- 3 - The pressure is dictated by the incoming mains and the flow of water is determined by the power of the selected boiler (Fig 5)




Fig 5

GROHE GUARANTEE

GROHE products are designed to be both visionary and innovative with quality always guaranteed. Purchasing GROHE products means your investment is perfectly balanced in terms of quality, technology and design with sustainable production.

THE 5 YEAR MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "GROHE Manufacturer's 5-year Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



THE 2 YEARS PLUS MANUFACTURER'S GUARANTEE

GROHE shall grant guarantee services to the end consumer in accordance with the terms and conditions set forth below for all products supplied to the end customer under the GROHE brand, which are tagged as products to which the "Grohe 2 years plus Manufacturer's Guarantee" is applicable.

http://www.grohe.co.uk/en_gb/our-service/guarantee.html



GROHE HELPDESK YOUR RELIABLE CONTACT



We'd love to help you – offering a friendly and helpful service

No matter what issues or questions you may have, you can find the right contact person for you.

General

(Ordering, Technical and Delivery Service)

**Tel. 0871 200 3414
0208 283 2840**

orders-uk@grohe.com

Opening Times:

Monday- Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

Customer Service on Site

(Warranty, Technical, General Enquiries)

Tel. 0871 200 3414

info-uk@grohe.com

Opening Times:

Monday- Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

Projects

(Quotations, Architects, Developers)

Tel. 0871 200 3414

projects-uk@grohe.com

Opening Times:

Monday- Wednesday: 8:30-17:00

Thursday – Friday: 8:30-16:00

This pricelist replaces all previous editions. General conditions of sale and delivery apply. We reserve the right to make changes to specifications, dimensions and design.

CERTIFICATES



The Water Regulations Advisory Scheme (WRAS) assesses water fittings products to ensure that they do not waste, misuse, unduly consume or contaminate the water supply, in order to show compliance with Regulation 4 of the requirements of the Water Supply (Water Fittings) Regulations 1999. GROHE have over 500 products that have been approved by WRAS and a further selection that are in the process of being approved. The WRAS Approved product logo is shown on our website against each approved product. Please visit www.grohe.co.uk for our up-to-date listing.



Pure Freude
an Wasser



SPECIFIERS'
CATALOGUE
2018
EDITION FOR PROFESSIONALS

GROHE BATH FITTINGS





CONTENTS

SmartControl	SmartControl Mixers	43
Single Lever Mixers	Veris	47
	Allure Brilliant	59
	Allure	69
	Atrio New	83
	Atrio	97
	Grandera	113
	Lineare	125
	Eurocube Joy	135
	Eurocube	139
	Europlus	147
	Essence	153
	Eurodisc Joy	169
	Eurodisc Cosmopolitan	173
	Concetto	179
	Eurostyle Cosmopolitan	185
	Eurostyle	191
	Eurosmart Cosmopolitan	199
	Eurosmart	205
	BauEdge	211
Two Handle fittings	Costa L	215
Bath Sets	Talentofill	219
Accessories	Selection Cube	223
	Essentials	227
	Essentials Cube	235
	BauCosmopolitan	241
	Essentials Authentic	245



GROHE SILKMOVE

Only GROHE basin mixers operate with an action so smooth we have dubbed it GROHE SilkMove. Naturally, they also offer delicately precise control of water flow and temperature to match. GROHE SilkMove cartridge discs are made from a space-proven ceramic alloy with Teflon technology so that working a mixer lever is effortlessly easy – and remains that way for decades to come. In fact, in a comprehensive battery of mechanical wear tests conducted by the German Technical Inspection Agency, TÜV, our high-tech cartridges produced in-house at GROHE outstripped all products from big-name international manufacturers.







GROHE ECOJOY

SAVE PRECIOUS RESOURCES AND ENJOY 100 % WATER COMFORT.

All GROHE EcoJoy products are systematically designed to save water and energy so that precious resources are conserved. These products, equipped with water-saving technologies, offer the perfect water experience without the need to compromise. Reducing water and energy consumption goes hand in hand with convenience and attractive design. Less water. Perfect flow.





GROHE BESTMATCH

With GROHE BestMatch, you can easily browse through all the various pre-tested combinations in the comfort of your own home. How about an oval washbasin with a basin mixer featuring the modern GROHE Essence design? Or maybe a round washbasin with an elegant GROHE Eurosmart mixer? You can choose between BestMatches consisting of washbasins of major top brands combined with GROHE basin mixers as well as PerfectMatches consisting of GROHE basin mixers combined with perfectly coordinated GROHE washbasins as well as its GROHE accessories.























GROHE SMARTCONTROL MIXERS









GROHE SMARTCONTROL MIXERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 147 000	4005176413438	Chrome	388.00
<p>SmartControl Concealed mixer with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing without roughing-in-set flow performance: outlet B/C = 27 l/min</p>				
 	29 148 000	4005176413445	Chrome	429.00
<p>SmartControl Concealed mixer with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 23 l/min outlet C = 25 l/min</p>				
 	29 149 000	4005176413452	Chrome	467.00
<p>SmartControl Concealed mixer with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet A = 22 l/min outlet B = 26 l/min outlet C = 22 l/min</p>				
 	29 144 000	4005176413407	Chrome	388.00
<p>SmartControl Concealed mixer with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing without roughing-in-set flow performance: outlet B/C = 27 l/min</p>				

GROHE SMARTCONTROL MIXERS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
29 145 000	4005176413414	Chrome	429.00
 	<p>SmartControl Concealed mixer with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 23 l/min outlet C = 25 l/min</p>		
29 146 000	4005176413421	Chrome	467.00
 	<p>SmartControl Concealed mixer with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols cartridge for temperature mixing multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet A = 22 l/min outlet B = 26 l/min outlet C = 22 l/min</p>		
34 709 000	4005176413803	Chrome	1,189.00
 	<p>SmartControl Perfect shower set Consisting of: concealed mixer with 3 valves SmartControl mixer set for final installation (29 146 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>		
34 712 000	4005176413810	Chrome	1,149.00
 	<p>SmartControl Perfect shower set Consisting of: concealed mixer with 3 valves SmartControl mixer set for final installation (29 149 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 SmartActive Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Silverflex shower hose 1.500 mm (28 364)</p>		
35 600 000	4005176413469		125.00
 	<p>GROHE Rapido SmartBox Universal rough-in box, 1/2" 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixing options for solid walls and dry cladding gasket without set for final installation</p>		

GROHE SMARTCONTROL MIXERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	14 055 000	4005176413520		146.00
	14 053 00M	4005176413513		46.00
	14 048 000	4005176413483	Chrome	136.00
 	47 790 000	4005176841491		53.00
	18 864 000	4005176413506	Chrome	94.00
				

Backflow protection combination (DIN-EN1717)
fits Grotherm SmartControl and SmartControl mixer sets for final installation with 2 valves
retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems
replaces separate pipe interrupter for residential use

Service stops
fits Grotherm SmartControl and SmartControl Mixer sets for final installation in combination with GROHE Rapido SmartBox
packaging unit: 2 pieces

Universal extension set
25 mm
fits Grotherm SmartControl and SmartControl Mixer sets for final installation in combination with GROHE Rapido SmartBox











Rapido connection set
fits to Rapido T (35 050), Rapido E (35 501) and Rapido SmartBox (35 600)
VA approved
2 pcs./unit

Grotherm SmartControl Universal mock-up set
fits Grotherm SmartControl and SmartControl mixer sets for final installation













GROHE VERIS




GROHE VERIS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	32 183 000	4005176860362	Chrome	359.00	
	<p>Veris Basin mixer 1/2" S-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish SpeedClean mousseur pop-up waste set 1 1/4" flexible connection hoses</p>	32 186 000	4005176860898	Chrome	359.00
	23 064 000	4005176890109	Chrome	429.00	
	<p>Veris Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish SpeedClean mousseur pop-up waste set 1 1/4" flexible connection hoses</p>	23 065 000	4005176890130	Chrome	429.00
	32 184 000	4005176860379	Chrome	489.00	
	<p>Veris Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish SpeedClean mousseur swivel spout pop-up waste set 1 1/4" flexible connection hoses</p>	32 187 000	4005176860904	Chrome	464.05
	32 191 000	4005176860966	Chrome	617.19	
	<p>Veris Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish SpeedClean mousseur swivel spout pop-up waste set 1 1/4" flexible connection hoses</p>	20 181 000	4005176860997	Chrome	509.00
	20 181 000	4005176860997	Chrome	509.00	
	<p>Veris Three-hole basin mixer 1/2" S-Size wall or deck mounted set for final installation for 29 025 000 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish SpeedClean mousseur centre distance 200 mm projection 170 mm</p>				






GROHE VERIS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 025 000	4005176841927		219.00
 	19 342 000	4005176860942	Chrome	509.00
 	19 388 000	4005176876042	Chrome	539.00
 	32 635 000	4005176845949		219.00
 	32 193 000	4005176861024	Chrome	337.74
 	32 197 000	4005176861185	Chrome	634.29











GROHE VERIS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 195 000	4005176861048	Chrome	719.41
<p>Veris Single-lever bath/shower mixer 1/2" wall or deck mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" flat wall installation with covered unions protected against backflow</p>				
 	32 196 000	4005176861055	Chrome	969.00
<p>Veris Single-lever bath/shower mixer 1/2" wall or deck mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" flat wall installation with covered unions protected against backflow shower hose 1500 mm (28 143 000)</p>				
 	19 367 000	4005176861192	Chrome	329.00
<p>Veris Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 344 000	4005176861062	Chrome	369.00
<p>Veris Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 369 000	4005176861222	Chrome	499.00
<p>Veris Thermostatic shower mixer TMV2 compliant when used with 35 050 000 set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus optional temperature limiter at 43°C included volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headparts 1/2", 180° wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon metal handles</p>				
	35 050 000	4005176982064		229.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				











GROHE VERIS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 364 000	4005176861154	Chrome	549.00
<p>Veris Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus optional temperature limiter at 43°C included Aquadimmer with multiple function shut off and flow control diverter for 2 outlets wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal escutcheon metal handles</p>				
	35 050 000	4005176982064		229.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 373 000	4005176866814	Chrome	1,279.00
<p>Veris 4-hole single-lever bath combination GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish Consisting of: pre-assembled spout fixing OHM operating element optional swivel bath inlet with mousseur diverter bath/shower GROHE hand shower 27 184 000 metal shower hose 2000 mm mounting plate flexible connection hoses connection for shower hose protected against backflow</p>				
 	29 037 000	4005176865749		689.00
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>				
	45 388 000	4005176212758		74.10
<p>Supporting legs for baseframe</p>				
 	32 222 001	4005176890222	Chrome	1,939.00
<p>Veris Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower swivel spout with mousseur and stop limiter projection 295 mm integrated non-return valve in the shower outlet 1/2" GROHE hand shower 27 184 000 shower hose 1500 mm protected against backflow</p>				






GROHE VERIS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 245 000	4005176870163	Chrome	1,235.63
<p>Veris Bath spout, floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE StarLight chrome finish spout with mousseur projection 295 mm total height 1037 mm</p>				
 	45 984 001	4005176992056		319.00
<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply GROHE Fresh retrofit set: enables access to concealed cistern to add a cleaning tablet (chlorine free tablets only)</p>				
<div style="background-color: #0070C0; color: white; padding: 2px;">new</div>  	29 086 000	4005176935497		209.00
<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>				
 	13 242 000	4005176869198	Chrome	209.00
<p>Veris Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur projection 170 mm</p>				
 	19 448 000	4005176841897	Chrome	229.00
<p>5-way diverter set for final installation for 29 033 000 without concealed body bayonet union escutcheon installation depth adjustable 66 - 113 mm only for use with concealed body</p>				

GROHE VERIS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 033 000	4005176845338		229.00
<p>5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass</p>				
 	19 444 000	4005176840562	Chrome	129.00
<p>Concealed stop-valve trim set for final installation for 29 032 000 35 028 000 installation depth adjustable 43 - 91 mm</p>				
 	35 028 000	4005176908316		119.00
<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				
 	29 032 000	4005176845277		29.00
<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>				
 	27 472 000	4005176882814	Chrome	1,009.00
<p>Rainshower System Veris 300 with thermostat for wall mounting horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: head shower Rainshower 310 (27 471 000) with ball joint rotation angle $\pm 15^\circ$ hand shower Ondus (27 185 000) adjustable height via gliding element (12 140 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE CoolTouch GROHE StarLight chrome finish Inner WaterGuide for a longer life</p>				













GROHE VERIS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 068 000	4005176937224	Chrome	419.00
	Rainshower Veris 300 Head shower set 286 mm, 1 spray Consisting of: Head shower Rainshower Veris (27 471 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	26 058 000	4005176937125	Chrome	394.25
	ditto, with non-restricted flow			
	26 069 000	4005176937231	Chrome	419.00
	Rainshower Veris 300 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Veris (27 471 000) 1 spray pattern: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	26 059 000	4005176937132	Chrome	419.00
	ditto, with non-restricted flow			
	27 861 000	4005176918131	Chrome	589.00
	Rainshower Veris 300 Ceiling shower 1 spray Rain 300 x 150 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	27 470 000	4005176882531	Chrome	419.00
	Rainshower Veris 300 Head shower 1 spray Rain 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	26 146 000	4005176986017	Chrome	99.00
	Rainshower Shower arm 422 mm metal connection thread 1/2" with round escutcheon, chrome can be used for all Rainshower head showers GROHE StarLight chrome finish			
	28 576 000	4005176274022	Chrome	69.00
	Ditto, projection 286 mm			





GROHE VERIS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 184 000	4005176840654	Chrome	129.00
<p>GROHE Ondus Stick Hand shower 1 spray Normal spray SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 532 000	4005176889707	Chrome	199.00
<p>GROHE Ondus Stick Shower set 1 spray GROHE hand shower 27 184 000 metal shower hose 2000 mm hose guide</p>				
 	27 190 000	4005176842221	Chrome	99.00
<p>GROHE Ondus Shower outlet elbow connection thread 1/2" external thread metal protected against backflow GROHE StarLight finish</p>				
 	28 912 000	4005176266751	Chrome	209.00
<p>Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish</p>				

GROHE VERIS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 376 000	4005176840241	Chrome	83.33
	Veris Glass/soap dish holder without glass, soap dish or soap dispenser			
	40 389 000	4005176847189	Chrome	37.91
	Veris Soap dispenser			
 	40 376 000	4005176840241	Chrome	83.33
	Veris Glass/soap dish holder without glass, soap dish or soap dispenser			
	40 390 000	4005176847196		40.83
	Veris Glass			
 	40 376 000	4005176840241	Chrome	83.33
	Veris Glass/soap dish holder without glass, soap dish or soap dispenser			
	40 391 000	4005176847202		40.83
	Veris Soap dish			
 	40 379 000	4005176840333	Chrome	104.16
	Veris Towel ring			
 	40 381 000	4005176840395	Chrome	174.17
	Veris Towel rail length 560 mm			
 	40 378 000	4005176840302	Chrome	47.08
	Veris Robe hook			

GROHE VERIS


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 377 000	4005176840272	Chrome	120.83
Veris Toilet roll holder without cover				
 	40 380 000	4005176840364	Chrome	174.17
Veris Toilet brush set wall model satin glass				

GROHE ALLURE BRILLIANT




GROHE ALLURE BRILLIANT

Ref. No.	EAN code	Colour	Retail Guide Price (£)
23 029 000	4005176898709	Chrome	509.00
23 029 BE0	4005176431678	polished nickel	830.00
23 029 EN0	4005176431654	brushed nickel	830.00
23 029 GL0	4005176338311	cool sunrise	830.00
23 029 GN0	4005176431647	brushed cool sunrise	830.00
23 029 DA0	4005176338298	warm sunset	830.00
23 029 DL0	4005176431661	brushed warm sunset	830.00
23 029 A00	4005176338335	hard graphite	830.00
23 029 AL0	4005176353154	brushed hard graphite	830.00



Allure Brilliant
Basin mixer 1/2"
M-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses


23 033 000	4005176898716	Chrome	509.00
Ditto, smooth body			



23 109 000	4005176898754	Chrome	639.00
------------	---------------	--------	--------

Allure Brilliant
Single-lever basin mixer 1/2"
L-Size
monobloc installation
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
pop-up waste set 1 1/4"
flexible connection hoses


23 112 000	4005176898778	Chrome	639.00
Ditto, smooth body			



23 114 000	4005176898792	Chrome	789.00
------------	---------------	--------	--------

Allure Brilliant
Basin mixer 1/2"
XL-Size
monobloc installation
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy 5.0 l/min. flow limiter
GROHE QuickFix installation system
spout with integrated mousseur
smooth body
flexible connection hoses












new













29 086 000	4005176935497		209.00
------------	---------------	--	--------

Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug





GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 344 000	4005176898884	Chrome	749.00
	20 344 GL0	4005176338328	cool sunrise	1,212.00
	20 344 DA0	4005176338304	warm sunset	1,212.00
	20 344 A00	4005176338342	hard graphite	1,212.00
	20 344 AL0	4005176353185	brushed hard graphite	1,212.00
	<p>Allure Brilliant Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter spout with integrated mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			
	20 342 000	4005176898860	Chrome	629.00
		<p>Allure Brilliant Three-hole basin mixer 1/2" S-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter low spout with integrated mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>		
	20 346 000	4005176898907	Chrome	649.00
		<p>Allure Brilliant Three-hole basin mixer 1/2" S-Size wall or deck mounted without concealed body set for final installation for 29 025 000 valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter spout with integrated mousseur projection 161 mm</p>		
	20 348 000	4005176898921	Chrome	689.00
	<p>Ditto, projection 210 mm</p>			
	29 025 000	4005176841927		219.00
		<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device</p>		
	19 781 000	4005176898822	Chrome	619.00
		<p>Allure Brilliant 2-hole basin mixer S-Size wall or deck mounted without concealed body set for final installation for 23 200 000 GROHE StarLight chrome finish GROHE EcoJoy 5.0 l/min. flow limiter spout with integrated mousseur centre distance 110 mm projection 161 mm</p>		
	19 783 000	4005176898846	Chrome	659.00
<p>Ditto, projection 210 mm</p>				











GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 200 000	4005176908354		209.00
<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device</p>				
 	23 117 000	4005176898938	Chrome	579.00
<p>Allure Brilliant Bidet mixer 1/2" M-Size 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	19 789 000	4005176899058	Chrome	389.00
<p>Allure Brilliant Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 785 000	4005176898969	Chrome	429.00
	19 785 DA0	4005176338656	warm sunset	633.00
	19 785 A00	4005176338649	hard graphite	633.00
<p>Allure Brilliant Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	46 191 000	4005176119996		129.00
<p>Extension set 25 mm for universal single-lever mixer for concealed installation 1/2"</p>				













GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	46 343 000	4005176189791		179.00
	Extension set 50 mm for universal single-lever mixer for concealed installation 1/2"			
	19 791 000	4005176899089	Chrome	639.00
	Allure Brilliant Thermostatic shower mixer TMV2 compliant when used with 35 050 000 set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus optional temperature limiter at 43°C included volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headparts 1/2", 180° wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles			
	35 050 000	4005176982064		229.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation			
	19 792 000	4005176899096	Chrome	729.00
	19 792 BE0	4005176431715	polished nickel	1,081.00
	19 792 EN0	4005176431692	brushed nickel	1,081.00
	19 792 GL0	4005176352164	cool sunrise	1,081.00
	19 792 GN0	4005176431685	brushed cool sunrise	1,081.00
	19 792 DA0	4005176339141	warm sunset	1,081.00
	19 792 DL0	4005176431708	brushed warm sunset	1,081.00
	19 792 A00	4005176339134	hard graphite	1,081.00
	19 792 AL0	4005176353093	brushed hard graphite	1,081.00
	Allure Brilliant Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus optional temperature limiter at 43°C included Aquadimmer with multiple function - flow control diverter for 2 outlets wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles,			
	35 050 000	4005176982064		229.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation			
	19 887 000	4005176900907	Chrome	579.00
	Allure Brilliant Trim for thermostatic shower valve set for final installation for 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop Plus integrated temperature limiter at max 50°C wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles			
	35 050 000	4005176982064		229.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation			

GROHE ALLURE BRILLIANT


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	29 037 000	4005176865749		689.00
	4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water			
	45 388 000	4005176212758		74.10
	Supporting legs for baseframe			
	23 119 000	4005176899027	Chrome	2,299.00
	23 119 DA0	4005176338557	warm sunset	3,386.00
	23 119 A00	4005176338601	hard graphite	3,386.00
	Allure Brilliant Single-lever bath mixer 1/2", floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish automatic diverter: bath/shower spout with integrated mousseur projection 270 mm integrated non-return valve in the shower outlet 1/2" with shower holder hand shower Euphoria Cube+ metal shower hose 1250 mm protected against backflow			
	13 301 000	4005176899041	Chrome	1,294.47
	Allure Brilliant Bath spout, floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE StarLight chrome finish spout with integrated mousseur total height 1070 mm projection 270 mm			
	45 984 001	4005176992056		319.00
	Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply GROHE Fresh retrofit set: enables access to concealed cistern to add a cleaning tablet (chlorine free tablets only)			
new	29 086 000	4005176935497		209.00
	Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug			
				

GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 319 000	4005176912627	Chrome	669.00
<p>Allure Brilliant Cascade spout for bath and shower wall or deck mounted GROHE StarLight chrome finish projection 180 mm</p>				
 	13 299 000	4005176899003	Chrome	289.00
<p>Allure Brilliant Bath spout wall or deck mounted GROHE StarLight chrome finish projection 161 mm spout with integrated mousseur</p>				
 	19 798 000	4005176899157	Chrome	239.00
<p>Allure Brilliant 5-way diverter set for final installation for 29 033 000 without concealed body GROHE StarLight chrome finish installation depth adjustable 66 - 113 mm</p>				
 	29 033 000	4005176845338		229.00
<p>5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass</p>				
 	19 796 000	4005176899133	Chrome	169.00
<p>Allure Brilliant Concealed stop-valve trim set for final installation for 29 032 000 (preassembled headpart 1/2") 29 068 000 (preassembled ceramic headpart 1/2" - not to be used as shut-off) 35 028 000 GROHE StarLight chrome finish installation depth adjustable 43 - 91 mm</p>				
 	29 032 000	4005176845277		29.00
<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>				


GROHE ALLURE BRILLIANT

Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 707 000	4005176908446	Chrome	39.00



Allure Brilliant
Shower outlet elbow, 1/2"
 male thread
 protected against backflow
 metal
GROHE StarLight chrome finish

27 706 000	4005176908439	Chrome	29.00
------------	---------------	--------	-------









Allure Brilliant
Wall hand Shower holder
 non-adjustable
 metal
GROHE StarLight chrome finish

GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 494 000	4005176899263	Chrome	290.83
<p>Allure Brilliant Holder with soap dispenser GROHE StarLight chrome finish</p>				
 	40 493 000	4005176899256	Chrome	190.83
<p>Allure Brilliant Holder with tumbler GROHE StarLight chrome finish</p>				
 	40 503 000	4005176900068	Chrome	224.17
<p>Allure Brilliant Shelf with tumbler GROHE StarLight chrome finish</p>				
 	40 504 000	4005176900075	Chrome	224.17
<p>Allure Brilliant Shelf with soap dish GROHE StarLight chrome finish</p>				
 	40 496 000	4005176899287	Chrome	158.33
<p>Allure Brilliant Towel bar Two arms GROHE StarLight chrome finish length 431 mm non swivelling</p>				
 	40 497 000	4005176899294	Chrome	174.17
<p>Allure Brilliant Towel rail 600 mm GROHE StarLight chrome finish</p>				











GROHE ALLURE BRILLIANT

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 498 000	4005176899300	Chrome	74.58
	Allure Brilliant Robe hook GROHE StarLight chrome finish			
 	40 499 000	4005176899317	Chrome	149.99
	Allure Brilliant Toilet roll holder GROHE StarLight chrome finish			
 	40 500 000	4005176899324	Chrome	249.17
	Allure Brilliant Toilet brush set GROHE StarLight chrome finish			











GROHE ALLURE













GROHE ALLURE









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 757 000	4005176870897	Chrome	359.00
	<p>Allure Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 146 000	4005176821622	Chrome	459.00
	<p>Allure Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 760 000	4005176870927	Chrome	609.00
	<p>Allure Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses projection 104 mm</p>			
	23 403 000	4005176941627	Chrome	609.00
	<p>Allure Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter GROHE QuickFix Plus installation system smooth body projection 180 mm flexible connection hoses temperature limiter</p>			
	32 249 000	4005176832383	Chrome	649.00
	<p>Allure Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 6.0 l/min. flow limiter rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			









GROHE ALLURE







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	20 143 000	4005176832581	Chrome	569.00
<p>Allure Three-hole basin mixer 1/2" M-Size with metal plate GROHE StarLight chrome finish ceramic headpart 1/2", 180° flow limiter 8 l/min. spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>				
 	20 188 000	4005176875724	Chrome	569.00
<p>Allure Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur pressure-proof, flexible connection hoses between spout and side valves pop-up waste set 1 1/4"</p>				
 	20 190 000	4005176875748	Chrome	509.00
<p>Allure Three-hole basin mixer 1/2" S-Size wall or deck mounted, without concealed body set for final installation for 32 706 000 with metal plate valves hot/cold with Carbodur ceramic headparts 1/2" - 180° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur centre distance 200 mm projection 172 mm,</p>				
	20 192 000	4005176875991	Chrome	539.00
<p>Ditto, projection 220 mm</p>				
 	32 706 000	4005176855092		219.00
<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set</p>				
 	20 189 000	4005176875731	Chrome	509.00
<p>Allure Three-hole basin mixer 1/2" S-Size wall or deck mounted, without concealed body set for final installation for 29 025 000 with lever handles with metal plate valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur projection 172 mm,</p>				
	20 193 000	4005176876004	Chrome	539.00
<p>Ditto, projection 220 mm</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 025 000	4005176841927		219.00
<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device</p>				
 	19 309 000	4005176820656	Chrome	509.00
<p>Allure 2-hole basin mixer S-Size wall or deck mounted without concealed body set for final installation for 33 769 000 with metal plate GROHE StarLight chrome finish flow limiter 8 l/min. spout with mousseur centre distance 110 mm projection 172 mm</p>				
	19 386 000	4005176876011	Chrome	549.00
<p>Ditto, projection 220 mm</p>				
 	33 769 000	4005176819605		219.00
<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter</p>				
 	32 147 000	4005176821653	Chrome	359.00
<p>Allure Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	32 846 000	4005176882432	Chrome	634.29
<p>Allure Single-lever shower mixer 1/2" wall or deck mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter shower front outlet 1/2" with integrated non return-valve flat wall installation with covered unions protected against backflow</p>				


GROHE ALLURE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 826 000	4005176882425	Chrome	759.00
<p>Allure Single-lever bath/shower mixer 1/2" wall or deck mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix system adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flat wall installation with covered unions protected against backflow</p>				
 	19 317 000	4005176821806	Chrome	329.00
<p>Allure Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 315 000	4005176821677	Chrome	369.00
<p>Allure Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered coupling</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 380 000	4005176831539	Chrome	499.00
<p>Allure Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 GROHE StarLight chrome finish temperature scale handle with GROHE SafeStop safety stop at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) metal handles metal escutcheon covered fixing ceramic headpart 1/2", 180° without concealed body TMV2 compliant when used with 35 050 000</p>				
	35 050 000	4005176982064		229.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 446 000	4005176840807	Chrome	549.00
<p>Allure Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 050 000 GROHE StarLight chrome finish temperature scale handle with GROHE SafeStop safety stop at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included shut off and flow control Aquadimmer with multiple function metal escutcheon, covered coupling without concealed body</p>				
	35 050 000	4005176982064		229.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	34 706 000	4005176413797	Chrome	1,239.00
<p>Grotherm SmartControl Perfect shower set with Rainshower 310 SmartActive Cube Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 SmartActive Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Silverflex shower hose 1.500 mm (28 364)</p>				
<p>GROHE Rapido SmartBox 35 600 000</p>				
 	29 123 000	4005176413292	Chrome	450.00
<p>Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>				
<p>GROHE Rapido SmartBox 35 600 000</p>				
 	29 124 000	4005176413308	Chrome	490.00
<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min</p>				
<p>GROHE Rapido SmartBox 35 600 000</p>				


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 125 000	4005176413315	Chrome	588.00
<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves and integrated shower holder set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously integrated shower union with shower outlet 1/2" without roughing-in-set flow performance: outlet B = 24 l/min hand shower = 12 l/min</p>				
 	29 126 000	4005176413322	Chrome	530.00
<p>Grotherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min</p>				
 	29 127 000	4005176413339	Chrome	323.00
<p>Grotherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included</p>				

Ref. No. EAN code Colour Retail Guide Price (£)




35 600 000 4005176413469 125.00

GROHE Rapido SmartBox
Universal rough-in box, 1/2"
3 outlets 1/2"
2 inlets below, 1/2"
installation depth 75-105 mm
connection unit in DR brass
pre-mounted flushing plug
stable build-in box and protective cover
fixing options for solid walls and dry cladding
gasket
without set for final installation



19 316 000 4005176821783 Chrome 1,149.00


Allure
3-hole single-lever bath combination
trim set for 33 339 000
without baseframe
OHM operating element
bath inlet with automatic diverter
bath/shower
hand shower (28 034 000)
metal shower hose 2000 mm



33 339 000 4005176222818 709.00


3-hole single-lever bath combination
baseframe for installation
under tiled surround
without finishing trim set
mounting plate and base frame
46 mm cartridge with **GROHE SilkMove**
and spout fixing pre-assembled
flexible connection hoses
connection for shower hose
drainage box with
integrated outlet for splash water
this part should be easy to access
protected against backflow

45 388 000 4005176212758 74.10
Supporting legs for baseframe



13 218 000 4005176847110 Chrome 1,235.63



Allure
Bath spout, floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE StarLight chrome finish
spout with mousseur
projection 300 mm
total height 910 mm





















45 984 001 4005176992056 319.00

Rough-in set 1/2"
for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
installation depth 65-157 mm for shower mixers, depth compensation 92 mm
two 1/2" female connections (hot/cold supplies)
flushing plug
Can take a single mixed supply
GROHE Fresh retrofit set:
enables access to concealed cistern
to add a cleaning tablet
(chlorine free tablets only)





GROHE ALLURE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	29 086 000	4005176935497		209.00
<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>				
 	13 317 000	4005176912603	Chrome	669.00
<p>Allure Cascade spout for bath and shower wall or deck mounted GROHE StarLight chrome finish projection 180 mm</p>				
 	13 264 000	4005176882449	Chrome	209.00
<p>Allure Bath spout 3/4" wall or deck mounted GROHE StarLight chrome finish projection 172 mm mousseur</p>				
 	19 590 000	4005176890529	Chrome	179.00
<p>Allure 5-way diverter set for final installation for 29 033 000 without concealed body bayonet union escutcheon installation depth adjustable 66 - 113 mm only for use with concealed body GROHE StarLight chrome finish</p>				
 	29 033 000	4005176845338		229.00
<p>5-way diverter concealed body wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" 1 bath outlet 3/4" installation depth adjustable 66 - 113 mm DR-brass</p>				
 	19 334 000	4005176823800	Chrome	129.00
<p>Allure Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm escutcheon with screwable wall sealing without concealed body GROHE StarLight chrome finish</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	35 028 000	4005176908316		119.00
<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				
 	29 811 000	4005176062711		49.00
<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
 	19 384 000	4005176875755	Chrome	129.00
<p>Allure Concealed stop-valve trim with lever handle set for final installation for 29 032 000 35 028 000 installation depth adjustable 43 - 91 mm metal escutcheon without concealed body GROHE StarLight chrome finish</p>				
	35 028 000	4005176908316		119.00
<p>GROHE Rapido C rough-in box for single volume control</p>				
 	29 032 000	4005176845277		29.00
<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>				
 	26 070 000	4005176937248	Chrome	419.00
<p>Rainshower F-Series 10" 254 x 254 Head shower set 286 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 488 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
	26 060 000	4005176937149	Chrome	419.00
<p>ditto, with non-restricted flow</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 071 000	4005176937255	Chrome	419.00
<p>Rainshower F-Series 10" Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray pattern: Rain shower arm Rainshower ceiling 142 mm (27 485 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
	26 061 000	4005176937156	Chrome	419.00
<p>ditto, with non-restricted flow</p>				
 	26 054 000	4005176937088	Chrome	479.00
<p>Rainshower Allure 230 Head shower set 286 mm, 1 spray metal head shower Rainshower Allure 230 (27 479 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	26 065 000	4005176937194	Chrome	439.00
<p>Rainshower Allure 230 Head shower set ceiling 154 mm, 1 spray Consisting of: Head shower Rainshower Allure 230 (27 480 000) 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
	26 055 000	4005176937095	Chrome	469.00
<p>ditto, with non-restricted flow</p>				
 	27 271 000	4005176860690	Chrome	399.00
<p>Rainshower F-Series 10" Head shower 1 spray Rain 254 x 254 mm Ball joint +/- 20° rotatable connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				


GROHE ALLURE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 278 000	4005176824081	Chrome	73.33
<p>Allure Glass/soap dish holder for glass or soap dish without glass without soap dish GROHE StarLight chrome finish</p>				
	40 254 000	4005176211065		39.00
<p>Glass</p>				
 	40 278 000	4005176824081	Chrome	73.33
<p>Allure Glass/soap dish holder for glass or soap dish without glass without soap dish GROHE StarLight chrome finish</p>				
	40 256 000	4005176211089		34.99
<p>Soap dish</p>				
 	40 339 000	4005176824111	Chrome	95.83
<p>Allure Towel ring GROHE StarLight chrome finish</p>				
 	40 342 000	4005176824142	Chrome	145.83
<p>Allure Towel bar Two arms swivelling GROHE StarLight chrome finish length 426 mm</p>				
 	40 341 000	4005176824135	Chrome	145.83
<p>Allure Towel rail 600 mm GROHE StarLight chrome finish</p>				
 	40 284 000	4005176824104	Chrome	40.41
<p>Allure Robe hook GROHE StarLight chrome finish</p>				


GROHE ALLURE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

40 279 000	4005176824098	Chrome	95.83
------------	---------------	--------	-------



Allure
Toilet roll holder
 without cover
GROHE StarLight chrome finish








40 340 000	4005176824128	Chrome	158.33
------------	---------------	--------	--------

Allure
Toilet brush set
 wall model
GROHE StarLight chrome finish









GROHE ATRIO



GROHE ATRIO


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p> 	32 042 003	4005176454448	Chrome	338.00
	32 042 DC3	4005176454455	supersteel	440.00
	32 042 AL3	4005176454462	brushed hard graphite	474.00
	<p>Atrio Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur swivel tubular C-spout with mousseur stop limiter Push-open waste set 1 1/4" flexible connection hoses available April 2018</p>			
<p>new</p> 	32 647 003	4005176454707	Chrome	474.00
	32 647 DC3	4005176454714	supersteel	615.00
	32 647 AL3	4005176454721	brushed hard graphite	663.00
	<p>Atrio Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur swivel tubular C-spout with mousseur stop limiter Push-open waste set 1 1/4" flexible connection hoses available April 2018</p>			
<p>new</p> 	19 287 003	4005176454738	Chrome	338.00
	19 287 DC3	4005176454745	supersteel	440.00
	19 287 AL3	4005176454752	brushed hard graphite	474.00
	<p>Atrio Two-hole basin mixer joystick wall or deck mounted without concealed body set for final installation for 23 429 000 GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur centre distance 110 mm projection 185 mm available April 2018</p>			
<p>new</p> 	19 918 003	4005176454769	Chrome	383.00
	19 918 DC3	4005176454776	supersteel	498.00
	19 918 AL3	4005176454783	brushed hard graphite	537.00
	<p>Atrio Two-hole basin mixer joystick wall or deck mounted without concealed body set for final installation for 23 429 000 GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur centre distance 110 mm projection 221 mm available April 2018</p>			
	23 429 000	4005176993695		209.00
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass</p>			

GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p> 	32 108 003	4005176454790	Chrome	383.00
	32 108 DC3	4005176454806	supersteel	498.00
	32 108 AL3	4005176454813	brushed hard graphite	537.00
	<p>Atrio Bidet mixer 1/2\" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system tubular C-spout with ball-joint mousseur pop-up waste set 1 1/4\" flexible connection hoses available April 2018</p> 			
<p>new</p> 	32 650 003	4005176454820	Chrome	406.00
	32 650 DC3	4005176454837	supersteel	528.00
	32 650 AL3	4005176454844	brushed hard graphite	568.00
	<p>Atrio Single-lever shower mixer 1/2\" wall or deck mounted GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2\" with integrated non return-valve covered S-unions protected against backflow available April 2018</p> 			
<p>new</p> 	32 652 003	4005176454851	Chrome	474.00
	32 652 DC3	4005176454868	supersteel	615.00
	32 652 AL3	4005176454875	brushed hard graphite	663.00
	<p>Atrio Single-lever bath/shower mixer 1/2\" wall or deck mounted GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower cast spout mousseur shower bottom outlet 1/2\" with integrated non return-valve covered S-unions protected against backflow available April 2018</p> 			
<p>new</p> 	32 653 003	4005176454912	Chrome	1,307.00
	32 653 DC3	4005176454929	supersteel	1,699.00
	32 653 AL3	4005176454936	brushed hard graphite	1,830.00
	<p>Atrio Single-lever bath mixer, floor mounted set for final installation for 45 984 001 without roughing-in-set GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower spout with mousseur projection 301 mm integrated non-return valve in the shower outlet 1/2\" with shower holder hand shower Sena Stick (26 465) Silverflex shower hose 1250 mm protected against backflow available April 2018</p> 			

GROHE ATRIO

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



45 984 001	4005176992056		319.00
------------	---------------	--	--------

Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 Can take a single mixed supply
 GROHE Fresh retrofit set:
 enables access to concealed cistern
 to add a cleaning tablet
 (chlorine free tablets only)


GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div> 	20 021 003	4005176455193	Chrome	226.00
	20 021 DC3	4005176455209	supersteel	293.00
	20 021 AL3	4005176455216	brushed hard graphite	316.00
	<p>Atrio Pillar tap 1/2" XS-Size headpart 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur rapid installation system mousseur fixed spout flexible connection hoses with lever handle available April 2018</p>			
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div> 	21 022 003	4005176454943	Chrome	361.00
	21 022 DC3	4005176454950	supersteel	469.00
	21 022 AL3	4005176454967	brushed hard graphite	505.00
	<p>Atrio Basin mixer, 1/2" L-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur rapid installation system swivel tubular spout with mousseur and stop limiter Push-open waste set 1 1/4" flexible connection hoses with lever handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking. available April 2018</p>			
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div> 	21 019 003	4005176455223	Chrome	361.00
	21 019 DC3	4005176455230	supersteel	469.00
	21 019 AL3	4005176455247	brushed hard graphite	505.00
	<p>Atrio Basin mixer, 1/2" L-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur rapid installation system swivel tubular spout with mousseur and stop limiter Push-open waste set 1 1/4" flexible connection hoses with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking. available April 2018</p>			
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div> 	21 044 003	4005176455254	Chrome	496.00
	21 044 DC3	4005176455261	supersteel	619.00
	21 044 AL3	4005176455278	brushed hard graphite	694.00
	<p>Atrio Basin mixer, 1/2" XL-Size for free-standing basins ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy 5.7 l/min laminar mousseur rapid installation system swivel tubular spout with mousseur and stop limiter Push-open waste set 1 1/4" flexible connection hoses with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking. available April 2018</p>			

GROHE ATRIO

Ref. No. EAN code Colour Retail Guide Price (£)


new



20 009 003	4005176454974	Chrome	361.00
20 009 DC3	4005176454981	supersteel	469.00
20 009 AL3	4005176454998	brushed hard graphite	505.00

Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses between spout and side valves
with lever handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.
available April 2018


new



20 008 003	4005176455285	Chrome	451.00
20 008 DC3	4005176455292	supersteel	586.00
20 008 AL3	4005176455308	brushed hard graphite	631.00

Atrio
Three-hole basin mixer 1/2"
M-Size
ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
swivel tubular spout with mousseur and stop limiter
pop-up waste set 1 1/4"
pressure-proof, flexible connection hoses
between spout and side valves
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.
available April 2018


new



20 169 003	4005176455001	Chrome	383.00
20 169 DC3	4005176455018	supersteel	498.00
20 169 AL3	4005176455025	brushed hard graphite	537.00

Atrio
Three-hole basin mixer 1/2"
S-Size
wall or deck mounted
set for final installation for 29 025 000
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with lever handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.
available April 2018









new













20 164 003	4005176455315	Chrome	383.00
20 164 DC3	4005176455322	supersteel	498.00
20 164 AL3	4005176455339	brushed hard graphite	537.00

Atrio
3-hole basin mixer
wall or deck mounted
set for final installation for 29 025 000
without concealed body
valves hot/cold
with headparts 1/2" - 90°
GROHE StarLight chrome finish
GROHE EcoJoy 5.7 l/min laminar mousseur
centre distance 200 mm
projection 180 mm
with cross handles
Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking.
available April 2018









GROHE ATRIO







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 025 000	4005176841927		219.00
<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device</p>				
<p>new</p>  	24 027 003 24 027 DC3 24 027 AL3	4005176455346 4005176455353 4005176455360	Chrome supersteel brushed hard graphite	383.00 498.00 537.00
<p>Atrio Bidet mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish rapid installation system ball-joint mousseur bow spout pop-up waste set 1 1/4" flexible connection hoses with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking. available April 2018</p>				
<p>new</p>  	26 003 003 26 003 DC3 26 003 AL3	4005176455377 4005176455384 4005176455391	Chrome supersteel brushed hard graphite	406.00 528.00 568.00
<p>Atrio Shower mixer 1/2" wall or deck mounted ceramic headparts 1/2", 90° shower outlet 1/2" integrated non-return valves in the shower outlet 1/2" covered S-unions protected against backflow with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking. available April 2018</p>				
<p>new</p>  	25 010 003 25 010 DC3 25 010 AL3	4005176455407 4005176455414 4005176455421	Chrome supersteel brushed hard graphite	541.00 703.00 757.00
<p>Atrio Bath / shower mixer 1/2" wall or deck mounted ceramic headparts 1/2", 90° GROHE StarLight chrome finish automatic diverter: bath/shower tubular spout with stop restriction mousseur covered S-unions protected against backflow without shower set with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking. available April 2018</p>				

GROHE ATRIO





	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	25 044 003	4005176455438	Chrome	1,690.00
	25 044 DC3	4005176455445	supersteel	2,197.00
	25 044 AL3	4005176455452	brushed hard graphite	2,366.00
	<p>Atrio Bath / shower mixer 1/2" floor-mounted installation with high pillar unions (765 mm) set for final installation for 45 984 001 ceramic headparts 1/2", 90° GROHE StarLight chrome finish automatic diverter: bath/shower swivel tubular spout with mousseur and stop limiter projection 301 mm integrated non-return valve in the shower outlet 1/2" hand shower Sena Stick (26 465) with shower holder Silverflex shower hose 1250 mm (28 362) protected against backflow, with cross handles Two different sets of caps included. One set with „H“ and „C“ marking, one set without marking. available April 2018</p>			
	45 984 001	4005176992056		319.00
		<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply GROHE Fresh retrofit set: enables access to concealed cistern to add a cleaning tablet (chlorine free tablets only)</p>		
	19 088 003	4005176455162	Chrome	102.00
	19 088 DC3	4005176455179	supersteel	132.00
	19 088 AL3	4005176455186	brushed hard graphite	142.00
	<p>Atrio Concealed stop-valve trim for concealed valve 35 028 000 or 29 032 000 GROHE StarLight chrome finish installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with lever handle available April 2018</p>			
	19 069 003	4005176455469	Chrome	79.00
	19 069 DC3	4005176455476	supersteel	103.00
	19 069 AL3	4005176455483	brushed hard graphite	111.00
	<p>Atrio Concealed stop-valve trim for concealed valve 35 028 000 or 29 032 000 GROHE StarLight chrome finish installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with cross handle available April 2018</p>			
	35 028 000	4005176908316		119.00
		<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>		

GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 032 000	4005176845277		29.00
<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p>				
 	29 037 001	4005176455490		799.00
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water 19 922 003 19 923 003</p>				
<p>new</p>  	13 139 003	4005176455131	Chrome	203.00
	13 139 DC3	4005176455148	supersteel	264.00
	13 139 AL3	4005176455155	brushed hard graphite	284.00
<p>Atrio Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur projection 171 mm available April 2018</p>				
 	29 118 000	4005176412240	Chrome	450.00
<p>Grontherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 119 000	4005176412257	Chrome	519.00
	<p>Grohtherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min</p>			
 	29 120 000	4005176412264	Chrome	588.00
	<p>Grohtherm SmartControl Thermostat for concealed installation with 2 valves and integrated shower holder set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously integrated shower union with shower outlet 1/2" without roughing-in-set flow performance: outlet B = 24 l/min hand shower = 12 l/min</p>			
 	29 121 000	4005176412271	Chrome	530.00
	<p>Grohtherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min</p>			

GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 122 000	4005176412288	Chrome	323.00
 	35 600 000	4005176413469		125.00









Grohtherm SmartControl
Triple volume control trim
 set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
 10 mm thin profile escutcheon
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet D = 28 l/min
 outlet E = 28 l/min
 outlet A = 28 l/min
 outlet D+E+A = 65 l/min

GROHE Rapido SmartBox
Universal rough-in box, 1/2"
 3 outlets 1/2"
 2 inlets below, 1/2"
 installation depth 75-105 mm
 connection unit in DR brass
 pre-mounted flushing plug
 stable build-in box and protective cover
 fixing options for solid walls and dry cladding
 gasket
 without set for final installation

GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 304 003	4005176461576	Chrome	73.00
	40 304 DC3	4005176461583	supersteel	95.00
	40 304 AL3	4005176462399	brushed hard graphite	102.00
	Atrio Glass/soap dish holder for Atrio glass (40 254 003) or Atrio soap dispenser (40 306 xx3) material: metal concealed fastening GROHE StarLight chrome finish available April 2018			
	40 306 003	4005176461545	Chrome	73.00
	40 306 DC3	4005176461552	supersteel	95.00
	40 306 AL3	4005176461569	brushed hard graphite	102.00
	Atrio Soap dispenser material: glass / metal fits in the following holder: Atrio (40 304) GROHE StarLight chrome finish available April 2018			
	40 305 003	4005176462412	Chrome	73.00
	40 305 DC3	4005176462429	supersteel	95.00
	40 305 AL3	4005176462436	brushed hard graphite	102.00
	Atrio Glass/soap dish holder for Atrio soap dish (40 256 003) material: metal concealed fastening GROHE StarLight chrome finish available April 2018			
	40 256 003	4005176462443		56.00
	Soap dish material: glass fits in the following holder: Atrio (40 305 xx3) available April 2018			
				
	40 307 003	4005176462450	Chrome	98.00
	40 307 DC3	4005176462467	supersteel	127.00
	40 307 AL3	4005176462474	brushed hard graphite	137.00
	Atrio Towel ring material: metal concealed fastening GROHE StarLight chrome finish available April 2018			
	40 308 003	4005176462481	Chrome	163.00
	40 308 DC3	4005176462498	supersteel	212.00
	40 308 AL3	4005176462504	brushed hard graphite	228.00
	Atrio Towel bar material: metal concealed fastening 2 arms, pivotable length 489 mm GROHE StarLight chrome finish available April 2018			











GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 309 003	4005176462511	Chrome	156.00
	40 309 DC3	4005176462528	supersteel	202.00
	40 309 AL3	4005176462627	brushed hard graphite	218.00
	Atrio Towel rail material: metal concealed fastening 600 mm GROHE StarLight chrome finish available April 2018			
 	40 312 003	4005176462535	Chrome	51.00
	40 312 DC3	4005176462542	supersteel	66.00
	40 312 AL3	4005176462559	brushed hard graphite	71.00
	Atrio Robe hook material: metal concealed fastening GROHE StarLight chrome finish available April 2018			
 	40 313 003	4005176462566	Chrome	111.00
	40 313 DC3	4005176462573	supersteel	144.00
	40 313 AL3	4005176462580	brushed hard graphite	155.00
	Atrio Toilet roll holder material: metal concealed fastening without cover GROHE StarLight chrome finish available April 2018			
 	40 314 003	4005176462597	Chrome	220.00
	40 314 DC3	4005176462603	supersteel	285.00
	40 314 AL3	4005176462610	brushed hard graphite	307.00
	Atrio Toilet brush set material: glass / metal wall or deck mounted concealed fastening GROHE StarLight chrome finish available April 2018			











GROHE ATRIO













GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 042 001	4005176849404	Chrome	399.00
<p>Aerio Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system swivel tubular C-spout with mousseur stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>				
 	32 129 001	4005176857348	Chrome	399.00
<p>Aerio Single-lever basin mixer 1/2" L-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system swivel tubular 7° spout with mousseur stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>				
 	32 647 001	4005176849411	Chrome	549.00
<p>Aerio Basin mixer 1/2" XL-Size monobloc installation for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system swivel tubular C-spout with mousseur stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>				
 	19 287 001	4005176849428	Chrome	389.00
<p>Aerio 2-hole basin mixer S-Size wall or deck mounted without concealed body set for final installation for 23 571 000 separate escutcheons Ø 70 mm GROHE StarLight chrome finish centre distance 110 mm projection 180 mm</p>				
	19 918 000	4005176912566	Chrome	469.00
<p>Ditto, projection 220 mm</p>				
 	23 571 000	4005176334276		199.00
<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>				


GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 108 001	4005176849435	Chrome	399.00
<p>Atrio Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system tubular C-spout with ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	32 134 001	4005176857362	Chrome	381.67
<p>Atrio Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system tubular 7° spout with ball-joint mousseur stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>				
 	32 650 001	4005176849442	Chrome	403.64
<p>Atrio Single-lever shower mixer 1/2" wall or deck mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow</p>				
 	32 652 001	4005176849466	Chrome	502.49
<p>Atrio Single-lever bath/shower mixer 1/2" wall or deck mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower cast spout mousseur shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow</p>				
 	19 463 001	4005176849459	Chrome	279.00
<p>Atrio Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealings metal escutcheon covered fixing</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				

GROHE ATRIO




	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 459 001	4005176849473	Chrome	329.00
<p>Atrio Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealings metal escutcheon covered fixing</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	46 191 000	4005176119996		129.00
<p>Extension set 25 mm for universal single-lever mixer for concealed installation 1/2"</p>				
	46 343 000	4005176189791		179.00
<p>ditto, extension set 50 mm</p>				
 	32 653 002	4005176890215	Chrome	1,509.00
<p>Atrio Single-lever bath mixer 1/2", floor mounted without roughing-in-set GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter diverter bath/shower swivel tubular spout with mousseur and stop limiter integrated non-return valve in the shower outlet 1/2" with shower holder hand shower (28 034 000) shower hose 1500 mm protected against backflow for use with: 45 984 001</p>				
 	45 984 001	4005176992056		319.00
<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply GROHE Fresh retrofit set: enables access to concealed cistern to add a cleaning tablet (chlorine free tablets only)</p>				
<div style="background-color: #0070C0; color: white; padding: 2px;">new</div>  	29 086 000	4005176935497		209.00
<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>				

GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	21 022 000	4005176235993	Chrome	399.00
	<p>Atrio Basin mixer, 1/2" L-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish rapid installation system swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4" flexible connection hoses with Jota handle</p>			
	20 009 000	4005176236129	Chrome	489.00
	<p>Atrio Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves with Jota handle</p>			
	20 169 000	4005176855207	Chrome	439.00
	<p>Atrio Three-hole basin mixer 1/2" S-Size wall or deck mounted set for final installation for 32 706 000 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish centre distance 200 mm projection 180 mm with Jota handle</p>			
	32 706 000	4005176855092		219.00
	<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set</p>			
	24 026 000	4005176820359	Chrome	381.67
	<p>Atrio Bidet mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish rapid installation system ball-joint mousseur bow spout pop-up waste set 1 1/4" flexible connection hoses with Jota handle</p>			

GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 398 000	4005176831317	Chrome	379.00
<p>Atrio Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) covered fixing with Jota handle TMV2 compliant when used with 35 050 000</p>				
	35 050 000	4005176982064		229.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 399 000	4005176831324	Chrome	439.00
<p>Atrio Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) Aquadimmer with multiple function diverter for 2 outlets - diverter: bath/shower, shut off and flow control covered fixing with Jota handle</p>				
	35 050 000	4005176982064		229.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	47 781 000	4005176836558		149.00
<p>Extension set 27.5 mm for Rapido T 35 500 000/35 050 000 for use with bath-thermostats with aquadimmer</p>				
 	13 139 000	4005176235856	Chrome	179.00
<p>Atrio Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur projection 168 mm</p>				
 	19 134 000	4005176235900	Chrome	129.00
<p>Atrio 5-way diverter set for final installation (for 29 708 000) without concealed body GROHE StarLight chrome finish with Jota handle</p>				











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	29 708 000	4005176102653		279.00
	19 088 000	4005176236600	Chrome	89.00
	29 811 000	4005176062711		49.00

**5-way diverter
concealed body, 1/2"**
without finishing trim set
wall installation
with ceramic sealing disks
connection cold and hot 1/2"
2 outlets 1/2"
bath outlet 3/4"
installation depth adjustable
24-60 mm











**Atrio
Concealed stop-valve trim**
set for final installation for
35 028 000
for concealed valves, 1/2", 3/4"
GROHE StarLight chrome finish
installation depth adjustable
20-80 mm
escutcheon with screwable wall sealing
with Jota handle











Concealed stop valve 1/2"
preassembled ceramic headpart 1/2"
180°
threaded union 1/2"
installation depth adjustable
25 - 80 mm
DR-brass

GROHE ATRIO









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 021 000	4005176286957	Chrome	247.13
	<p>Atrio Pillar tap 1/2" XS-Size headpart 1/2" - 90° GROHE StarLight chrome finish rapid installation system mousseur fixed spout flexible connection hoses with Ypsilon handle</p>			
	21 019 000	4005176235979	Chrome	399.00
	<p>Atrio Basin mixer, 1/2" L-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish rapid installation system swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4" flexible connection hoses with Ypsilon handle</p>			
	21 044 000	4005176270468	Chrome	549.00
	<p>Atrio Basin mixer, 1/2" XL-Size for free-standing basins ceramic headparts 1/2", 90° GROHE StarLight chrome finish rapid installation system swivel tubular spout with mousseur and stop limiter height 419 mm without lift rod and without pop up waste flexible connection hoses with Ypsilon handle</p>			
	20 008 000	4005176236099	Chrome	489.00
	<p>Atrio Three-hole basin mixer 1/2" M-Size ceramic headparts 1/2", 90° GROHE StarLight chrome finish swivel tubular spout with mousseur and stop limiter pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves with Ypsilon handle</p>			
	20 164 000	4005176855191	Chrome	439.00
	<p>Atrio 3-hole basin mixer S-Size wall or deck mounted without concealed body set for final installation for 32 706 000 valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish centre distance 200 mm projection 180 mm with Ypsilon handle</p>			
	20 387 000	4005176912580	Chrome	489.00
	<p>Ditto, projection 220 mm</p>			

GROHE ATRIO











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 706 000	4005176855092		219.00
 	24 027 000	4005176820366	Chrome	399.00
 	26 003 000	4005176236396	Chrome	419.00
 	25 010 000	4005176236334	Chrome	519.00
 	19 394 000	4005176831270	Chrome	379.00
	35 050 000	4005176982064		229.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 395 000	4005176831287	Chrome	439.00
<p>Atrio Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) Aquadimmer with multiple function shut off and flow control diverter for 2 outlets covered fixing with Ypsilon handle</p>				
	35 050 000	4005176982064		229.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 392 000	4005176831256	Chrome	379.00
<p>Atrio Trim for thermostatic shower valve set for final installation for 35 050 000 without concealed body GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) covered fixing with Ypsilon handle</p>				
	35 050 000	4005176982064		229.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	47 781 000	4005176836558		149.00
<p>Extension set 27.5 mm for Rapido T 35 500 000/35 050 000 for use with bath-thermostats with aquadimmer</p>				
 	25 044 000	4005176237324	Chrome	1,482.76
<p>Atrio Bath / shower mixer 1/2" floor-mounted installation with high pillar unions (765 mm) ceramic headparts 1/2", 90° GROHE StarLight chrome finish automatic diverter: bath/shower swivel tubular spout with mousseur and stop limiter projection 228 mm integrated non-return valve in the shower outlet 1/2" Sena handshower, with shower holder shower hose 1500 mm protected against backflow, must be used with 45 473 000 floor installation plate with Ypsilon handle</p>				
 	45 473 000	4005176257742		449.00
<p>Roughing-in-set for stand-alone bath mixer (for 25 044/25 046) without finishing trim set installation plate for precise fitting floor equalization 80 - 160 mm 1/2" connections (hot/cold-supplies) plug GROHE Fresh retrofit set: enables access to concealed cistern to add a cleaning tablet (chlorine free tablets only)</p>				

GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 139 000	4005176235856	Chrome	179.00
<p>Atrio Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur projection 168 mm</p>				
 	19 069 000	4005176236570	Chrome	89.00
<p>Atrio Concealed stop-valve trim set for final installation for 35 028 000 for concealed valves, 1/2", 3/4" GROHE StarLight chrome finish installation depth adjustable 20-80 mm escutcheon with screwable wall sealing with Ypsilon handle</p>				
 	29 811 000	4005176062711		49.00
<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	26 257 000	4005176317927	Chrome	499.00
<p>Rainshower 310 Head shower set 422 mm, 1 spray Consisting of: Rainshower Cosmopolitan 310 head shower (27 477 000) 1 spray pattern: Rain shower arm Rainshower 422 mm (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 066 000 26 066 DC0	4005176937200 4005176371172	Chrome supersteel	469.00 639.00
<p>Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray pattern: Rain shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve</p>				
<p>26 056 000 4005176937101 Chrome 469.00 ditto, with non-restricted flow</p>				







GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 067 000	4005176937217	Chrome	469.00
	26 067 DC0	4005176371189	supersteel	639.00
	<p>Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray pattern: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve</p>			
	26 057 000	4005176937118	Chrome	469.00
	ditto, with non-restricted flow			
	28 778 000	4005176820526	Chrome	579.00
	<p>Rainshower Cosmopolitan 400 Head shower 1 spray diameter 400 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE StarLight chrome finish SpeedClean anti-limescale system min. recommended pressure 1 bar this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497</p>			
	27 477 000	4005176883286	Chrome	439.00
	<p>Rainshower Cosmopolitan 310 Head shower 1 spray Rain \varnothing 310 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	28 368 00E	4005176867385	Chrome	299.00
	<p>Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure \varnothing 210 mm metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	28 368 000	4005176267253	Chrome	199.00
	ditto, with non-restricted flow			
	26 146 000	4005176986017	Chrome	99.00
	<p>Rainshower Shower arm 422 mm metal connection thread 1/2" with round escutcheon, chrome can be used for all Rainshower head showers GROHE StarLight chrome finish</p>			
	28 361 000	4005176295157	Chrome	89.00
	Ditto, projection 380 mm			
	28 982 000	4005176829987	Chrome	119.00
	ditto, projection 378 mm			
	28 576 000	4005176274022	Chrome	69.00
	Ditto, projection 286 mm			













GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 497 000	4005176270338	Chrome	59.00
	<p>Rainshower Shower ceiling arm 292 mm connection thread 1/2" can be used for all Rainshower head showers GROHE StarLight chrome finish</p>			
	28 724 000	4005176812644	Chrome	49.00
	<p>ditto, length 142 mm</p>			
 	28 341 000	4005176259463	Chrome	129.00
	<p>Sena Stick Hand shower 1 spray Normal spray metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>			
	28 034 000	4005176231810	Chrome	129.00
	<p>ditto, with non-restricted flow</p>			
 	27 057 000	4005176830457	Chrome	49.00
	27 057 DC0	4005176371196	supersteel	59.00
	<p>Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE StarLight chrome finish</p>			
 	27 074 000	4005176833083	Chrome	29.00
	<p>Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE StarLight chrome finish</p>			
 	19 952 000	4005176174230	Chrome	44.00
	<p>Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set</p>			
	<p>in combination with Talentofill 28 990 000/28 991 000</p>			







GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 025 000	4005176209154	Chrome	49.00
	Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE StarLight chrome finish			
 	28 912 000	4005176266751	Chrome	209.00
	Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish			
 	38 765 000	4005176846830	Chrome	64.00
	Nova Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			

GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 306 000	4005176237133	Chrome	154.16
<p>Atrio Soap dispenser GROHE StarLight chrome finish</p>				
 	40 304 000	4005176236921	Chrome	87.49
<p>Atrio Glass holder without glass GROHE StarLight chrome finish</p>				
	40 254 000	4005176211065		39.00
<p>Glass</p>				
 	40 305 000	4005176236952	Chrome	87.49
<p>Atrio Glass/soap dish holder for soap dish without soap dish GROHE StarLight chrome finish</p>				
	40 256 000	4005176211089		34.99
<p>Soap dish</p>				
 	40 307 000	4005176236969	Chrome	99.99
<p>Atrio Towel ring GROHE StarLight chrome finish</p>				
 	40 308 000	4005176236990	Chrome	108.33
<p>Atrio Towel bar length 489 mm Two arms swivelling GROHE StarLight chrome finish</p>				
 	40 309 000	4005176237003	Chrome	145.83
<p>Atrio Towel rail 600 mm GROHE StarLight chrome finish</p>				











GROHE ATRIO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 312 000	4005176237072	Chrome	46.66
<p>Atrio Robe hook GROHE StarLight chrome finish</p>				
 	40 313 000	4005176237089	Chrome	120.83
<p>Atrio Toilet roll holder without cover GROHE StarLight chrome finish</p>				
 	40 314 000	4005176237102	Chrome	165.83
<p>Atrio Toilet brush set wall model GROHE StarLight chrome finish</p>				







GROHE GRANDERA













GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 303 000	4005176924088	Chrome	319.00
	23 303 1G0	4005176924095	chrome/gold	419.00
	23 303 1GL0	4005176338625	cool sunrise	472.00
	23 303 DA0	4005176327094	warm sunset	472.00
	23 303 A00	4005176338663	hard graphite	472.00
	23 303 AL0	4005176338670	brushed hard graphite	472.00
	<p>Grandera Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE QuickFix installation system GROHE AquaGuide adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 310 000	4005176930331	Chrome	319.00
	23 310 1G0	4005176930348	chrome/gold	419.00
	23 310 DA0	4005176327100	warm sunset	313.00
	<p>Grandera Basin mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE QuickFix installation system GROHE AquaGuide adjustable mousseur 5.7 l/min smooth body flexible connection hoses</p>			
	21 107 000	4005176930393	Chrome	379.00
	21 107 1G0	4005176930409	chrome/gold	499.00
	<p>Grandera Two-handle basin mixer, 1/2" L-Size monobloc installation valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min swivel spout pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 313 000	4005176930614	Chrome	419.00
	23 313 1G0	4005176930621	chrome/gold	549.00
	<p>Grandera Basin mixer 1/2" XL-Size for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE QuickFix installation system GROHE AquaGuide adjustable mousseur 5.7 l/min smooth body flexible connection hoses</p>			
	20 417 000	4005176930553	Chrome	449.00
	20 417 1G0	4005176930560	chrome/gold	589.00
	<p>Grandera Three-hole basin mixer 1/2" S-Size valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			









GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 389 000	4005176924101	Chrome	499.00
	20 389 IGO	4005176924118	chrome/gold	649.00
	20 389 GLO	4005176338687	cool sunrise	735.00
	20 389 DAO	4005176327131	warm sunset	999.00
	20 389 A00	4005176338694	hard graphite	735.00
	20 389 AL0	4005176338700	brushed hard graphite	735.00
	<p>Grandera Three-hole basin mixer 1/2" M-Size valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			
	20 414 000	4005176930492	Chrome	369.00
	20 414 IGO	4005176930508	chrome/gold	458.09
	<p>Grandera Three-hole basin mixer 1/2" S-Size wall or deck mounted set for final installation for 29 025 000 without concealed body valves hot/cold with headparts 1/2" - 90° GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min centre distance 200 mm projection 177 mm</p>			
	20 415 000	4005176930515	Chrome	390.12
20 415 IGO	4005176930522	chrome/gold	539.00	
<p>Ditto, projection 234 mm</p>				
	29 025 000	4005176841927		219.00
	<p>Two-handle basin mixer concealed body, 1/2" for 3-hole basin mixer wall installation without finishing trim set DR-brass installation device</p>			
	19 929 000	4005176930430	Chrome	362.45
	19 929 IGO	4005176930447	chrome/gold	499.00
	<p>Grandera 2-hole basin mixer S-Size wall or deck mounted set for final installation for 23 319 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow GROHE AquaGuide adjustable mousseur 5.7 l/min centre distance 110 mm projection 177 mm</p>			
19 930 000	4005176930454	Chrome	419.00	
19 930 IGO	4005176930461	chrome/gold	549.00	
<p>Ditto, projection 234 mm</p>				

GROHE GRANDERA


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 319 000	4005176931192		209.00
<p>Grandera Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm installation device</p>				
 	23 315 000 23 315 IGO	4005176930652 4005176930669	Chrome chrome/gold	359.00 469.00
<p>Grandera Bidet mixer 1/2" M-Size monobloc installation 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	23 316 000 23 316 IGO	4005176930690 4005176930706	Chrome chrome/gold	352.37 458.09
<p>Grandera Single-lever shower mixer 1/2" wall or deck mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter integrated hand shower holder shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow</p>				
 	23 317 000 23 317 IGO	4005176930799 4005176930805	Chrome chrome/gold	469.00 572.61
<p>Grandera Single-lever bath/shower mixer 1/2" wall or deck mounted GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter integrated hand shower holder automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow</p>				
 	19 932 000 19 932 IGO	4005176930713 4005176930720	Chrome chrome/gold	279.00 343.57
<p>Grandera Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered fixing</p>				
<p>35 501 000 4005176833847 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				

GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 920 000	4005176924149	Chrome	289.45
	19 920 IGO	4005176924156	chrome/gold	376.28
	19 920 DA0	4005176327186	warm sunset	452.00
	Grandera Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing			
	35 501 000	4005176833847		84.00
	GROHE Rapido E Universal single-lever mixer for concealed installation			
	46 191 000	4005176119996		129.00
	Extension set 25 mm for universal single-lever mixer for concealed installation 1/2"			
				
	46 343 000	4005176189791		179.00
	Extension set 50 mm for universal single-lever mixer for concealed installation 1/2"			
				
	19 934 000	4005176930751	Chrome	399.00
	19 934 IGO	4005176930768	chrome/gold	488.62
	Grandera Thermostatic shower mixer compatible with for 35 500 000 / 35 050 000 without concealed body TMV2 compliant when used with 35 050 000 GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headparts 1/2", 180° wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) metal handles			
	35 050 000	4005176982064		229.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation			

GROHE GRANDERA


Ref. No.	EAN code	Colour	Retail Guide Price (£)
19 937 000	4005176930904	Chrome	429.00
19 937 IGO	4005176930911	chrome/gold	549.00
19 937 DA0	4005176327247	warm sunset	634.00



Grandera
Thermostatic shower mixer with integrated 2-way diverter
 compatible with
 for 35 500 000 / 35 050 000 Rapido T
without concealed body
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE AquaDimmer Eco with multiple function:
 shut off and flow control
diverter: shower head/hand shower
 Integrated Eco-Button with Eco-Stop for shower
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal handles

35 050 000	4005176982064		229.00
GROHE Rapido T Universal thermostatic mixer for concealed installation			


19 948 000	4005176935220	Chrome	429.00
19 948 IGO	4005176935237	chrome/gold	520.70
19 948 DA0	4005176327254	warm sunset	634.00



Grandera
Thermostatic bath mixer with integrated 2-way diverter
 compatible with
 for 35 500 000 / 35 050 000 Rapido T
without concealed body
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE AquaDimmer Eco with multiple function:
 shut off and flow control
diverter: hand shower/bath spout
 Integrated Eco-Button with Eco-Stop for shower
 wall escutcheon with **GROHE QuickFix**
 (covered escutcheon- and shaft sealing, covered fixing)
 metal handles

35 050 000	4005176982064		229.00
GROHE Rapido T Universal thermostatic mixer for concealed installation			


19 936 000	4005176930812	Chrome	989.00
19 936 IGO	4005176930829	chrome/gold	1,279.00
19 936 GLO	4005176338717	cool sunrise	1,453.00
19 936 DA0	4005176327193	warm sunset	1,453.00
19 936 A00	4005176338724	hard graphite	1,453.00
19 936 ALO	4005176338731	brushed hard graphite	1,453.00



Grandera
4-hole single-lever bath combination
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 Consisting of:
 pre-assembled spout fixing
 OHM operating element
 bath spout with mousseur and diverter bath/shower
 Grandera hand shower 7,6 l/min
 metal shower hose
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 000


GROHE GRANDERA

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



19 919 000	4005176924125	Chrome	1,049.00
19 919 IGO	4005176924132	chrome/gold	1,369.00
19 919 DAO	4005176327209	warm sunset	1,499.00

Grandera
5-hole bath/shower combination
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
 Consisting of:
 pre-assembled spout fixing
 OHM operating element
 bath spout with mousseur and diverter bath/shower
 Grandera hand shower 7.6 l/min
 metal shower hose
 flexible connection hoses
 connection for shower hose
 protected against backflow
 can be used with 29 037 000




29 037 000	4005176865749		689.00
------------	---------------	--	--------

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
 base frame
 drainage box with
 integrated outlet for splash water


45 388 000	4005176212758		74.10
------------	---------------	--	-------

Supporting legs for baseframe



23 318 000	4005176930874	Chrome	1,499.00
23 318 IGO	4005176930881	chrome/gold	1,939.00
23 318 GLO	4005176338748	cool sunrise	2,203.00
23 318 DAO	4005176327216	warm sunset	2,203.00
23 318 A00	4005176338755	hard graphite	2,203.00
23 318 AL0	4005176338762	brushed hard graphite	2,203.00

Grandera
Single-lever bath mixer 1/2", floor mounted
 set for final installation for
 45 984 001
without roughing-in set
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 spout with mousseur
 projection 320 mm
 integrated non-return valves in the
 shower outlet 1/2"
 with shower holder
 Grandera hand shower 7.6 l/min
 Silverflex shower hose 1250 mm
 protected against backflow













45 984 001	4005176992056		319.00
------------	---------------	--	--------

Rough-in set 1/2"
 for floor-mounted bath mixers/spouts and shower mixers
without finishing trim set
 installation plate with 360° horizontal and 3° vertical adjustment
 installation depth 53-157 mm for bath
 mixers/spouts, depth compensation 104 mm
 installation depth 65-157 mm for shower mixers, depth compensation 92 mm
 two 1/2" female connections (hot/cold supplies)
 flushing plug
 Can take a single mixed supply
GROHE Fresh retrofit set:
 enables access to concealed cistern
 to add a cleaning tablet
 (chlorine free tablets only)







GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p> 	29 086 000	4005176935497		209.00
	<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p> 			
	13 341 000 13 341 IGO 13 341 DA0	4005176931000 4005176931017 4005176327223	Chrome chrome/gold warm sunset	209.00 279.00 329.00
	<p>Grandera Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur projection 177 mm</p> 			
	19 942 000 19 942 IGO	4005176931048 4005176931055	Chrome chrome/gold	129.00 163.61
	<p>Grandera 5-way diverter set for final installation for 29 708 000 without concealed body GROHE StarLight chrome finish</p> 			
	29 708 000	4005176102653		279.00
	<p>5-way diverter concealed body, 1/2" without finishing trim set wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth adjustable 24-60 mm</p> 			
	19 944 000 19 944 IGO	4005176931086 4005176931093	Chrome chrome/gold	99.00 119.00
	<p>Grandera Volume Control Trim set for final installation for 35 028 000 29 032 000 (preassembled headpart 1/2") GROHE StarLight chrome finish installation depth adjustable 43 - 91 mm</p> 			
	29 032 000	4005176845277		29.00
	<p>Concealed valve pre-assembled headpart 1/2" threaded union 1/2" installation depth adjustable 43 - 91 mm DR-brass</p> 			

GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 811 000	4005176062711		49.00
<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
 	27 976 000	4005176932816	Chrome	389.00
<p>Rainshower Grandera 210 Head shower 1 spray Rain 210 x 210 mm metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
	27 974 000	4005176932793	Chrome	389.00
	27 974 IGO	4005176933486	chrome/gold	509.00
	27 974 DA0	4005176327278	warm sunset	549.00
<p>ditto, with non-restricted flow</p>				
 	27 986 000	4005176933011	Chrome	89.00
	27 986 IGO	4005176933547	chrome/gold	119.00
	27 986 DA0	4005176327315	warm sunset	149.00
<p>Rainshower Grandera Shower arm 286 mm projection 286 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers</p>				
 	27 982 000	4005176932878	Chrome	79.00
	27 982 IGO	4005176933523	chrome/gold	99.00
<p>Rainshower Grandera Shower ceiling arm 292 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers</p>				
	27 978 000	4005176932830	Chrome	69.00
	27 978 IGO	4005176933509	chrome/gold	89.00
<p>ditto, 142 mm length</p>				
 	26 037 000	4005176935381	Chrome	99.00
	26 037 IGO	4005176936210	chrome/gold	129.00
	26 037 DA0	4005176327285	warm sunset	147.00
<p>Grandera Stick Hand shower 1 spray Rain spray pattern metal GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish SpeedClean anti-limescale system Universal Mounting System. Fits all standard shower hoses</p>				







GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	27 993 000	4005176933080	Chrome	139.00	
	27 993 IGO	4005176933585	chrome/gold	179.00	
	Grandera Stick Wall holder set 1 spray Consisting of: Stick hand shower (26 037 000) Wall hand shower holder (27 969 000) Rotaflex shower hose 1500 mm (28 417 000) GROHE EcoJoy 7.6 l/min flow limiter GROHE DreamSpray perfect spray pattern Inner WaterGuide for a longer life GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish SpeedClean anti-limescale system				
	27 970 000	4005176931154	Chrome	109.00	
	27 970 IGO	4005176931161	chrome/gold	149.00	
	27 970 BE0	4005176431760	polished nickel	167.00	
	27 970 EN0	4005176431746	brushed nickel	167.00	
	27 970 GL0	4005176431739	cool sunrise	167.00	
	27 970 GN0	4005176431722	brushed cool sunrise	167.00	
	27 970 DA0	4005176327292	warm sunset	167.00	
	27 970 DL0	4005176431753	brushed warm sunset	167.00	
	27 970 A00	4005176431784	hard graphite	167.00	
	27 970 AL0	4005176431777	brushed hard graphite	167.00	
		Grandera Shower outlet elbow, 1/2" metal male thread protected against backflow GROHE StarLight chrome finish			
		27 969 000	4005176931123	Chrome	79.00
27 969 IGO		4005176931130	chrome/gold	99.00	
27 969 BE0		4005176431494	polished nickel	112.00	
27 969 EN0		4005176931147	brushed nickel	112.00	
27 969 GL0		4005176431463	cool sunrise	112.00	
27 969 GN0		4005176431456	brushed cool sunrise	112.00	
27 969 DA0		4005176327308	warm sunset	112.00	
27 969 DL0		4005176431470	brushed warm sunset	112.00	
27 969 A00		4005176431517	hard graphite	112.00	
27 969 AL0		4005176431500	brushed hard graphite	112.00	
		Grandera Wall hand Shower holder metal GROHE StarLight chrome finish			

GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 627 000	4005176927768	Chrome	145.83
	40 627 IG0	4005176927775	chrome/gold	190.83
	Grandera holder with ceramic soap dispenser GROHE StarLight chrome finish			
	40 626 000	4005176927737	Chrome	112.49
	40 626 IG0	4005176927744	chrome/gold	145.83
	Grandera holder with ceramic tumbler GROHE StarLight chrome finish			
	40 628 000	4005176927898	Chrome	137.49
	40 628 IG0	4005176927904	chrome/gold	174.17
	Grandera soap dish with holder GROHE StarLight chrome finish			
	40 630 000	4005176927959	Chrome	95.83
	40 630 IG0	4005176927966	chrome/gold	120.83
	40 630 EN0	4005176927973	brushed nickel	217.00
	40 630 DA0	4005176327520	warm sunset	217.00
	Grandera Towel ring Ø 205 mm GROHE StarLight chrome finish			
	40 629 000	4005176927928	Chrome	154.16
	40 629 IG0	4005176927935	chrome/gold	199.17
	40 629 EN0	4005176927942	brushed nickel	354.00
	40 629 DA0	4005176327513	warm sunset	354.00
	Grandera Towel rail 600 mm GROHE StarLight chrome finish			
	40 631 000	4005176927980	Chrome	44.58
	40 631 IG0	4005176927997	chrome/gold	57.91
	40 631 BE0	4005176430787	polished nickel	62.08
	40 631 EN0	4005176928000	brushed nickel	62.08
	40 631 GL0	4005176352034	cool sunrise	62.08
	40 631 GN0	4005176430763	brushed cool sunrise	62.08
	40 631 DA0	4005176327537	warm sunset	62.08
	40 631 DL0	4005176430770	brushed warm sunset	62.08
	40 631 A00	4005176352515	hard graphite	62.08
	40 631 AL0	4005176352966	brushed hard graphite	62.08
		Grandera Robe hook GROHE StarLight chrome finish		











GROHE GRANDERA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 633 000	4005176928048	Chrome	104.16
	40 633 IG0	4005176928055	chrome/gold	133.33
	40 633 EN0	4005176928062	brushed nickel	145.83
	Grandera Bath grip length 385 mm GROHE StarLight chrome finish			
	40 625 000	4005176927706	Chrome	116.66
	40 625 IG0	4005176927713	chrome/gold	149.99
	40 625 EN0	4005176927720	brushed nickel	162.49
	40 625 DA0	4005176327551	warm sunset	162.49
		Grandera Toilet roll holder GROHE StarLight chrome finish		
	40 632 000	4005176928017	Chrome	162.49
	40 632 IG0	4005176928024	chrome/gold	207.50
		Grandera Toilet brush set material: ceramic GROHE StarLight chrome finish		






GROHE LINEARE








GROHE LINEARE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
new				
	32 109 001 32 109 DC1	4005176408373 4005176412691	Chrome supersteel	199.00 244.00
	<p>Lineare Basin mixer 1/2" XS-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
new				
	23 791 001 23 791 DC1	4005176409097 4005176412707	Chrome supersteel	199.00 249.00
	<p>Lineare Basin mixer 1/2" XS-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			
new				
	23 790 001	4005176408380	Chrome	199.00
	<p>Lineare Basin mixer 1/2" XS-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
new				
	32 114 001 32 114 DC1	4005176409103 4005176412714	Chrome supersteel	189.00 244.00
	<p>Lineare Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
new				
	23 106 001 23 106 DC1	4005176409110 4005176412721	Chrome supersteel	209.00 259.00
	<p>Lineare Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body with push-open pop-up waste set 1 1/4" flexible connection hoses</p>			

GROHE LINEARE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p> 	23 296 001	4005176409127	Chrome supersteel	269.00
	23 296 DC1	4005176412738		334.00
<p>new</p> 	23 405 001	4005176409134	Chrome supersteel	249.00
	23 405 DC1	4005176412745		299.00
<p>new</p> 	20 304 001	4005176409141	Chrome	319.00
<p>new</p> 	19 409 001	4005176409158	Chrome supersteel	249.00
	19 409 DC1	4005176412752		319.00
<p>new</p> 	23 444 001	4005176411977	Chrome supersteel	249.00
	23 444 DC1	4005176412769		319.00



Lineare
Single-lever basin mixer 1/2"
L-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus installation system
 swivel spout with mousseur
 and stop limiter
 pop-up waste set 1 1/4"
 flexible connection hoses

Lineare
Basin mixer 1/2"
XL-Size
 monobloc installation
 metal lever
for free-standing basins
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix Plus rapid installation system
 smooth body
 flexible connection hoses











Lineare
Three-hole basin mixer 1/2"
M-Size
 metal lever
 ceramic headparts 1/2", 90°
GROHE StarLight chrome finish
GROHE EcoJoy SpeedClean mousseur 5.7 l/min
GROHE QuickFix installation system
 pop-up waste set 1 1/4"
 pressure-proof, flexible connection hoses
 between spout and side valves
 union nut 1/2" x 10.5 mm

Lineare
2-hole basin mixer
M-Size
 wall or deck mounted
 set for final installation for
 23 571 000
without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 149 mm











Lineare
2-hole basin mixer
L-Size
 wall or deck mounted
 set for final installation for
 23 571 000
without concealed body
 metal escutcheon
 metal lever
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
 centre distance 110 mm
 projection 207 mm

GROHE LINEARE

Ref. No. EAN code Colour Retail Guide Price (£)


		<p>23 571 000 4005176334276</p> <p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>	<p>199.00</p>
<p>new</p> 		<p>33 848 001 4005176409172 Chrome 229.00 33 848 DC1 4005176412776 supersteel 279.00</p> <p>Lineare Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>	
<p>new</p> 		<p>33 865 001 4005176409202 Chrome 259.00 33 865 DC1 4005176412790 supersteel 334.00</p> <p>Lineare Single-lever shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow</p>	
<p>new</p> 		<p>33 849 001 4005176409189 Chrome 259.00 33 849 DC1 4005176412783 supersteel 334.00</p> <p>Lineare Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow</p>	
<p>new</p> 		<p>33 850 001 4005176409196 Chrome 300.00</p> <p>Lineare Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve covered S-unions protected against backflow with shower set Consisting of: hand shower Sena Stick (26 465) wall shower holder Tempesta Neu 100 Cosmopolitan (27 594 000) Silverflex shower hose 1.500 mm (28 364)</p>	

GROHE LINEARE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<div data-bbox="121 264 228 302" style="background-color: #0070C0; color: white; padding: 2px;">new</div> 	19 296 001	4005176409219	Chrome supersteel	199.00
	19 296 DC1	4005176412806		244.00
	Lineare Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon covered fixing			84.00
<div data-bbox="121 651 228 689" style="background-color: #0070C0; color: white; padding: 2px;">new</div> 	19 297 001	4005176409226	Chrome supersteel	199.00
	19 297 DC1	4005176412813		244.00
	Lineare Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing			84.00
	46 191 000	4005176119996		129.00
	Extension set 25 mm for universal single-lever mixer for concealed installation 1/2"			
	46 343 000	4005176189791		179.00
	Extension set 50 mm for universal single-lever mixer for concealed installation 1/2"			
	25 113 000	4005176881862	Chrome	399.00
	Lineare Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valves in the shower outlet 1/2" recommended pressure 0.2-5.0 bar GROHE StarLight chrome finish			

GROHE LINEARE


Ref. No. EAN code Colour Retail Guide Price (£)



25 104 000 4005176881794 Chrome 369.00

Lineare
Two-handed Bath filler 1/2"
deck mounted
metal handles
Longlife headpart 3/4"
recommended pressure 0.2-5.0 bar
GROHE StarLight chrome finish


new



19 577 001 4005176409233 Chrome 599.00
19 577 DC1 4005176412820 supersteel 779.00
19 577 EN1 4005176413018 brushed nickel 779.00


Lineare
4-hole single-lever bath combination
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
pre-assembled spout fixing
OHM operating element
metal lever
bath inlet with mousseur
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000

new



19 965 001 4005176409240 Chrome 439.00

Lineare
3-hole single-lever bath combination
Three hole installation
GROHE SilkMove 35 mm ceramic cartridge
GROHE StarLight chrome finish
OHM operating element
diverter bath/shower
hand shower Sena Stick (26 465)
metal shower hose 2000 mm
flexible connection hoses
connection for shower hose
protected against backflow
for use with 29 037 000
for combination with 28 990 / 28 991




29 037 000 4005176865749 689.00

4/5-hole bath combination (optional)
baseframe for installation
under tiled surround
base frame
drainage box with
integrated outlet for splash water

45 388 000 4005176212758 74.10









Supporting legs for baseframe









new













23 792 001 4005176409257 Chrome 1,479.00
23 792 DC1 4005176412837 supersteel 1,799.00
23 792 EN1 4005176413001 brushed nickel 1,799.00









Lineare
Single-lever bath mixer 1/2", floor mounted
set for final installation for
45 984 001
without roughing-in-set
GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter
GROHE StarLight chrome finish
automatic diverter: bath/shower
spout with mousseur
projection 271 mm
integrated non-return valve
in the shower outlet 1/2"
with shower holder
hand shower Sena Stick (26 465)
Silverflex shower hose 1250 mm (28 362)
protected against backflow

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	45 984 001	4005176992056		319.00
	<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply GROHE Fresh retrofit set: enables access to concealed cistern to add a cleaning tablet (chlorine free tablets only)</p>			
<p>new</p> 	29 086 000	4005176935497		209.00
	<p>Rough-in set 1/2" for floor-mounted tub spouts and mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 47-151 mm depth compensation 104 mm two 1/2" female connections (hot/cold supplies) flushing plug</p>			
<p>new</p> 	13 383 001	4005176418167	Chrome	179.00
	13 383 DC1	4005176418174	supersteel	219.00
	<p>Lineare Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>			
	34 065 DC2	4005176374432	supersteel	269.00
	<p>Grohtherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" wall or deck mounted GROHE StarLight finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 468 000	4005176847981	Chrome	349.00
<p>Grotherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included Aquadimmer with multiple function shut off and flow control diverter for 2 outlets without concealed body</p>				
 	26 066 000 26 066 DC0	4005176937200 4005176371172	Chrome supersteel	469.00 639.00
<p>Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray pattern: Rain shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve</p>				
 	26 067 000 26 067 DC0	4005176937217 4005176371189	Chrome supersteel	469.00 639.00
<p>Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray pattern: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve</p>				
 	26 075 000 26 075 DC0	4005176937606 4005176371219	Chrome supersteel	716.00 1,069.00
<p>Euphoria System 310 Shower system with thermostatic mixer for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm exposed thermostatic shower with Aquadimmer function allows change between: metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rain spray pattern with ball joint rotation angle $\pm 15^\circ$ hand shower Euphoria 110 Massage (27 221 000) adjustable height via gliding element Silverflex shower hose 1750 mm (28 388 000) GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish Inner WaterGuide for a longer life SpeedClean anti-limescale system Twistfree preventing the hose from twisting GROHE MetalGrip ergonomically shaped metal handles min.recommended pressure 1 bar minimum flow rate 7 l/min. min. recommended pressure 1 bar optional upgrade: GROHE EasyReach tray (26 362)</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 226 DC1	4005176374456	supersteel	149.00
<p>Euphoria 110 Massage Shower rail set 3 sprays Consisting of: hand shower Massage (27 221 000) shower rail 900 mm (27 500 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight finish GROHE SprayDimmer (Stepless flow rate reduction) GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	27 057 000 27 057 DC0	4005176830457 4005176371196	Chrome supersteel	49.00 59.00
<p>Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE StarLight chrome finish</p>				
 	27 074 000	4005176833083	Chrome	29.00
<p>Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE StarLight chrome finish</p>				
 	28 388 000	4005176295362	Chrome	16.66
<p>Silverflex Shower hose 1750 1750 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>				
 	28 362 000	4005176295225	Chrome	12.91
<p>Silverflex Shower hose 1250 1250 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>				











GROHE LINEARE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 952 000	4005176174230	Chrome	44.00
<p>Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set</p> <p>in combination with Talentofill 28 990 000/28 991 000</p>				
 	19 025 000	4005176209154	Chrome	49.00
<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE StarLight chrome finish</p>				
 	28 912 000	4005176266751	Chrome	209.00
<p>Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish</p>				
 	37 601 000	4005176416057	Chrome	66.20
<p>Nova Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm for mounting of small flush plates please order inspection shaft 40 911 000 (sold separately) GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included</p>				











GROHE EUROCUBE JOY













GROHE EUROCUBE JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 654 000	4005176342080	Chrome	209.00
	<p>Eurocube Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 656 000	4005176342103	Chrome	189.00
	<p>Eurocube Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>			
	23 657 000	4005176342110	Chrome	259.00
	<p>Eurocube Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 658 000	4005176342127	Chrome	199.00
	<p>Eurocube Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>			
	23 661 000	4005176342158	Chrome	269.00
	<p>Eurocube Joy Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>			

GROHE EUROCUBE JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	19 997 000	4005176342189	Chrome	219.00	
	<p>Eurocube Joy 2-hole basin mixer M-Size wall or deck mounted set for final installation for 23 429 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 170 mm</p>	19 998 000	4005176342196	Chrome	249.00
	23 429 000	4005176993695		209.00	
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass</p>				
	23 664 000	4005176342202	Chrome	219.00	
	<p>Eurocube Joy Bidet mixer 1/2" monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy ball-joint mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 665 000	4005176342219	Chrome	239.00	
	<p>Eurocube Joy Single-lever shower mixer 1/2" wall or deck mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish shower bottom outlet 1/2" with integrated non return-valve protected against backflow</p>				
	23 666 000	4005176342226	Chrome	279.00	
	<p>Eurocube Joy Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE XL Waterfall integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow</p>				











GROHE EUROCUBE JOY



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 898 000	4005176901300	Chrome	159.00
<p>Eurocube Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon, covered fixing</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 896 000	4005176901201	Chrome	169.00
<p>Eurocube Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	46 191 000	4005176119996		129.00
<p>Extension set 25 mm for universal single-lever mixer for concealed installation 1/2"</p>				
 	46 343 000	4005176189791		179.00
<p>Extension set 50 mm for universal single-lever mixer for concealed installation 1/2"</p>				
 	45 984 001	4005176992056		319.00
<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply GROHE Fresh retrofit set: enables access to concealed cistern to add a cleaning tablet (chlorine free tablets only)</p>				

GROHE EUROCUBE























GROHE EUROCUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 137 000	4005176901096	Chrome	149.00
<p>Eurocube Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm</p>				
 	23 127 00E	4005176901591	Chrome	199.00
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 127 000	4005176900341	Chrome	199.00
ditto, with non-restricted flow				
 	23 132 00E	4005176906725	Chrome	189.00
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
	23 132 000	4005176900990	Chrome	189.00
ditto, with non-restricted flow				
 	23 390 00E	4005176938436	Chrome	199.00
<p>Eurocube Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
	23 392 00E	4005176938450	Chrome	199.00
Ditto, smooth body				
 	23 445 000	4005176998706	Chrome	209.00
<p>Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 446 000	4005176998720	Chrome	199.00
<p>Eurocube Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
 	23 135 00E	4005176906732	Chrome	209.00
<p>Eurocube Single-lever basin mixer 1/2" L-Size monobloc installation, metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>				
 	23 406 000	4005176941658	Chrome	249.00
<p>Eurocube Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>				
 	20 351 000	4005176901041	Chrome	269.00
<p>Eurocube Three-hole basin mixer 1/2" S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix Plus installation system spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>				
 	19 895 000	4005176901072	Chrome	229.00
<p>Eurocube 2-hole basin mixer S-Size wall or deck mounted set for final installation for without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm</p>				
	23 447 000	4005176998737	Chrome	229.00
<p>Ditto, projection 231 mm</p>				











GROHE EUROCUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 200 000	4005176908354		209.00
	<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter installation depth 45 to 75 mm DR-brass installation device</p>			
	23 138 000	4005176901133	Chrome	189.00
	<p>Eurocube Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 145 000	4005176901270	Chrome	219.00
	<p>Eurocube Single-lever shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve covered S-unions protected against backflow optional temperature limiter (46 375 000)</p>			
	23 140 000	4005176901157	Chrome	239.00
	<p>Eurocube Single-lever bath/shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter (46 375 000)</p>			
	23 141 000	4005176901164	Chrome	299.00
	<p>Eurocube Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" covered S-unions protected against backflow optional temperature limiter (46 375 000) Hand shower (27 698 000) wall shower holder (27 693 000) shower hose 1500 mm (28 151 000)</p>			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 898 000	4005176901300	Chrome	159.00
<p>Eurocube Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing metal escutcheon, covered fixing</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 896 000	4005176901201	Chrome	169.00
<p>Eurocube Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing metal escutcheon covered fixing</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	46 191 000	4005176119996		129.00
<p>Extension set 25 mm for universal single-lever mixer for concealed installation 1/2"</p>				
 	46 343 000	4005176189791		179.00
<p>Extension set 50 mm for universal single-lever mixer for concealed installation 1/2"</p>				
 	25 137 000	4005176906770	Chrome	319.00
<p>Eurocube Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>				

GROHE EUROCUBE











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	25 136 000	4005176906763	Chrome	279.00
	<p>Eurocube Two-handed Bath filler 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>			
	29 037 000	4005176865749		689.00
	<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>			
	45 388 000	4005176212758		74.10
	<p>45 388 000 4005176212758 Supporting legs for baseframe</p>			
	45 984 001	4005176992056		319.00
	<p>Rough-in set 1/2" for floor-mounted bath mixers/spouts and shower mixers without finishing trim set installation plate with 360° horizontal and 3° vertical adjustment installation depth 53-157 mm for bath mixers/spouts, depth compensation 104 mm installation depth 65-157 mm for shower mixers, depth compensation 92 mm two 1/2" female connections (hot/cold supplies) flushing plug Can take a single mixed supply GROHE Fresh retrofit set: enables access to concealed cistern to add a cleaning tablet (chlorine free tablets only)</p>			
	13 303 000	4005176906350	Chrome	109.00
	<p>Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>			
	13 304 000	4005176906367	Chrome	119.00
	<p>Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur automatic diverter: bath/shower male thread 1/2" projection 170 mm</p>			
	19 910 000	4005176987014	Chrome	49.00
	<p>Eurocube Volume Control Trim for concealed valves, 1/2", 3/4" without concealed body installation depth adjustable 16 - 38 mm metal handle Sliding escutcheon with wall sealing GROHE StarLight chrome finish</p>			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	35 028 000	4005176908316		119.00
<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				
 	29 811 000	4005176062711		49.00
<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
 	22 012 000	4005176906343	Chrome	39.00
<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet thread 3/8" cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>				
 	22 013 000	4005176909689	Chrome	39.00
<p>Eurocube Angle valve 1/2" wall connection 1/2" outlet 1/2" cartridge headpart metal handle marking: neutral metal push-on escutcheon</p>				
 	37 535 000	4005176416019	Chrome	57.81
<p>Skate Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm for mounting of small flush plates please order inspection shaft 40 911 000 (sold separately) GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included</p>				











GROHE EUROPLUS








GROHE EUROPLUS





	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 156 002	4005176865930	Chrome	169.00
	Europlus Basin mixer 1/2" XS-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish rapid installation system adjustable mousseur pop-up waste set 1 1/4" flexible connection hoses			
	32 612 002	4005176865886	Chrome	169.00
	Europlus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min with temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support SpeedClean mousseur pop-up waste set 1 1/4" flexible connection hoses			
	33 163 002	4005176865909	Chrome	159.00
	Europlus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support SpeedClean mousseur smooth body flexible connection hoses			
	33 163 20L	4005176917073	Chrome	159.00
	Europlus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support SpeedClean mousseur smooth body flexible connection hoses for low pressure 12mm bore min. recommended pressure 0.2 bar			
	33 155 002	4005176865947	Chrome	229.00
	Europlus Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish rapid installation system pull out spout with mousseur integrated non-return valve pop-up waste set 1 1/4" flexible connection hoses			

GROHE EUROPLUS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 618 002	4005176866029	Chrome	229.00
 	33 241 002	4005176865954	Chrome	169.00
 	20 301 000	4005176896422	Chrome	279.00
 	33 577 002	4005176866074	Chrome	199.00
 	33 553 002	4005176865978	Chrome	209.00

GROHE EUROPLUS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 547 002	4005176866081	Chrome	259.00
<p>Europlus Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower SpeedClean mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow with shower set hand shower euphoria 110 Champagne (27 222 000) wall shower holder (28 622 000) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>				
	19 537 002	4005176868412	Chrome	149.00
<p>Europlus Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
	19 536 002	4005176866067	Chrome	149.00
<p>Europlus Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
	25 133 002	4005176905254	Chrome	229.00
<p>Europlus Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>				
	25 132 002	4005176905247	Chrome	259.00
<p>Europlus Two-handed Bath filler 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 025 000	4005176209154	Chrome	49.00
	<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set in combination with Talento 28 939 000/28 943 000 GROHE StarLight chrome finish</p>			
 	37 624 000	4005176416095	Chrome	66.20
	<p>Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm for mounting of small flush plates please order inspection shaft 40 911 000 (sold separately) GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included</p>			

GROHE ESSENCE



ESSENTIALLY NEW – DISCOVER THE EXCITING NEW COLOURS IN THE ESSENCE RANGE


The updated Essence line now comes in 10 colours, giving you more options than ever to express your creativity.



Chrome
00



SuperSteel
DC



Warm Sunset
DA



Cool Sunrise
GL



Hard Graphite
A0



Polished Nickel
BE



Brushed Warm Sunset
DL



Brushed Cool Sunrise
GN



Brushed Hard Graphite
AL



Brushed Nickel
EN









Article No. (Chrome)	Description	Chrome	Supersteel	Warm Sunset	Brushed Warm Sunset	Cool Sunrise	Brushed Cool Sunrise	Hard Graphite	Brushed Hard Graphite	Polished Nickel	Brushed Nickel
23 589 001	Single-lever basin mixer 1/2" S-Size	●	●	●	●	●	●	●	●	●	●
23 590 001	Single-lever basin mixer 1/2" S-Size	●	●	●	●	●	●	●	●	●	●
23 591 001	Single-lever basin mixer 1/2" S-Size	●									
34 294 001	Single-lever basin mixer 1/2" S-Size	●									
32 898 001	Single-lever basin mixer 1/2" S-Size	●									
32 899 001	Single-lever basin mixer 1/2" S-Size	●									
23 379 001	Single-lever basin mixer 1/2" S-Size	●									
23 462 001	Single-lever basin mixer 1/2" M-Size	●	●	●	●	●	●	●	●	●	●
23 463 001	Single-lever basin mixer 1/2" M-Size	●									
23 480 001	Single-lever basin mixer 1/2" M-Size	●									
32 628 001	Single-lever basin mixer 1/2" L-Size	●	●	●	●	●	●	●	●	●	●
23 541 001	Single-lever basin mixer 1/2" L-Size	●									
32 901 001	Single-lever basin mixer 1/2" XL-Size	●	●	●	●	●	●	●	●	●	●
19 408 001	Two-hole basin mixer M-Size	●	●	●	●	●	●	●	●	●	●
19 967 001	Two-hole basin mixer L-Size	●	●	●	●	●	●	●	●	●	●
32 935 001	Single-lever bidet mixer 1/2" S-Size	●	●	●	●	●	●	●	●	●	●
32 934 001	Single-lever bidet mixer 1/2" S-Size	●									
20 296 001	Three-hole basin mixer 1/2" M-Size	●									
20 299 001	3-hole basin mixer L-Size	●									
33 624 001	Single-lever bath mixer 1/2"	●	●	●	●	●	●	●	●	●	●
33 628 001	Single-lever bath mixer 1/2"	●									
33 636 001	Single-lever shower mixer 1/2"	●	●	●	●	●	●	●	●	●	●
19 285 001	Single-lever bath mixer	●	●	●	●	●	●	●	●	●	●
19 286 001	Single-lever shower mixer	●	●	●	●	●	●	●	●	●	●
19 578 001	Four-hole single-lever bath combination	●	●	●	●	●	●	●	●	●	●
19 976 001	Three-hole single-lever bath combination	●									
23 491 001	Single-lever bath mixer 1/2"	●	●	●	●	●	●	●	●	●	●
23 741 001	Single-lever free-standing shower mixer 1/2"	●	●								
25 172 001	Bath filler	●									
25 173 001	Bath/shower mixer	●									
30 269 000	Single-lever sink mixer 1/2"	●	●	●	●	●	●	●	●	●	●
30 270 000	Single-lever sink mixer 1/2"	●	●	●	●	●	●	●	●	●	●
26 066 000	Head shower set 380 mm	●	●	●	●	●	●	●	●	●	●
26 067 000	Head shower set ceiling 142 mm	●	●	●	●	●	●	●	●	●	●
27 057 000	Shower outlet elbow, 1/2"	●	●	●	●	●	●	●	●	●	●
19 468 000	Thermostat with integrated 2-way diverter	●	●	●	●	●	●	●	●	●	●
26 075 000	Shower system with thermostatic mixer	●	●	●	●	●	●	●	●	●	●
34 065 002	Thermostatic shower mixer 1/2"	●	●	●	●	●	●	●	●	●	●
27 400 000	Hand shower 1 spray	●	●	●	●	●	●	●	●	●	●
27 074 000	Wall hand shower holder	●	●	●	●	●	●	●	●	●	●
27 226 001	Shower rail set 3 sprays	●	●	●	●	●	●	●	●	●	●
28 362 000	Shower hose	●	●	●	●	●	●	●	●	●	●
28 388 000	Shower hose	●	●	●	●	●	●	●	●	●	●
38 732 000	Flush plate	●	●	●	●	●	●	●	●	●	●
40 802 001	Double towel rail	●	●	●	●	●	●	●	●	●	●
40 800 001	Multi bath towel rack	●	●	●	●	●	●	●	●	●	●
40 689 001	Toilet paper holder	●	●	●	●	●	●	●	●	●	●
40 688 001	Towel rail	●	●	●	●	●	●	●	●	●	●
40 421 001	Grip bar	●	●	●	●	●	●	●	●	●	●
40 394 001	Soap dispenser	●	●	●	●	●	●	●	●	●	●
40 386 001	Towel rail	●	●	●	●	●	●	●	●	●	●
40 385 001	Spare toilet paper holder	●	●	●	●	●	●	●	●	●	●
40 374 001	Toilet brush set	●	●	●	●	●	●	●	●	●	●
40 371 001	Towel bar	●	●	●	●	●	●	●	●	●	●
40 369 001	Holder	●	●	●	●	●	●	●	●	●	●
40 367 001	Toilet paper holder	●	●	●	●	●	●	●	●	●	●
40 366 001	Towel rail	●	●	●	●	●	●	●	●	●	●
40 365 001	Towel ring	●	●	●	●	●	●	●	●	●	●
40 364 001	Robe hook	●	●	●	●	●	●	●	●	●	●









Replace the second and third last digit and replace by the below colour code to order the coloured version.

Colour options:


- 00 | StarLight Chrome
- GL | Cool Sunrise
- DA | Warm Sunset
- A0 | Hard Graphite
- BE | Polished Nickel
- DC | SuperSteel
- GN | Brushed Cool Sunrise
- DL | Brushed Warm Sunset
- AL | Brushed Hard Graphite
- EN | Brushed Nickel

GROHE ESSENCE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)		
	23 589 001	4005176339172	Chrome	144.00		
	23 589 DC1	4005176369919	supersteel	169.00		
	23 589 BE1	4005176419638	polished nickel	209.00		
	23 589 EN1	4005176425844	brushed nickel	209.00		
	23 589 GL1	4005176407321	cool sunrise	209.00		
	23 589 GN1	4005176419614	brushed cool sunrise	209.00		
	23 589 DA1	4005176407314	warm sunset	209.00		
	23 589 DL1	4005176419621	brushed warm sunset	209.00		
	23 589 A01	4005176407338	hard graphite	209.00		
	23 589 AL1	4005176407345	brushed hard graphite	209.00		
		Essence Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses				
		23 590 001	4005176339189	Chrome	134.00	
		23 590 DC1	4005176369926	supersteel	169.00	
23 590 BE1		4005176426018	polished nickel	195.00		
23 590 EN1		4005176426025	brushed nickel	195.00		
23 590 GL1		4005176425851	cool sunrise	195.00		
23 590 GN1		4005176425868	brushed cool sunrise	195.00		
23 590 DA1		4005176425875	warm sunset	195.00		
23 590 DL1		4005176425882	brushed warm sunset	195.00		
23 590 A01		4005176426001	hard graphite	195.00		
		Essence Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system smooth body flexible connection hoses				
		23 591 001	4005176339196	Chrome	119.00	
		Essence Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses				
						
		32 898 001	4005176306860	Chrome	139.00	
		Essence Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses				
						


		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		34 294 001	4005176306877	Chrome	129.00
		<p>Essence Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>			
		23 379 001	4005176306891	Chrome	149.00
		<p>Essence Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
		23 462 001	4005176306907	Chrome	169.00
		23 462 DC1	4005176369933	supersteel	209.00
		23 462 BE1	4005176426087	polished nickel	236.00
		23 462 EN1	4005176426094	brushed nickel	236.00
		23 462 GL1	4005176426032	cool sunrise	236.00
		23 462 GN1	4005176426049	brushed cool sunrise	236.00
		23 462 DA1	4005176426056	warm sunset	236.00
		23 462 DL1	4005176426063	brushed warm sunset	236.00
		23 462 A01	4005176425325	hard graphite	236.00
		23 462 AL1	4005176426070	brushed hard graphite	236.00
		<p>Essence Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system swivel spout with mousseur and stop limiter pop-up waste set 1 1/4" flexible connection hoses</p>			
		23 463 001	4005176306914	Chrome	159.00
		<p>Essence Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur GROHE QuickFix Plus installation system swivel spout with mousseur and stop limiter smooth body flexible connection hoses</p>			

GROHE ESSENCE




Ref. No.	EAN code	Colour	Retail Guide Price (£)
32 628 001	4005176306983	Chrome	179.00
32 628 DC1	4005176369940	supersteel	229.00
32 628 BE1	4005176419669	polished nickel	259.00
32 628 EN1	4005176426100	brushed nickel	259.00
32 628 GL1	4005176407369	cool sunrise	259.00
32 628 GN1	4005176419645	brushed cool sunrise	259.00
32 628 DA1	4005176407352	warm sunset	259.00
32 628 DL1	4005176419652	brushed warm sunset	259.00
32 628 A01	4005176407376	hard graphite	259.00
32 628 AL1	4005176407383	brushed hard graphite	259.00

Essence
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
pop-up waste set 1 1/4"
flexible connection hoses











23 541 001	4005176313912	Chrome	169.00
------------	---------------	--------	--------

Essence
Single-lever basin mixer 1/2"
L-Size
monobloc installation
metal lever
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses




32 901 001	4005176306969	Chrome	239.00
32 901 DC1	4005176369957	supersteel	319.00
32 901 BE1	4005176426131	polished nickel	349.00
32 901 EN1	4005176426148	brushed nickel	349.00
32 901 GL1	4005176407505	cool sunrise	349.00
32 901 GN1	4005176426117	brushed cool sunrise	349.00
32 901 DA1	4005176407499	warm sunset	349.00
32 901 DL1	4005176426124	brushed warm sunset	349.00
32 901 A01	4005176407512	hard graphite	349.00
32 901 AL1	4005176407529	brushed hard graphite	349.00

Essence
Basin mixer 1/2"
XL-Size
monobloc installation
metal lever
for free-standing basins
28 mm ceramic cartridge
with **GROHE SilkMove**
with temperature limiter
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
GROHE AquaGuide adjustable mousseur
GROHE QuickFix Plus rapid installation system
swivel spout with mousseur
and stop limiter
smooth body
flexible connection hoses


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	20 296 001	4005176307072	Chrome	229.00
	<p>Essence Three-hole basin mixer 1/2" M-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>			
 	20 299 001	4005176307096	Chrome	289.00
	<p>Essence 3-hole basin mixer L-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system GROHE AquaGuide adjustable mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut 1/2" x 10.5 mm</p>			
	19 408 001	4005176307133	Chrome	169.00
	19 408 DC1	4005176369964	supersteel	219.00
	19 408 BE1	4005176426216	polished nickel	259.00
	19 408 EN1	4005176426223	brushed nickel	259.00
	19 408 GL1	4005176426155	cool sunrise	259.00
	19 408 GN1	4005176426162	brushed cool sunrise	259.00
	19 408 DA1	4005176426179	warm sunset	259.00
	19 408 DL1	4005176426186	brushed warm sunset	259.00
	19 408 A01	4005176426209	hard graphite	259.00
	19 408 AL1	4005176426193	brushed hard graphite	259.00
 				
	<p>Essence 2-hole basin mixer M-Size wall or deck mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 183 mm</p>			
	19 967 001	4005176307140	Chrome	189.00
	19 967 DC1	4005176369971	supersteel	259.00
	19 967 BE1	4005176426292	polished nickel	292.00
	19 967 EN1	4005176426308	brushed nickel	292.00
	19 967 GL1	4005176426230	cool sunrise	292.00
	19 967 GN1	4005176426247	brushed cool sunrise	292.00
	19 967 DA1	4005176426254	warm sunset	292.00
	19 967 DL1	4005176426261	brushed warm sunset	292.00
	19 967 A01	4005176426285	hard graphite	292.00
	19 967 AL1	4005176426278	brushed hard graphite	292.00
	ditto, projection 230 mm			
 	23 571 000	4005176334276		199.00
	<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>			

GROHE ESSENCE




Ref. No.	EAN code	Colour	Retail Guide Price (£)
32 935 001	4005176307171	Chrome	139.00
32 935 DC1	4005176369988	supersteel	199.00
32 935 BE1	4005176426377	polished nickel	209.00
32 935 EN1	4005176426384	brushed nickel	209.00
32 935 GL1	4005176426315	cool sunrise	209.00
32 935 GN1	4005176426322	brushed cool sunrise	209.00
32 935 DA1	4005176426339	warm sunset	209.00
32 935 DL1	4005176426346	brushed warm sunset	209.00
32 935 A01	4005176426360	hard graphite	209.00
32 935 AL1	4005176426353	brushed hard graphite	209.00

Essence
Bidet mixer 1/2"
S-Size
 monobloc installation
 metal lever
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 with temperature limiter
GROHE StarLight chrome finish
GROHE QuickFix Plus installation system
 ball-joint mousseur
 pop-up waste set 1 1/4"
 flexible connection hoses



33 636 001	4005176307287	Chrome	149.00
33 636 DC1	4005176371141	supersteel	209.00
33 636 BE1	4005176426674	polished nickel	229.00
33 636 EN1	4005176426681	brushed nickel	229.00
33 636 GL1	4005176426612	cool sunrise	229.00
33 636 GN1	4005176426629	brushed cool sunrise	229.00
33 636 DA1	4005176426636	warm sunset	229.00
33 636 DL1	4005176426643	brushed warm sunset	229.00
33 636 A01	4005176426667	hard graphite	229.00
33 636 AL1	4005176426650	brushed hard graphite	229.00

Essence
Single-lever shower mixer 1/2"
 wall or deck mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow




33 624 001	4005176990786	Chrome	179.00
33 624 DC1	4005176371097	supersteel	219.00
33 624 BE1	4005176426452	polished nickel	274.00
33 624 EN1	4005176426469	brushed nickel	274.00
33 624 GL1	4005176426391	cool sunrise	274.00
33 624 GN1	4005176426407	brushed cool sunrise	274.00
33 624 DA1	4005176426414	warm sunset	274.00
33 624 DL1	4005176426421	brushed warm sunset	274.00
33 624 A01	4005176426445	hard graphite	274.00
33 624 AL1	4005176426438	brushed hard graphite	274.00

Essence
Single-lever bath/shower mixer 1/2"
 wall or deck mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow


Ref. No. EAN code Colour Retail Guide Price (£)

33 628 001 4005176990793 Chrome 219.00



Essence
Single-lever bath/shower mixer 1/2"
 wall or deck mounted
 metal lever
GROHE SilkMove 35 mm ceramic cartridge
 with temperature limiter
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 mousseur
 shower outlet 1/2"
 integrated non-return valve
 S-unions
 protected against backflow
 with shower set
 Consisting of:
 hand shower Euphoria Cosmopolitan
 Stick (27 400 000) 6.6 l/min
 wall shower holder Tempesta Neu 100
 Cosmopolitan (27 594 000)
 Silverflex shower hose 1.500 mm (28 364)


19 286 001	4005176307294	Chrome	119.00
19 286 DC1	4005176371158	supersteel	159.00
19 286 BE1	4005176426759	polished nickel	193.00
19 286 EN1	4005176426766	brushed nickel	193.00
19 286 GL1	4005176426698	cool sunrise	193.00
19 286 GN1	4005176426704	brushed cool sunrise	193.00
19 286 DA1	4005176426711	warm sunset	193.00
19 286 DL1	4005176426728	brushed warm sunset	193.00
19 286 A01	4005176426742	hard graphite	193.00
19 286 AL1	4005176426735	brushed hard graphite	193.00



Essence
Single-lever shower mixer trim
 set for final installation for
 35 501 000
 33 962 000
 33 964 000
without concealed body
 metal lever
GROHE StarLight chrome finish
 escutcheon- and shaft-sealing
 metal escutcheon
 covered fixing

35 501 000 4005176833847 84.00
**GROHE Rapido E Universal single-lever
 mixer for concealed installation**












19 285 001	4005176307225	Chrome	129.00
19 285 DC1	4005176371110	supersteel	189.00
19 285 BE1	4005176426568	polished nickel	210.00
19 285 EN1	4005176426575	brushed nickel	210.00
19 285 GL1	4005176407543	cool sunrise	210.00
19 285 GN1	4005176426544	brushed cool sunrise	210.00
19 285 DA1	4005176407536	warm sunset	210.00
19 285 DL1	4005176426551	brushed warm sunset	210.00
19 285 A01	4005176407550	hard graphite	210.00
19 285 AL1	4005176407567	brushed hard graphite	210.00




Essence
Single-lever bath/shower mixer trim
 set for final installation for
 35 501 000
 33 961 000
 33 963 000
without concealed body
 metal lever
GROHE StarLight chrome finish
 automatic diverter: bath/shower
 escutcheon- and shaft-sealing
 metal escutcheon
 covered fixing

35 501 000 4005176833847 84.00
**GROHE Rapido E Universal single-lever
 mixer for concealed installation**

GROHE ESSENCE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	25 173 001	4005176307256	Chrome	279.00
<p>Essence Bath/Shower Mixer deck mounted metal lever GROHE SilkMove 56 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower integrated non-return valve shower outlet 1/2" min. recommended pressure 0.2 - 5.0 bar</p>				
 	25 172 001	4005176307249	Chrome	229.00
<p>Essence Bath filler deck mounted metal lever GROHE SilkMove 56 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter min. recommended pressure 0.2 - 5.0 bar</p>				
 	19 578 001	4005176307195	Chrome	669.00
19 578 DC1	4005176371103	supersteel	839.00	
19 578 BE1	4005176426537	polished nickel	933.00	
19 578 EN1	4005176374463	brushed nickel	933.00	
19 578 GL1	4005176426476	cool sunrise	933.00	
19 578 GN1	4005176426483	brushed cool sunrise	933.00	
19 578 DA1	4005176426490	warm sunset	933.00	
19 578 DL1	4005176426506	brushed warm sunset	933.00	
19 578 A01	4005176426520	hard graphite	933.00	
19 578 AL1	4005176426513	brushed hard graphite	933.00	
<p>Essence 4-hole single-lever bath combination GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish pre-assembled spout fixing OHM operating element metal lever bath inlet with mousseur diverter bath/shower hand shower 27 400 000 metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000</p>				
 	19 976 001	4005176307218	Chrome	399.00
<p>Essence 3-hole single-lever bath combination Three hole installation GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish OHM operating element diverter bath/shower hand shower 27 400 000 metal shower hose 2000 mm flexible connection hoses connection for shower hose protected against backflow for use with 29 037 000 for combination with 28 990 / 28 991</p>				
 	29 037 000	4005176865749		689.00
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>				
	45 388 000	4005176212758		74.10
<p>Supporting legs for baseframe</p>				

new



Ref. No.	EAN code	Colour	Retail Guide Price (£)
23 741 001	4005176371509	Chrome	1,549.00
23 741 DC1	4005176371516	supersteel	2,029.00
23 741 EN1	4005176371523	brushed nickel	2,029.00

Essence

Single lever free standing shower mixer 1/2"

floor-mounted
set for final installation for
45 984 001
29 038 001
29 086 000

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

automatic diverter
head shower/hand shower
360° horizontal swivable shower arm

integrated non-return valve
in the shower outlet 1/2"

with shower holder

Rainshower Cosmopolitan 310 head shower 9.5 l/min (27 477 000)

with ball joint

rotation angle ± 15°

GROHE DreamSpray perfect spray pattern


SpeedClean anti-limescale system

hand shower Euphoria Cosmopolitan Stick (27 806 000) 7.6 l/min

Silverflex shower hose 1750 mm (28 388 000)

protected against backflow

23 491 001	4005176307263	Chrome	1,029.00
23 491 DC1	4005176371127	supersteel	1,319.00
23 491 BE1	4005176426605	polished nickel	1,473.00
23 491 EN1	4005176371134	brushed nickel	1,473.00
23 491 GL1	4005176407581	cool sunrise	1,473.00
23 491 GN1	4005176426582	brushed cool sunrise	1,473.00
23 491 DA1	4005176407574	warm sunset	1,473.00
23 491 DL1	4005176426599	brushed warm sunset	1,473.00
23 491 A01	4005176407598	hard graphite	1,473.00
23 491 AL1	4005176407604	brushed hard graphite	1,473.00



Essence

Single-lever bath mixer 1/2", floor mounted

set for final installation for
45 984 001

without roughing-in-set

GROHE SilkMove 35 mm ceramic cartridge
with temperature limiter

GROHE StarLight chrome finish

automatic diverter: bath/shower

swivel spout with mousseur

and stop limiter

projection 277 mm

integrated non-return valve

in the shower outlet 1/2"


with shower holder

hand shower Euphoria Cosmopolitan Stick (27 806 000) 7.6 l/min

Silverflex shower hose 1250 mm (28 362)

protected against backflow

45 984 001	4005176992056		319.00
------------	---------------	--	--------



Rough-in set 1/2"

for floor-mounted bath mixers/spouts and shower mixers

without finishing trim set

installation plate with 360° horizontal and 3° vertical adjustment

installation depth 53-157 mm for bath

mixers/spouts, depth compensation 104 mm

installation depth 65-157 mm for shower mixers, depth compensation 92 mm

two 1/2" female connections (hot/cold supplies)

flushing plug

Can take a single mixed supply

GROHE Fresh retrofit set:


enables access to concealed cistern

to add a cleaning tablet

(chlorine free tablets only)

Ref. No. EAN code Colour Retail Guide Price (£)


new



29 086 000 4005176935497 209.00


Rough-in set 1/2"
for floor-mounted tub spouts and mixers
without finishing trim set
installation plate with 360° horizontal and 3° vertical adjustment
installation depth 47-151 mm
depth compensation 104 mm
two 1/2" female connections (hot/cold supplies)
flushing plug

37 601 000 4005176416057 Chrome 66.20
37 601 DC0 4005176416088 supersteel 74.58




Nova Cosmopolitan S
Flush plate
for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
vertical installation
130 x 172 mm
for mounting of small flush plates please order inspection shaft 40 911 000 (sold separately)
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included

34 065 DC2 4005176374432 supersteel 269.00
34 065 BE2 4005176426834 polished nickel 329.00
34 065 EN2 4005176426841 brushed nickel 329.00
34 065 GL2 4005176426773 cool sunrise 329.00
34 065 GN2 4005176426780 brushed cool sunrise 329.00
34 065 DA2 4005176426797 warm sunset 329.00
34 065 DL2 4005176426803 brushed warm sunset 329.00
34 065 A02 4005176426827 hard graphite 329.00
34 065 AL2 4005176426810 brushed hard graphite 329.00



Grotherm 1000 Cosmopolitan M
Thermostatic shower mixer 1/2"
wall or deck mounted
GROHE StarLight finish
GROHE MetalGrip ergonomically shaped metal handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton**
(economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
S-unions
metal escutcheon
min. recommended pressure 1 bar
GROHE EcoJoy technology for less water and perfect flow



Ref. No.	EAN code	Colour	Retail Guide Price (£)
19 468 000	4005176847981	Chrome	349.00
19 468 BE0	4005176426919	polished nickel	555.00
19 468 EN0	4005176426926	brushed nickel	555.00
19 468 GL0	4005176426858	cool sunrise	555.00
19 468 GN0	4005176426865	brushed cool sunrise	555.00
19 468 DA0	4005176426872	warm sunset	555.00
19 468 DL0	4005176426889	brushed warm sunset	555.00
19 468 A00	4005176426902	hard graphite	555.00
19 468 AL0	4005176426896	brushed hard graphite	555.00

**Grohtherm 3000 Cosmopolitan
Thermostat with integrated 2-way diverter
for bath or shower with more than one outlet**

set for final installation for
35 050 000

wall escutcheon with **GROHE QuickFix**
(covered escutcheon- and shaft sealing, covered fixing)

GROHE StarLight chrome finish

GROHE SafeStop safety button at 38°C
(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included


Aquadimmer with multiple function

shut off and flow control

diverter for 2 outlets

without concealed body

26 066 000	4005176937200	Chrome	469.00
26 066 DC0	4005176371172	supersteel	639.00
26 066 BE0	4005176427244	polished nickel	674.00
26 066 EN0	4005176427251	brushed nickel	674.00
26 066 GL0	4005176427183	cool sunrise	674.00
26 066 GN0	4005176427190	brushed cool sunrise	674.00
26 066 DA0	4005176427206	warm sunset	674.00
26 066 DL0	4005176427213	brushed warm sunset	674.00
26 066 A00	4005176427237	hard graphite	674.00
26 066 AL0	4005176427220	brushed hard graphite	674.00



**Rainshower Cosmopolitan 310
Head shower set 380 mm, 1 spray**

Consisting of:

Head shower Rainshower Cosmopolitan 310 (27 478 000)

1 spray pattern:

Rain

shower arm Rainshower 380 mm (28 361 000)

GROHE EcoJoy 9.5 l/min flow limiter

GROHE DreamSpray perfect spray pattern


GROHE StarLight chrome finish

SpeedClean anti-limescale system

DropStop no afterdripping from the horizontal

shower head after closing the valve

26 067 000	4005176937217	Chrome	469.00
26 067 DC0	4005176371189	supersteel	639.00
26 067 BE0	4005176427329	polished nickel	674.00
26 067 EN0	4005176427336	brushed nickel	674.00
26 067 GL0	4005176427268	cool sunrise	674.00
26 067 GN0	4005176427275	brushed cool sunrise	674.00
26 067 DA0	4005176427282	warm sunset	674.00
26 067 DL0	4005176427299	brushed warm sunset	674.00
26 067 A00	4005176427312	hard graphite	674.00
26 067 AL0	4005176427305	brushed hard graphite	674.00



**Rainshower Cosmopolitan 310
Head shower set ceiling 142 mm, 1 spray**

Consisting of:

Head shower Rainshower Cosmopolitan 310 (27 478 000)

1 spray pattern:

Rain

shower arm Rainshower ceiling 142 mm (28 724 000)

GROHE EcoJoy 9.5 l/min flow limiter


GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-limescale system

DropStop no afterdripping from the horizontal

shower head after closing the valve



Ref. No.	EAN code	Colour	Retail Guide Price (£)
26 075 000	4005176937606	Chrome	716.00
26 075 DC0	4005176371219	supersteel	1,069.00
26 075 BE0	4005176428593	polished nickel	1,499.00
26 075 EN0	4005176428609	brushed nickel	1,499.00
26 075 GL0	4005176425332	cool sunrise	1,499.00
26 075 GN0	4005176425349	brushed cool sunrise	1,499.00
26 075 DA0	4005176425356	warm sunset	1,499.00
26 075 DL0	4005176425363	brushed warm sunset	1,499.00
26 075 A00	4005176425387	hard graphite	1,499.00
26 075 AL0	4005176425370	brushed hard graphite	2,003.00

Euphoria System 310

Shower system with thermostatic mixer for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 310 (27 477 000)

Rain spray pattern

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage

(27 221 000)

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

Inner WaterGuide for a longer life

SpeedClean anti-limescale system

Twistfree preventing the hose from twisting


GROHE MetalGrip ergonomically shaped metal handles

min. recommended pressure 1 bar

minimum flow rate 7 l/min.

min. recommended pressure 1 bar

optional upgrade: **GROHE EasyReach** tray (26 362)



27 226 DC1	4005176374456	supersteel	149.00
27 226 EN1	4005176427176	brushed nickel	169.00
27 226 BE1	4005176427169	polished nickel	169.00
27 226 GL1	4005176427107	cool sunrise	169.00
27 226 GN1	4005176427114	brushed cool sunrise	169.00
27 226 DA1	4005176427121	warm sunset	169.00
27 226 DL1	4005176427138	brushed warm sunset	169.00
27 226 A01	4005176427152	hard graphite	169.00
27 226 AL1	4005176427145	brushed hard graphite	169.00

Euphoria 110 Massage

Shower rail set 3 sprays

Consisting of:

hand shower Massage (27 221 000)

shower rail 900 mm (27 500 000)

Silverflex shower hose 1750 mm (28 388 000)

GROHE EasyReach tray (27 596)

GROHE DreamSpray perfect spray pattern

GROHE StarLight finish

GROHE SprayDimmer (Stepless

flow rate reduction)

GROHE QuickFix (upper bracket adjustable to adapt to existing holes)









SpeedClean anti-limescale system

Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting

suitable for instantaneous heater

min. recommended pressure 1 bar

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 400 000	4005176877292	Chrome	39.00
	27 400 DC0	4005176374470	supersteel	56.00
	27 400 BE0	4005176427077	polished nickel	63.00
	27 400 EN0	4005176889394	brushed nickel	63.00
	27 400 GL0	4005176407628	cool sunrise	63.00
	27 400 GN0	4005176427053	brushed cool sunrise	63.00
	27 400 DA0	4005176407611	warm sunset	63.00
	27 400 DL0	4005176427060	brushed warm sunset	63.00
	<p>Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>			
 	27 057 000	4005176830457	Chrome	49.00
	27 057 DC0	4005176371196	supersteel	59.00
	27 057 BE0	4005176426957	polished nickel	75.00
	27 057 EN0	4005176426964	brushed nickel	75.00
	27 057 GL0	4005176338946	cool sunrise	75.00
	27 057 GN0	4005176426933	brushed cool sunrise	75.00
	27 057 DA0	4005176338939	warm sunset	75.00
	27 057 DL0	4005176426940	brushed warm sunset	75.00
	27 057 A00	4005176338953	hard graphite	75.00
	27 057 AL0	4005176338960	brushed hard graphite	75.00
<p>Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE StarLight chrome finish</p>				
 	27 074 000	4005176833083	Chrome	29.00
	27 074 BE0	4005176834325	polished nickel	54.00
	27 074 EN0	4005176834301	brushed nickel	54.00
	27 074 GL0	4005176338984	cool sunrise	54.00
	27 074 GN0	4005176427084	brushed cool sunrise	54.00
	27 074 DA0	4005176338977	warm sunset	54.00
	27 074 DL0	4005176427091	brushed warm sunset	54.00
	27 074 A00	4005176338991	hard graphite	54.00
	27 074 AL0	4005176339004	brushed hard graphite	54.00
	<p>Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE StarLight chrome finish</p>			
 	28 388 000	4005176295362	Chrome	16.66
	28 388 BE0	4005176295386	polished nickel	22.91
	28 388 EN0	4005176427718	brushed nickel	22.91
	28 388 GL0	4005176427657	cool sunrise	22.91
	28 388 GN0	4005176427664	brushed cool sunrise	22.91
	28 388 DA0	4005176427671	warm sunset	22.91
	28 388 A00	4005176427701	hard graphite	22.91
	28 388 AL0	4005176427695	brushed hard graphite	22.91
	<p>Silverflex Shower hose 1750 1750 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>			

GROHE ESSENCE



Ref. No.	EAN code	Colour	Retail Guide Price (£)
28 362 000	4005176295225	Chrome	12.91
28 362 BE0	4005176295249	polished nickel	17.91
28 362 EN0	4005176427640	brushed nickel	17.91
28 362 GL0	4005176427589	cool sunrise	17.91
28 362 GN0	4005176427596	brushed cool sunrise	17.91
28 362 DA0	4005176427602	warm sunset	17.91
28 362 DL0	4005176427619	brushed warm sunset	17.91
28 362 A00	4005176427633	hard graphite	17.91
28 362 AL0	4005176427626	brushed hard graphite	17.91

Silverflex
Shower hose 1250
 1250 mm
 smooth surface for easy cleaning
 tensile strength 500 N
 pressure resistance up to 5 bar
 heat resistance 70°C
 AntiFold bendproof
 universal connection G 1/2" x 1/2"
 Rotation cone for **Twistfree** function
GROHE StarLight chrome finish
blister packaging











GROHE EURODISC JOY









GROHE EURODISC JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 425 000	4005176993596	Chrome	159.00
	23 425 L50	4005176993602	moon white	209.00
	<p>Eurodisc Joy Basin mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 427 000	4005176993619	Chrome	179.00
	23 427 L50	4005176993626	moon white	229.00
	<p>Eurodisc Joy Basin mixer 1/2" M-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 428 000	4005176993633	Chrome	269.00
	23 428 L50	4005176993640	moon white	349.00
	<p>Eurodisc Joy Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE FeatherControl Joystick cartridge GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE StarLight chrome finish GROHE QuickFix Plus installation system smooth body flexible connection hoses</p>			
	19 968 000	4005176993657	Chrome	189.00
	19 968 L50	4005176993664	moon white	299.00
	<p>Eurodisc Joy 2-hole basin mixer M-Size wall or deck mounted set for final installation for 23 429 000 without concealed body metal lever GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 171 mm</p>			
	19 969 000	4005176993671	Chrome	209.00
	19 969 L50	4005176993688	moon white	229.00
	<p>Eurodisc Joy 2-hole basin mixer L-Size wall or deck mounted set for final installation for 23 429 000 without concealed body GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min centre distance 110 mm projection 226 mm</p>			

GROHE EURODISC JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 429 000	4005176993695		209.00
<p>Single-lever mixer 1/2", concealed body for 2 hole basin mixer without finishing trim set GROHE FeatherControl Joystick cartridge wall installation installation device DR-brass</p>				
 	24 036 000 24 036 LS0	4005176993701 4005176993718	Chrome moon white	189.00 219.00
<p>Eurodisc Joy Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish GROHE EcoJoy ball-joint mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses</p>				
 	23 430 000 23 430 LS0	4005176993725 4005176993732	Chrome moon white	199.00 219.00
<p>Eurodisc Joy Single-lever shower mixer 1/2" wall or deck mounted metal lever GROHE FeatherControl Joystick cartridge GROHE StarLight chrome finish shower bottom outlet 1/2" with integrated non return-valve S-unions protected against backflow</p>				
 	23 431 000 23 431 LS0	4005176993749 4005176993756	Chrome moon white	199.00 229.00
<p>Eurodisc Joy Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove Joystick cartridge GROHE StarLight chrome finish automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow</p>				
 	19 549 002 19 549 LS2	4005176887758 4005176998942	Chrome moon white	149.00 189.00
<p>Eurodisc Cosmopolitan Single-lever shower mixer trim set for final installation for 35 501 000, without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
<p>35 501 000 4005176833847 84.00 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				









GROHE EURODISC JOY

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 548 002	4005176887840	Chrome	159.00
	19 548 LS2	4005176998959	moon white	189.00
	Eurodisc Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing			
	35 501 000	4005176833847		84.00
	GROHE Rapido E Universal single-lever mixer for concealed installation			
	19 468 000	4005176847981	Chrome	349.00
		Grontherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included Aquadimmer with multiple function shut off and flow control diverter for 2 outlets without concealed body		
				
	47 781 000	4005176836558		149.00
		Extension set 27.5 mm for Rapido T 35 500 000/35 050 000 for use with bath-thermostats with aquadimmer		
				









GROHE EURODISC COSMOPOLITAN













GROHE EURODISC COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 051 002	4005176887567	Chrome	89.00
	Eurodisc Cosmopolitan Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min union nut 1/2" x 10.5 mm			
 	23 049 002	4005176887536	Chrome	169.00
	Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses			
 	33 190 20E	4005176887482	Chrome	169.00
	Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system with centering support pop-up waste set 1 1/4" flexible connection hoses			
 	32 469 20E	4005176908835	Chrome	159.00
	Eurodisc Cosmopolitan Basin mixer 1/2" S-Size metal lever monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109			











GROHE EURODISC COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 469 20L	4005176917110	Chrome	159.00
	Eurodisc Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE QuickFix Plus installation system with centering support GROHE StarLight chrome finish mousseur smooth body flexible connection hoses for low pressure 12mm bore min. recommended pressure 0.2 bar optional temperature limiter (46 375 000) noise classification 1 in accordance with DIN4109			
	23 448 002	4005176998744	Chrome	169.00
	Eurodisc Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix Plus installation system pop-up waste set 1 1/4" flexible connection hoses			
	23 449 002	4005176998768	Chrome	159.00
	Eurodisc Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system smooth body flexible connection hoses			
	23 054 002	4005176887642	Chrome	169.00
	Eurodisc Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix Plus installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			

GROHE EURODISC COSMOPOLITAN


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 432 000	4005176993763	Chrome	259.00
<p>Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix Plus installation system smooth body flexible connection hoses optional temperature limiter (46 375 000)</p>				
 	23 055 002	4005176887680	Chrome	209.00
<p>Eurodisc Cosmopolitan Basin mixer 1/2" XL-Size monobloc installation metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>				
 	19 573 002	4005176887659	Chrome	189.00
<p>Eurodisc Cosmopolitan 2-hole basin mixer M-Size wall or deck mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide NEW centre distance 110 mm projection 170 mm</p>				
	19 974 002	4005176305948	Chrome	199.00
<p>ditto, projection 225 mm</p>				
 	23 571 000	4005176334276		199.00
<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>				
 	33 244 002	4005176888779	Chrome	159.00
<p>Eurodisc Cosmopolitan Bidet mixer 1/2" S-Size metal lever monobloc installation GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix Plus installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>				

GROHE EURODISC COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	33 569 002	4005176887734	Chrome	169.00
<p>Eurodisc Cosmopolitan Single-lever shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	33 390 002	4005176887796	Chrome	189.00
<p>Eurodisc Cosmopolitan Single-lever bath/shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	19 549 002 19 549 LS2	4005176887758 4005176998942	Chrome moon white	149.00 189.00
<p>Eurodisc Cosmopolitan Single-lever shower mixer trim set for final installation for 35 501 000, without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
				84.00
 	19 548 002 19 548 LS2	4005176887840 4005176998959	Chrome moon white	159.00 189.00
<p>Eurodisc Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
				84.00
 	13 278 002	4005176887871	Chrome	89.00
<p>Eurodisc Cosmopolitan Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>				

GROHE EURODISC COSMOPOLITAN

Ref. No.	EAN code	Colour	Retail Guide Price (£)
37 624 000	4005176416095	Chrome	66.20



Arena Cosmopolitan S

Flush plate

for dual flush or start & stop actuation
for pneumatic drop valve AV1
compatible with Rapid SL/GD2 1.13 m
vertical installation
130 x 172 mm

**for mounting of small flush plates please order
inspection shaft 40 911 000 (sold separately)**











GROHE StarLight chrome finish

GROHE EcoJoy technology for less water and perfect flow
flush plate with magnetic holder and fixing brackets included











GROHE CONCETTO













GROHE CONCETTO









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 204 10E	4005176887345	Chrome	139.00
	Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support pop-up waste set 1 1/4" flexible connection hoses			
	32 202 10L	4005176903960	Chrome	129.00
	Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 0.2 bar			
	32 240 10E	4005176906794	Chrome	129.00
	Concetto Basin mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body flexible connection hoses			
	32 240 10L	4005176903977	Chrome	119.00
	Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system mousseur smooth body flexible connection hoses min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)			
	23 380 10E	4005176938245	Chrome	139.00
	Concetto Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			

GROHE CONCETTO





	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 450 001	4005176998775	Chrome	149.00
	<p>Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 451 001	4005176998799	Chrome	139.00
	<p>Concetto Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	23 739 001	4005176369728	Chrome	199.00
	<p>Concetto Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix installation system swivel spout with stop restriction pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000) min. recommended pressure 1 bar</p>			
	32 629 001	4005176888847	Chrome	169.00
	<p>Concetto Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>			
	20 216 001	4005176888373	Chrome	219.00
	<p>Concetto Three-hole basin mixer 1/2" L-Size ceramic headpart GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>			

GROHE CONCETTO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 575 001	4005176888366	Chrome	179.00
<p>Concetto 2-hole basin mixer S-Size wall or deck mounted set for final installation for 23 571 000 without concealed body metal escutcheon GROHE StarLight chrome finish centre distance 110 mm projection 147 mm</p>				
 	23 571 000	4005176334276		199.00
<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>				
 	32 208 001	4005176888908	Chrome	129.00
<p>Concetto Bidet mixer 1/2" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses</p>				
 	32 210 001	4005176888939	Chrome	149.00
<p>Concetto Single-lever shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve, S-unions protected against backflow optional temperature limiter (46 308 000) noise classification 1 in accordance with DIN4109</p>				
 	18 391 001	4005176888533		29.00
<p>Concetto Plastic tray for 32 210 001</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 701 001	4005176889042	Chrome	169.00
	<p>Concetto Single-lever bath/shower mixer 1/2" monobloc installation metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow optional temperature limiter (46 308 000)</p>			
	32 211 001	4005176889028	Chrome	169.00
	<p>Concetto Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>			
	32 212 001	4005176889035	Chrome	199.00
	<p>Concetto Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set Consisting of: Euphoria Cosmopolitan hand shower (27 400 000) wall shower holder (27 056 000) Relexaflex hose 1500 mm 1/2" x 1/2" (28 151)</p>			
	19 345 001	4005176888953	Chrome	149.00
	<p>Concetto Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>			
	35 501 000	4005176833847		84.00
	GROHE Rapido E Universal single-lever mixer for concealed installation			











GROHE CONCETTO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 346 001	4005176889080	Chrome	159.00
	Concetto Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered coupling			
	35 501 000	4005176833847		84.00
	GROHE Rapido E Universal single-lever mixer for concealed installation			
 	25 102 000	4005176881671	Chrome	229.00
	Concetto Two-handed Bath filler 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish recommended pressure 0.2-5.0 bar			
 	25 109 000	4005176881848	Chrome	259.00
	Concetto Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish			
 	29 037 000	4005176865749		689.00
	4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water			
	45 388 000	4005176212758		74.10
	Supporting legs for baseframe			
 	13 280 001	4005176888687	Chrome	89.00
	Concetto Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur male thread 1/2"			











GROHE EUROSTYLE COSMOPOLITAN



GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	23 039 002	4005176886881	Chrome	79.00
<p>Eurostyle Cosmopolitan Pillar tap XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish mousseur</p>				
 	23 037 002	4005176886355	Chrome	129.00
<p>Eurostyle Cosmopolitan Basin mixer 1/2\" S-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur pop-up waste set 1 1/4\" flexible connection hoses</p>				
 	23 387 20E	4005176938382	Chrome	109.00
<p>Eurostyle Cosmopolitan Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE SilkMove ES 28 mm ceramic cartridge with energy saving function via cold start with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4\" flexible connection hoses</p>				
 	33 552 20E	4005176886300	Chrome	109.00
<p>Eurostyle Cosmopolitan Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support pop-up waste set 1 1/4\" flexible connection hoses noise classification 1 in accordance with DIN4109</p>				
 	32 468 20E	4005176906886	Chrome	109.00
<p>Eurostyle Cosmopolitan Basin mixer 1/2\" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min temperature limiter GROHE StarLight chrome finish GROHE EcoJoy SpeedClean mousseur 5.7 l/min GROHE QuickFix installation system with centering support smooth body flexible connection hoses noise classification 1 in accordance with DIN4109</p>				









GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 468 20L	4005176917097	Chrome	109.00
<p>Eurostyle Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur, smooth body flexible connection hoses for low pressure 12mm bore min. recommended pressure 0.2 bar optional temperature limiter (46 375 000)</p>				
 	23 043 002	4005176886966	Chrome	169.00
<p>Eurostyle Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE QuickFix installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>				
 	20 208 002	4005176886980	Chrome	229.00
<p>Eurostyle Cosmopolitan 3-hole basin mixer S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves</p>				
 	19 571 002	4005176886973	Chrome	199.00
<p>Eurostyle Cosmopolitan 2-hole basin mixer S-Size wall or deck mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 171 mm</p>				
 	23 571 000	4005176334276		199.00
<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>				

GROHE EUROSTYLE COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	33 565 002	4005176887000	Chrome	109.00
<p>Eurostyle Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>				
 	33 590 002	4005176887048	Chrome	119.00
<p>Eurostyle Cosmopolitan Single-lever shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" integrated non-return valve, S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	33 591 002	4005176887123	Chrome	139.00
<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	19 507 002	4005176887079	Chrome	139.00
<p>Eurostyle Cosmopolitan Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
 	19 506 002	4005176887185	Chrome	139.00
<p>Eurostyle Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				











GROHE EUROSTYLE COSMOPOLITAN











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	25 100 002	4005176887215	Chrome	219.00
<p>Eurostyle Cosmopolitan Two-handed Bath filler 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish</p>				
 	25 107 002	4005176887222	Chrome	239.00
<p>Eurostyle Cosmopolitan Two-handed Bath/Shower mixer 1/2" deck mounted metal handles automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish recommended pressure 0.2 - 5.0 bar</p>				
 	29 037 000	4005176865749		689.00
<p>4/5-hole bath combination (optional) baseframe for installation under tiled surround base frame drainage box with integrated outlet for splash water</p>				
	45 388 000	4005176212758		74.10
<p>Supporting legs for baseframe</p>				
 	13 276 002	4005176887246	Chrome	89.00
<p>Eurostyle Cosmopolitan Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>				

GROHE EUROSTYLE













GROHE EUROSTYLE









		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		33 558 003	4005176334139	Chrome	109.00
		Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 707 003 23 707 LS3	4005176364778 4005176364785	Chrome moon white	99.00 139.00
		Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 374 003 23 374 LS3	4005176334153 4005176334450	Chrome moon white	109.00 149.00
		Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 709 003 23 709 LS3	4005176365003 4005176365010	Chrome moon white	99.00 129.00
		Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
		23 565 30L	4005176333620	Chrome	109.00
		Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur for low pressure pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 712 30L	4005176365034	Chrome	89.00
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur for low pressure pop-up waste set 1 1/4" flexible connection hoses min. recommended pressure 0.2 bar</p>			
	32 468 003	4005176334207	Chrome	99.00
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	23 715 003	4005176365065	Chrome	89.00
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	23 567 003	4005176334214	Chrome	109.00
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE Zero separated inner water ways - lead and nickel free GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	23 568 30L	4005176333637	Chrome	119.00
	<p>Eurostyle Basin mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur for low pressure smooth body flexible connection hoses min. recommended pressure 0.2 bar</p>			









GROHE EUROSTYLE









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 717 30L	4005176365089	Chrome	89.00
	Eurostyle Basin mixer 1/2" S-Size monobloc installation solid metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur for low pressure smooth body flexible connection hoses min. recommended pressure 0.2 bar			
	23 569 003 23 569 LS3	4005176334238 4005176334467	Chrome moon white	189.00 299.00
	Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation loop metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system swivel cast spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses			
	23 718 003 23 718 LS3	4005176365096 4005176365102	Chrome moon white	169.00 199.00
	Eurostyle Single-lever basin mixer 1/2" L-Size monobloc installation solid metal lever with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system swivel cast spout pop-up waste set 1 1/4"			
	23 570 003 23 570 LS3	4005176334245 4005176334474	Chrome moon white	209.00 249.00
	Eurostyle Basin mixer 1/2" XL-Size monobloc installation loop metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses			
	23 719 003 23 719 LS3	4005176365119 4005176365126	Chrome moon white	199.00 229.00
	Eurostyle Basin mixer 1/2" XL-Size monobloc installation solid metal lever for free-standing basins GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses			

GROHE EUROSTYLE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 571 003	4005176334269	Chrome	199.00
	19 571 LS3	4005176334498	moon white	249.00
	<p>Eurostyle 2-hole basin mixer M-Size wall or deck mounted without concealed body set for final installation for 23 571 000 metal escutcheon loop metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 203 mm</p>			
	23 571 000	4005176334276		199.00
	<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>			
				
	33 565 003	4005176334283	Chrome	89.00
	<p>Eurostyle Bidet mixer 1/2" S-Size monobloc installation loop metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses</p>			
				
	23 720 003	4005176365157	Chrome	99.00
	23 720 LS3	4005176365164	moon white	139.00
				
	33 590 003	4005176334306	Chrome	149.00
	33 590 LS3	4005176334511	moon white	159.00
				


GROHE EUROSTYLE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	23 722 003	4005176365188	Chrome	149.00
	23 722 LS3	4005176365195	moon white	149.00
	<p>Eurostyle Single-lever shower mixer 1/2" wall or deck mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p>			
	33 591 003	4005176334351	Chrome	159.00
	33 591 LS3	4005176334535	moon white	199.00
	<p>Eurostyle Single-lever bath/shower mixer 1/2" wall or deck mounted loop metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions metal wall escutcheons protected against backflow</p>			
	23 726 003	4005176365256	Chrome	149.00
	23 726 LS3	4005176365263	moon white	199.00
	<p>Eurostyle Single-lever bath/shower mixer 1/2" wall or deck mounted solid metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" with integrated non-return valve covered S-unions protected against backflow metal wall escutcheon</p>			
	19 507 003	4005176334337	Chrome	109.00
	19 507 LS3	4005176334528	moon white	129.00
	<p>Eurostyle Single-lever shower mixer trim set for final installation for 35 501 000 33 961 000 33 962 000 33 964 000 without concealed body loop metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p>			
	35 501 000	4005176833847		84.00
	GROHE Rapido E Universal single-lever mixer for concealed installation			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	29 098 003	4005176365225	Chrome	109.00
	<p>Eurostyle Single-lever shower mixer trim set for final installation for 35 501 000 33 961 000 33 962 000 33 964 000 without concealed body solid metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p> 			
	23 725 003	4005176365249	Chrome	139.00
	<p>Eurostyle Single-lever shower mixer 1/2" wall installation Consisting of: compatible with (19 507 003) with concealed body solid metal lever GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish metal wall escutcheon escutcheon- and shaft-sealing GROHE QuickFix covered fixing optional temperature limiter (46 308 000)</p> 			
	19 506 003	4005176334399	Chrome	129.00
	19 506 LS3	4005176334542	moon white	169.00
	29 099 003	4005176365300	Chrome	129.00
	29 099 LS3	4005176365317	moon white	158.80
<p>Eurostyle Single-lever bath/shower mixer trim set for final installation for 35 501 000 33 961 000 33 963 000 without concealed body solid metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon</p> 				
<p>Eurostyle Single-lever bath/shower mixer trim set for final installation for 35 501 000 33 961 000 33 963 000 without concealed body solid metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheons</p> 				
<p>35 501 000 4005176833847 84.00 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				

GROHE EUROSTYLE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
23 730 003	4005176365324	Chrome	149.00













Eurostyle
Single-lever bath/shower mixer 1/2"
 wall installation
GROHE SilkMove 46 mm ceramic cartridge
GROHE StarLight chrome finish
 GROHE QuickFix covered fixing
 Consisting of:
 compatible with
 (19 506 003)
 with concealed body
 adjustable flow rate limiter
 automatic diverter: bath/shower
 solid metal lever
 optional temperature limiter (46 308 000)
 metal wall escutcheons











GROHE EUROSMART COSMOPOLITAN













GROHE EUROSMART COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 825 00L	4005176917028	Chrome	109.00
	Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure 12mm bore recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000)			
	32 824 00L	4005176917035	Chrome	99.00
	Eurosmart Cosmopolitan Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter adjustable minimum flow rate 2.5 l/min GROHE StarLight chrome finish GROHE QuickFix installation system with centering support mousseur smooth body flexible connection hoses for low pressure 12mm bore recommended pressure 0.2 - 5.0 bar optional temperature limiter (46 375 000)			
	23 325 000	4005176933974	Chrome	119.00
	Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			
	23 327 000	4005176934094	Chrome	109.00
	Eurosmart Cosmopolitan Basin mixer 1/2" M-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses optional temperature limiter (46 375 000)			
	32 830 000	4005176874666	Chrome	139.00
	Eurosmart Cosmopolitan Single-lever basin mixer 1/2" L-Size monobloc installation metal lever covered lever fixing GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system mousseur swivel tubular spout with stop limiter pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)			







GROHE EUROSMART COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 187 000	4005176874680	Chrome	189.00
	<p>Eurosmart Cosmopolitan Three-hole basin mixer 1/2" S-Size metal lever ceramic headparts 1/2", 90° GROHE StarLight chrome finish GROHE QuickFix installation system with centering support spout with mousseur pop-up waste set 1 1/4" pressure-proof, flexible connection hoses between spout and side valves union nut with 10.5-mm drilling</p>			
	19 381 000	4005176874673	Chrome	169.00
	<p>Eurosmart Cosmopolitan 2-hole basin mixer S-Size wall or deck mounted set for final installation for 23 571 000 without concealed body metal escutcheon metal lever GROHE StarLight chrome finish GROHE AquaGuide adjustable mousseur centre distance 110 mm projection 170 mm</p>			
	23 571 000	4005176334276		199.00
	<p>Single-lever mixer 1/2", universal concealed body for 2 hole basin mixer wall installation without finishing trim set GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter spout can be positioned on the right or left DR-brass installation device</p>			
	32 839 000	4005176874802	Chrome	99.00
	<p>Eurosmart Cosmopolitan Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge GROHE StarLight chrome finish GROHE QuickFix installation system with centering support ball-joint mousseur pop-up waste set 1 1/4" flexible connection hoses optional temperature limiter (46 375 000)</p>			
	32 837 000	4005176874772	Chrome	119.00
	<p>Eurosmart Cosmopolitan Single-lever shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions optional temperature limiter (46 308 000) protected against backflow</p>			

GROHE EUROSMART COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	18 349 000	4005176874796		25.00
<p>Eurosmart Cosmopolitan Plastic tray for 32 837 000</p>				
 	32 831 000	4005176874703	Chrome	139.00
<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall or deck mounted, metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur, integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000)</p>				
 	32 832 000	4005176874710	Chrome	159.00
<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions protected against backflow optional temperature limiter (46 308 000) with shower set Euphoria Cosmopolitan hand shower (27 367 000) wall shower holder (27 056 000) Relaxflex hose 1500 mm 1/2" x 1/2" (28 151)</p>				
 	25 128 000	4005176905209	Chrome	189.00
<p>Eurosmart Cosmopolitan Two-handed Bath filler 1/2" deck mounted metal handles Longlife headpart 3/4" GROHE StarLight chrome finish min. recommended pressure 0.2 bar</p>				
 	25 129 000	4005176905216	Chrome	229.00
<p>Eurosmart Cosmopolitan Two-handed Bath/Shower mixer 1/2" deck mounted metal handles Longlife headpart 3/4" automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2" GROHE StarLight chrome finish min. recommended pressure 0.2 bar</p>				











GROHE EUROSMART COSMOPOLITAN











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 383 000	4005176874765	Chrome	99.00
<p>Eurosmart Cosmopolitan Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	19 382 000	4005176874697	Chrome	119.00
<p>Eurosmart Cosmopolitan Single-lever bath/shower mixer trim set for final installation for 35 501 000 without concealed body metal lever GROHE StarLight chrome finish automatic diverter: bath/shower escutcheon- and shaft-sealing wall escutcheon covered fixing</p>				
	35 501 000	4005176833847		84.00
<p>GROHE Rapido E Universal single-lever mixer for concealed installation</p>				
 	13 261 000	4005176877384	Chrome	79.00
<p>Eurosmart Cosmopolitan Bath spout wall or deck mounted GROHE StarLight chrome finish mousseur male thread 1/2" projection 170 mm</p>				











GROHE EUROSMART











GROHE EUROSMART

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 265 002	4005176861543	Chrome	89.00
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses			
	33 265 20L	4005176304729	Chrome	89.00
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur pop-up waste set 1 1/4" flexible connection hoses for low pressure 12mm bore min. recommended pressure 0.2 bar			
	33 188 002	4005176862052	Chrome	89.00
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system retractable chain flexible connection hoses			
	32 467 002	4005176862069	Chrome	79.00
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses			
	32 467 20L	4005176304736	Chrome	79.00
	Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system mousseur smooth body flexible connection hoses for low pressure 12mm bore min. recommended pressure 0.2 bar			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 926 002	4005176861567	Chrome	89.00
	<p>Eurosmart Basin mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	32 154 002	4005176862113	Chrome	90.00
	Ditto, with GROHE SilkMove ES			
	23 322 001	4005176934506	Chrome	99.00
	<p>Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system pop-up waste set 1 1/4" flexible connection hoses</p>			
	23 323 001	4005176934513	Chrome	99.00
	<p>Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system retractable chain flexible connection hoses</p>			
	23 324 001	4005176934520	Chrome	89.00
	<p>Eurosmart Basin mixer 1/2" M-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system smooth body flexible connection hoses</p>			
	23 537 002	4005176312212	Chrome	119.00
	<p>Eurosmart Single-lever basin mixer 1/2" L-Size monobloc installation metal lever 28 mm ceramic cartridge with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system swivel tubular spout swivel area 360° pop-up waste set 1 1/4" flexible connection hoses</p>			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 929 002	4005176862366	Chrome	79.00
	Eurosmart Bidet mixer 1/2" S-Size monobloc installation metal lever GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter with temperature limiter GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min GROHE QuickFix rapid installation system with ball joint pop-up waste set 1 1/4" flexible connection hoses			
	33 412 002	4005176862205	Chrome	99.00
	Eurosmart Single-lever bath/shower mixer 1/2" monobloc installation metal lever 35 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish GROHE QuickFix rapid installation system adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" flexible connection hoses protected against backflow			
	33 300 002	4005176862182	Chrome	99.00
	Eurosmart Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE SilkMove 35 mm ceramic cartridge with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur integrated non-return valve in the shower outlet 1/2" S-unions metal wall escutcheons protected against backflow			
	33 303 002	4005176862243	Chrome	179.00
	Eurosmart Single-lever bath/shower mixer 1/2" deck mounted metal lever 35 mm ceramic cartridge with Eco-Override-Stop, with GROHE SilkMove with temperature limiter GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower mousseur shower outlet 1/2" integrated non-return valve in the shower outlet 1/2" pillar unions protected against backflow			
	25 098 000	4005176881633	Chrome	169.00
	Eurosmart Bath filler deck mounted metal handle GROHE SilkMove 56 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	25 105 000	4005176881800	Chrome	199.00
<p>Eurosmart Single-lever bath/shower mixer 1/2" deck mounted metal handle GROHE SilkMove 56 mm ceramic cartridge adjustable flow rate limiter GROHE StarLight chrome finish automatic diverter: bath/shower integrated non-return valve in the shower outlet 1/2"</p>				
 	19 451 002	4005176862335	Chrome	89.00
<p>Eurosmart Single-lever shower mixer trim set for final installation for 35 501 000 33 961 000 33 962 000 33 964 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing escutcheon- and shaft-sealing metal wall escutcheon</p>				
<p>35 501 000 4005176833847 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				84.00
 	19 450 002	4005176862229	Chrome	99.00
<p>Eurosmart Single-lever bath/shower mixer trim set for final installation for 35 501 000 33 961 000 33 963 000 without concealed body metal lever GROHE StarLight chrome finish GROHE QuickFix covered fixing automatic diverter: bath/shower escutcheon- and shaft-sealing metal wall escutcheon</p>				
<p>35 501 000 4005176833847 GROHE Rapido E Universal single-lever mixer for concealed installation</p>				84.00
 	29 708 000	4005176102653		279.00
<p>5-way diverter concealed body, 1/2" without finishing trim set wall installation with ceramic sealing disks connection cold and hot 1/2" 2 outlets 1/2" bath outlet 3/4" installation depth adjustable 24-60 mm</p>				










GROHE BAUEDGE



GROHE BAUEDGE


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	20 421 000	4005176934353	Chrome	49.00
	<p>BauEdge Pillar tap 1/2" XS-Size monobloc installation metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min fixation nut G 1/2"</p>			
	20 421 00M	4005176986932	Chrome	97.00
	<p>BauEdge Basin tap 1/2" metal lever ceramic headpart GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow mousseur 2 pieces</p>			
	23 356 000	4005176934131	Chrome	74.00
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system metal pop up waste set flexible connection hoses</p>			
	23 330 000	4005176934278	Chrome	64.00
	<p>BauEdge Basin mixer 1/2" S-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p>			
	23 758 000	4005176388460	Chrome	86.00
	<p>BauEdge Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>			

GROHE BAUEDGE

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		23 759 000	4005176388477	Chrome	86.00
<p>BauEdge Basin mixer 1/2" M-Size monobloc installation metal lever GROHE Longlife ES 28 mm ceramic cartridge with energy saving function via cold start GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system plastic pop-up waste set 1 1/4" flexible connection hoses</p>					
		23 760 000	4005176388484	Chrome	98.00
<p>BauEdge Single-lever basin mixer 1/2" L-Size monobloc installation metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system swivel tubular spout plastic pop-up waste set 1 1/4" flexible connection hoses</p>					
		23 761 000	4005176388491	Chrome	116.00
<p>BauEdge Basin mixer 1/2" XL-Size monobloc installation for free-standing basins metal lever GROHE Longlife 28 mm ceramic cartridge GROHE StarLight chrome finish GROHE EcoJoy mousseur 5.7 l/min rapid installation system smooth body flexible connection hoses</p>					
		23 333 000	4005176934308	Chrome	69.00
<p>BauEdge Single-lever shower mixer 1/2" wall or deck mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter shower bottom outlet 1/2" with integrated non return-valve S-unions, metal wall escutcheon protected against backflow optional temperature limiter (46 308 000)</p>					
		23 334 000	4005176934322	Chrome	84.00
<p>BauEdge Single-lever bath/shower mixer 1/2" wall or deck mounted metal lever GROHE Longlife 46 mm ceramic cartridge GROHE StarLight chrome finish adjustable flow rate limiter automatic diverter: bath/shower spout with mousseur shower bottom outlet 1/2" with integrated non return-valve S-unions, metal wall escutcheon protected against backflow optional temperature limiter (46 308 000)</p>					


GROHE BAUEDGE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



25 217 000	4005176479786	Chrome	159.00
------------	---------------	--------	--------

BauEdge
Two-handed Bath/Shower mixer 1/2"
 deck mounted
 metal handles
 Ceramic valves 3/4", 90°
 automatic diverter, lockable: bath/shower
 integrated non-return valve
GROHE StarLight chrome finish
Min. recommended pressure 0.5 bar













25 216 000	4005176479779	Chrome	129.00
------------	---------------	--------	--------

BauEdge
Two-handed Bath filler 1/2"
 deck mounted
 metal handles
 Ceramic valves 3/4", 90°
GROHE StarLight chrome finish









GROHE COSTA L



GROHE COSTA L

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	20 404 001	4005176842986	Chrome	49.00
<p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish</p>				
 	20 186 001	4005176874437	Chrome	59.00
<p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart cast spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish</p>				
 	20 393 001	4005176842993	Chrome	65.00
<p>Costa L Basin tap 1/2" metal handle heat-insulated screwable marking: blue (cold) Longlife-headpart swivel tubular spout with mousseur union nut 1/2" with 10.5 mm drilling GROHE StarLight chrome finish</p>				
 	21 390 001	4005176843006	Chrome	129.00
<p>Costa L Basin mixer, 1/2" metal handles heat-insulated screwable Longlife-headpart cast spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE StarLight chrome finish</p>				
 	21 375 001	4005176843037	Chrome	89.00
<p>Costa L Basin mixer, 1/2" metal handles heat-insulated screwable Longlife-headpart swivel tubular spout with mousseur pop-up waste set 1 1/4" flexible connection hoses GROHE StarLight chrome finish</p>				




GROHE COSTA L

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	21 374 001	4005176843013	Chrome	79.00
<p>Costa L Basin mixer, 1/2" metal handles heat-insulated screwable Longlife-headpart swivel tubular spout with mousseur retractable chain flexible connection hoses GROHE StarLight chrome finish</p>				
 	26 330 001	4005176843112	Chrome	75.00
<p>Costa L Shower mixer 1/2" wall or deck mounted metal handles heat-insulated screwable Longlife-headpart shower connection 1/2" S-unions GROHE StarLight chrome finish</p>				
 	25 450 001	4005176843372	Chrome	119.00
<p>Costa L Bath / shower mixer 1/2" wall or deck mounted metal handles heat-insulated screwable Longlife-headpart automatic diverter: bath/shower mousseur S-unions GROHE StarLight chrome finish</p>				
 	35 028 000	4005176908316		119.00
<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grotherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				


GROHE TALENTOFILL



GROHE TALENTOFILL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 952 000	4005176174230	Chrome	44.00
<p>Talentofill Inlet-, pop-up and waste-system set for final installation escutcheon supply part waste plug fixing set</p> <p>in combination with Talentofill 28 990 000/28 991 000</p>				
 	28 990 000	4005176174025		119.00
<p>Talentofill Inlet-, pop-up and waste-system for normal baths without finishing trim set with bottle trap and 45°-outlet-bend</p>				
 	28 991 000	4005176174032		179.00
<p>Talentofill Inlet-, pop-up and waste-system for baths with waste up to 370 mm reach without finishing trim set</p>				
	14 055 000	4005176413520		146.00
<p>Backflow protection combination (DIN-EN1717) fits Grohtherm SmartControl and SmartControl mixer sets for final installation with 2 valves retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use</p>				
 	19 025 000	4005176209154	Chrome	49.00
<p>Talento Waste and overflow set for baths set for final installation escutcheon waste plug fixing set</p> <p>in combination with Talento 28 939 000/28 943 000 GROHE StarLight chrome finish</p>				


Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



28 939 000	4005176209161		79.00
------------	---------------	--	-------

Talento
Pop-up bath waste and overflow
 set for normal bath
 and deep shower trays
 with bowden cable
without finishing trim set
 bottle trap
 45° waste elbow

28 939 000	4005176209161		79.00
------------	---------------	--	-------



28 943 000	4005176209178		89.00
------------	---------------	--	-------


Talento
Pop-up bath waste and overflow
 with bowden cable
without finishing trim set
 bottle trap
 45° waste elbow

28 943 000	4005176209178		89.00
------------	---------------	--	-------













GROHE SELECTION CUBE









GROHE SELECTION CUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	40 865 000	4005176378140	Chrome	30.83
<p>Selection Cube Glass/soap dish holder for Selection Cube glass (40 789 000), Selection Cube soap dish (40 806 000) or Selection Cube soap dispenser (40 805 000) material: metal concealed fastening GROHE StarLight chrome finish</p>				
<p>new</p>  	40 805 000	4005176347924	Chrome	38.74
<p>Selection Cube Soap dispenser material: glass / metal GROHE StarLight finish fits in the following holder: Selection Cube (40 865 000)</p>				
<p>new</p>  	40 806 000	4005176347931	daVinci satin white	25.83
<p>Selection Cube Soap dish material: glass fits in the following holder: Selection Cube (40 865 000)</p>				
<p>new</p>  	40 783 000	4005176347894	daVinci satin white	20.83
<p>Selection Cube Glass material: glass fits in the following holder: Selection Cube (40 865 000)</p>				
<p>new</p>  	40 766 000	4005176347849	Chrome	43.74
<p>Selection Cube Towel ring material: metal concealed fastening GROHE StarLight finish</p>				
<p>new</p>  	40 768 000	4005176347863	Chrome	124.99
<p>Selection Cube Double towel bar material: metal concealed fastening 2 arms, pivotable 400 mm GROHE StarLight finish</p>				

GROHE SELECTION CUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	40 767 000	4005176347856	Chrome	82.49
<p>Selection Cube Towel rail material: metal 500 mm (functional length 459 mm) concealed fastening GROHE StarLight finish</p>				
<p>new</p>  	40 804 000	4005176347917	Chrome	232.50
<p>Selection Cube Multi bath towel rack material: metal 600 mm (functional length 575 mm) concealed fastening GROHE StarLight finish</p>				
<p>new</p>  	40 782 000	4005176347887	Chrome	23.33
<p>Selection Cube Robe hook material: metal concealed fastening GROHE StarLight finish</p>				
<p>new</p>  	40 807 000	4005176347948	Chrome	129.16
<p>Selection Cube Grip bar/towel bar material: metal 600 mm (functional length 548 mm) concealed fastening GROHE StarLight finish</p>				
<p>new</p>  	40 781 000	4005176347870	Chrome	67.08
<p>Selection Cube Toilet roll holder material: metal concealed fastening with cover GROHE StarLight finish</p>				
<p>new</p>  	40 784 000	4005176347900	Chrome	30.83
<p>Selection Cube Spare toilet roll holder material: metal wall or deck mounted concealed fastening GROHE StarLight finish</p>				

GROHE SELECTION CUBE


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	40 857 000	4005176378393	Chrome	91.66
<p>new</p>  	40 809 000	4005176347962	Chrome	91.66
<p>new</p>  	40 808 000	4005176347955	Chrome	112.49

GROHE ESSENTIALS




GROHE ESSENTIALS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
40 369 001	4005176326196	Chrome	17.49
40 369 BE1	4005176430176	polished nickel	24.58
40 369 EN1	4005176326202	brushed nickel	24.58
40 369 GL1	4005176429422	cool sunrise	24.58
40 369 GN1	4005176429873	brushed cool sunrise	24.58
40 369 DA1	4005176428975	warm sunset	24.58
40 369 DL1	4005176430022	brushed warm sunset	24.58
40 369 A01	4005176429576	hard graphite	24.58
40 369 AL1	4005176429729	brushed hard graphite	24.58




Essentials
Glass/soap dish holder
 material: metal
 for crystal glass (40 372 001)
 soap dish (40 368 001) or soap dispenser (40 394 001)
 concealed fastening
GROHE StarLight chrome finish

40 394 001	4005176326233	Chrome	14.16
40 394 DC1	4005176421532	supersteel	18.74
40 394 BE1	4005176430183	polished nickel	19.99
40 394 EN1	4005176412646	brushed nickel	19.99
40 394 GL1	4005176429439	cool sunrise	19.99
40 394 GN1	4005176429880	brushed cool sunrise	19.99
40 394 DA1	4005176428982	warm sunset	19.99
40 394 DL1	4005176430039	brushed warm sunset	19.99
40 394 A01	4005176429583	hard graphite	19.99
40 394 AL1	4005176429736	brushed hard graphite	19.99




Essentials
Soap dispenser
 material: glass / metal
 fits in the following holders:
 Essentials (40 369 000)
 Essentials Cube (40 508 000)
 Bau Cosmopolitan (40 585)
 Essentials Authentic (40 652)
GROHE StarLight chrome finish

40 368 001	4005176326219		4.83
------------	---------------	--	------




Essentials
Soap dish
 material: glass
 fits in the following holders:
 Essentials (40 369 000)
 Essentials Cube (40 508 000)
 Bau Cosmopolitan (40 585)
 Essentials Authentic (40 652)

40 372 001	4005176326226		5.83
------------	---------------	--	------













Essentials
Crystal glass
 material: glass
 fits in the following holders:
 Essentials (40 369 000)
 Essentials Cube (40 508 000)
 Bau Cosmopolitan (40 585)
 Essentials Authentic (40 652)

40 448 001	4005176328343	Chrome	32.49
------------	---------------	--------	-------





















Essentials
Soap dispenser with holder
 material: glass / metal
 Consisting of:
 holder (40 369 001)
 soap dispenser (40 394 001)
 concealed fastening
GROHE StarLight chrome finish

GROHE ESSENTIALS











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 444 001	4005176328336	Chrome	22.49
<p>Essentials Soap dish with holder material: glass / metal Consisting of: holder (40 369 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 447 001	4005176328701	Chrome	21.66
<p>Essentials Crystal glass with holder material: glass / metal Consisting of: holder (40 369 001) Glass cup (40 372 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 365 001	4005176326240	Chrome	17.49
	40 365 BE1	4005176430121	polished nickel	24.58
	40 365 EN1	4005176326257	brushed nickel	24.58
	40 365 GL1	4005176429378	cool sunrise	24.58
	40 365 GN1	4005176429828	brushed cool sunrise	24.58
	40 365 DA1	4005176428920	warm sunset	24.58
	40 365 DL1	4005176429972	brushed warm sunset	24.58
	40 365 A01	4005176429521	hard graphite	24.58
	40 365 AL1	4005176429675	brushed hard graphite	24.58
<p>Essentials Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 371 001	4005176326318	Chrome	31.24
	40 371 BE1	4005176430138	polished nickel	43.74
	40 371 EN1	4005176430268	brushed nickel	43.74
	40 371 GL1	4005176429385	cool sunrise	43.74
	40 371 GN1	4005176429835	brushed cool sunrise	43.74
	40 371 DA1	4005176428937	warm sunset	43.74
	40 371 DL1	4005176429989	brushed warm sunset	43.74
	40 371 A01	4005176429538	hard graphite	43.74
	40 371 AL1	4005176429682	brushed hard graphite	43.74
<p>Essentials Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 688 001	4005176326288	Chrome	25.41
	40 688 BE1	4005176430145	polished nickel	35.83
	40 688 EN1	4005176326295	brushed nickel	35.83
	40 688 GL1	4005176429392	cool sunrise	35.83
	40 688 GN1	4005176429842	brushed cool sunrise	35.83
	40 688 DA1	4005176428944	warm sunset	35.83
	40 688 DL1	4005176429996	brushed warm sunset	35.83
	40 688 A01	4005176429545	hard graphite	35.83
	40 688 AL1	4005176429699	brushed hard graphite	35.83
<p>Essentials Towel rail material: metal 504 mm (useable length 450 mm) concealed fastening GROHE StarLight chrome finish</p>				

GROHE ESSENTIALS











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 366 001	4005176326264	Chrome	27.91
	40 366 BE1	4005176430152	polished nickel	39.16
	40 366 EN1	4005176326271	brushed nickel	35.41
	40 366 GL1	4005176429408	cool sunrise	39.16
	40 366 GN1	4005176429859	brushed cool sunrise	39.16
	40 366 DA1	4005176428951	warm sunset	39.16
	40 366 DL1	4005176430008	brushed warm sunset	39.16
	40 366 A01	4005176429552	hard graphite	39.16
	40 366 AL1	4005176429705	brushed hard graphite	39.16
	Essentials Towel rail material: metal 654 mm (useable length 600 mm) concealed fastening GROHE StarLight chrome finish			
 	40 386 001	4005176326301	Chrome	34.99
	40 386 BE1	4005176430169	polished nickel	49.16
	40 386 EN1	4005176430275	brushed nickel	49.16
	40 386 GL1	4005176429415	cool sunrise	49.16
	40 386 GN1	4005176429866	brushed cool sunrise	49.16
	40 386 DA1	4005176428968	warm sunset	49.16
	40 386 DL1	4005176430015	brushed warm sunset	49.16
	40 386 A01	4005176429569	hard graphite	49.16
	40 386 AL1	4005176429712	brushed hard graphite	49.16
	Essentials Towel rail material: metal 854 mm (useable length 800 mm) concealed fastening GROHE StarLight chrome finish			
 	40 802 001	4005176328107	Chrome	47.91
	40 802 BE1	4005176430251	polished nickel	67.08
	40 802 EN1	4005176430329	brushed nickel	67.08
	40 802 GL1	4005176429507	cool sunrise	67.08
	40 802 GN1	4005176429958	brushed cool sunrise	67.08
	40 802 DA1	4005176429354	warm sunset	67.08
	40 802 DL1	4005176430107	brushed warm sunset	67.08
	40 802 A01	4005176429651	hard graphite	67.08
	40 802 AL1	4005176429804	brushed hard graphite	67.08
	Essentials Double towel rail material: metal 654 mm (useable length 600 mm) concealed fastening GROHE StarLight chrome finish			
 	40 800 001	4005176327988	Chrome	95.83
	40 800 BE1	4005176430244	polished nickel	133.33
	40 800 EN1	4005176430312	brushed nickel	133.33
	40 800 GL1	4005176429491	cool sunrise	133.33
	40 800 GN1	4005176429941	brushed cool sunrise	133.33
	40 800 DA1	4005176429347	warm sunset	133.33
	40 800 DL1	4005176430091	brushed warm sunset	133.33
	40 800 A01	4005176429644	hard graphite	133.33
	40 800 AL1	4005176429798	brushed hard graphite	133.33
	Essentials Multi bath towel rack material: metal 604 mm (useable length 550 mm) concealed fastening GROHE StarLight chrome finish			
 	40 364 001	4005176326332	Chrome	9.58
	40 364 BE1	4005176430114	polished nickel	13.33
	40 364 EN1	4005176326349	brushed nickel	13.33
	40 364 GL1	4005176429361	cool sunrise	13.33
	40 364 GN1	4005176429811	brushed cool sunrise	13.33
	40 364 DA1	4005176428913	warm sunset	13.33
	40 364 DL1	4005176429965	brushed warm sunset	13.33
	40 364 A01	4005176429514	hard graphite	13.33
	40 364 AL1	4005176429668	brushed hard graphite	13.33
	Essentials Robe hook material: metal concealed fastening GROHE StarLight chrome finish			

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 421 001	4005176326325	Chrome	27.91
	40 421 BE1	4005176430237	polished nickel	39.16
	40 421 EN1	4005176430305	brushed nickel	39.16
	40 421 GL1	4005176429484	cool sunrise	39.16
	40 421 GN1	4005176429934	brushed cool sunrise	39.16
	40 421 DA1	4005176429330	warm sunset	39.16
	40 421 DL1	4005176430084	brushed warm sunset	39.16
	40 421 A01	4005176429637	hard graphite	39.16
	40 421 AL1	4005176429781	brushed hard graphite	39.16
		Essentials Grip bar material: metal 349 mm (useable length 295 mm) concealed fastening GROHE StarLight chrome finish		
	40 795 001	4005176327612	Chrome	59.16
	Essentials Grip bar material: metal 957 mm (useable length 900 mm) concealed fastening GROHE StarLight chrome finish			
				
	40 796 001	4005176327629	Chrome	68.74
	Essentials Grip bar material: metal 1123 mm (useable length 1066 mm) concealed fastening GROHE StarLight chrome finish			
				
	40 793 001	4005176327599	Chrome	39.99
	Essentials Grip bar material: metal 507 mm (useable length 450 mm) concealed fastening GROHE StarLight chrome finish			
				
	40 794 001	4005176327605	Chrome	47.91
	Essentials Grip bar material: metal 657 mm (useable length 600 mm) concealed fastening GROHE StarLight chrome finish			
				

GROHE ESSENTIALS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 797 001	4005176327636	Chrome	124.99
	Essentials Grip bar material: metal 737 x 997 mm (useable length 680 x 940 mm) concealed fastening GROHE StarLight chrome finish			
 	40 799 001	4005176327971	Chrome	32.08
	Essentials Glass shelf material: glass / metal 530 mm (useable length 380 mm) concealed fastening GROHE StarLight chrome finish			
 	40 689 001	4005176326363	Chrome	20.83
	40 689 BE1	4005176430213	polished nickel	29.16
	40 689 EN1	4005176326370	brushed nickel	29.16
	40 689 GL1	4005176429460	cool sunrise	29.16
	40 689 GN1	4005176429910	brushed cool sunrise	29.16
	40 689 DA1	4005176429316	warm sunset	29.16
	40 689 DL1	4005176430060	brushed warm sunset	29.16
	40 689 A01	4005176429613	hard graphite	29.16
	40 689 AL1	4005176429767	brushed hard graphite	29.16
	Essentials Toilet roll holder material: metal without cover concealed fastening GROHE StarLight chrome finish			
 	40 367 001	4005176326387	Chrome	23.33
	40 367 BE1	4005176430220	polished nickel	32.49
	40 367 EN1	4005176326394	brushed nickel	27.49
	40 367 GL1	4005176429477	cool sunrise	32.49
	40 367 GN1	4005176429927	brushed cool sunrise	32.49
	40 367 DA1	4005176429323	warm sunset	32.49
	40 367 DL1	4005176430077	brushed warm sunset	32.49
	40 367 A01	4005176429620	hard graphite	32.49
	40 367 AL1	4005176429774	brushed hard graphite	32.49
	Essentials Toilet roll holder material: metal with cover concealed fastening GROHE StarLight chrome finish			
 	40 385 001	4005176326356	Chrome	17.49
	40 385 BE1	4005176430206	polished nickel	24.58
	40 385 EN1	4005176430299	brushed nickel	24.58
	40 385 GL1	4005176429453	cool sunrise	24.58
	40 385 GN1	4005176429903	brushed cool sunrise	24.58
	40 385 DA1	4005176429309	warm sunset	24.58
	40 385 DL1	4005176430053	brushed warm sunset	24.58
	40 385 A01	4005176429606	hard graphite	24.58
	40 385 AL1	4005176429750	brushed hard graphite	24.58
	Essentials Spare toilet paper holder material: metal wall or deck mounted concealed fastening GROHE StarLight chrome finish			


GROHE ESSENTIALS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	<p>40 374 001 40 374 DC1 40 374 BE1 40 374 EN1 40 374 GL1 40 374 GN1 40 374 DA1 40 374 DL1 40 374 A01 40 374 AL1</p>	<p>4005176326400 4005176412486 4005176430190 4005176430282 4005176429446 4005176429897 4005176429293 4005176430046 4005176429590 4005176429743</p>	<p>Chrome supersteel polished nickel brushed nickel cool sunrise brushed cool sunrise warm sunset brushed warm sunset hard graphite brushed hard graphite</p>	<p>28.74 37.49 40.41 40.41 40.41 40.41 40.41 40.41 40.41 40.41</p>
<p>Essentials Toilet brush set material: glass / metal wall or deck mounted concealed fastening GROHE StarLight chrome finish</p>				
 	<p>40 663 001</p>	<p>4005176327834</p>	<p>Chrome</p>	<p>39.16</p>
<p>BauCosmopolitan Large corner basket</p>				
 	<p>40 664 001</p>	<p>4005176327841</p>	<p>Chrome</p>	<p>31.24</p>
<p>BauCosmopolitan Corner Basket, small</p>				
 	<p>40 407 001</p>	<p>4005176328350</p>	<p>Chrome</p>	<p>55.41</p>
<p>Essentials 3-in-1 WC set material: glass / metal Consisting of: toilet brush set (40 374 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE StarLight chrome finish</p>				
 	<p>40 775 001</p>	<p>4005176328626</p>	<p>Chrome</p>	<p>54.58</p>
<p>Essentials 3-in-1 Guest bathroom accessories set material: metal Consisting of: towel rail, 600 mm (40 366 001) robe hook (40 364 001) toilet paper holder (40 367 001) concealed fastening GROHE StarLight chrome finish</p>				

GROHE ESSENTIALS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

40 776 001	4005176328633	Chrome	70.41
------------	---------------	--------	-------



Essentials
4-in-1 Master bathroom accessories set

material: metal

Consisting of:

towel ring (40 365 001)

robe hook (40 364 001)

toilet paper holder (40 367 001)

towel rail, 600 mm (40 366 001)













concealed fastening

GROHE StarLight chrome finish













GROHE ESSENTIALS CUBE















GROHE ESSENTIALS CUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 508 001	4005176324413	Chrome	23.33
<p>Essentials Cube Glass/soap dish holder material: metal for crystal glass (40 372 001) soap dish (40 368 001) or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 394 001	4005176326233	Chrome	14.16
<p>Essentials Soap dispenser material: glass / metal fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish</p>				
 	40 368 001	4005176326219		4.83
<p>Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 372 001	4005176326226		5.83
<p>Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 756 001	4005176328381	Chrome	37.49
<p>Essentials Cube Soap dispenser with holder material: glass / metal Consisting of: holder (40 508 001) soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 755 001	4005176328374	Chrome	27.91
<p>Essentials Cube Crystal glass with holder material: glass / metal Consisting of: holder (40 508 001) crystal glass (40 372 001) concealed fastening GROHE StarLight chrome finish</p>				

GROHE ESSENTIALS CUBE



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 754 001	4005176328367	Chrome	28.33
<p>Essentials Cube Soap dish with holder material: glass / metal Consisting of: holder (40 508 001) soap dish (40 368 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 510 001	4005176324420	Chrome	32.08
<p>Essentials Cube Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 624 001	4005176324444	Chrome	44.99
<p>Essentials Cube Towel bar material: metal 2 arms, pivotable 439 mm concealed fastening GROHE StarLight chrome finish</p>				
 	40 509 001	4005176324437	Chrome	35.41
<p>Essentials Cube Towel rail material: metal 600 mm (useable length 558 mm) concealed fastening GROHE StarLight chrome finish</p>				
 	40 512 001	4005176324451	Chrome	116.66
<p>Essentials Cube Multi-towel rack material: metal 600 mm (useable length 558 mm) concealed fastening GROHE StarLight chrome finish</p>				
 	40 511 001	4005176324475	Chrome	13.33
<p>Essentials Cube Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>				

GROHE ESSENTIALS CUBE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 514 001	4005176324468	Chrome	47.91
<p>Essentials Cube Grip bar material: metal 392 mm (useable length 340 mm) concealed fastening GROHE StarLight chrome finish</p>				
 	40 507 001	4005176324598	Chrome	26.66
<p>Essentials Cube Toilet roll holder material: metal without cover concealed fastening GROHE StarLight chrome finish</p>				
 	40 623 001	4005176324482	Chrome	22.49
<p>Essentials Cube Spare toilet paper holder material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 513 001	4005176324604	Chrome	46.24
<p>Essentials Cube Toilet brush set material: glass / metal wall or deck mounted concealed fastening GROHE StarLight chrome finish</p>				
 	40 757 001	4005176328497	Chrome	77.91
<p>Essentials Cube 3-in-1 WC set material: glass / metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) toilet brush (40 513 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 777 001	4005176328640	Chrome	68.33
<p>Essentials Cube 3-in-1 Guest bathroom accessories set material: metal Consisting of: robe hook (40 511 001) toilet paper holder (40 507 001) towel rail, 558 mm (40 509 001) concealed fastening GROHE StarLight chrome finish</p>				

GROHE ESSENTIALS CUBE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
40 778 001	4005176328657	Chrome	95.83



Essentials Cube 4-in-1 Master bathroom accessories set

material: metal

Consisting of:

robe hook (40 511 001)

towel ring (40 510 001)

toilet paper holder (40 507 001)

towel rail, 558 mm (40 509 001)


concealed fastening

GROHE StarLight chrome finish













GROHE BAUCOSMOPOLITAN



GROHE BAUCOSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 585 001	4005176327797	Chrome	13.74
<p>BauCosmopolitan Glass/soap dish holder material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 394 001	4005176326233	Chrome	14.16
<p>Essentials Soap dispenser material: glass / metal fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish</p>				
 	40 368 001	4005176326219		4.83
<p>Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 372 001	4005176326226		5.83
<p>Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 460 001	4005176327803	Chrome	13.74
<p>BauCosmopolitan Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 459 001	4005176327810	Chrome	19.99
<p>BauCosmopolitan Towel rail material: metal 522 mm (useable length 430 mm) concealed fastening GROHE StarLight chrome finish</p>				

GROHE BAUCOSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 462 001	4005176327827	Chrome	73.74
<p>BauCosmopolitan Multi-towel rack material: metal 564 mm (useable length 510 mm) concealed fastening GROHE StarLight chrome finish</p>				
 	40 461 001	4005176327858	Chrome	8.33
<p>BauCosmopolitan Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 457 001	4005176327865	Chrome	17.49
<p>BauCosmopolitan Toilet Roll Holder material: metal without cover concealed fastening GROHE StarLight chrome finish</p>				
 	40 463 001	4005176327872	Chrome	22.49
<p>BauCosmopolitan Toilet brush set material: glass / metal wall or deck mounted concealed fastening GROHE StarLight chrome finish</p>				
 	40 663 001	4005176327834	Chrome	39.16
<p>BauCosmopolitan Large corner basket</p>				
 	40 664 001	4005176327841	Chrome	31.24
<p>BauCosmopolitan Corner Basket, small</p>				













GROHE ESSENTIALS AUTHENTIC



GROHE ESSENTIALS AUTHENTIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 652 001 40 652 EN1	4005176324321 4005176324239	Chrome brushed nickel	17.49 24.58
<p>Essentials Authentic Glass/soap dish holder material: metal for crystal glass (40 372 001), soap dish (40 368 001), or soap dispenser (40 394 001) concealed fastening GROHE StarLight chrome finish</p>				
 	40 394 001	4005176326233	Chrome	14.16
<p>Essentials Soap dispenser material: glass / metal fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652) GROHE StarLight chrome finish</p>				
 	40 368 001	4005176326219		4.83
<p>Essentials Soap dish material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 372 001	4005176326226		5.83
<p>Essentials Crystal glass material: glass fits in the following holders: Essentials (40 369 000) Essentials Cube (40 508 000) Bau Cosmopolitan (40 585) Essentials Authentic (40 652)</p>				
 	40 655 001 40 655 EN1	4005176324338 4005176324246	Chrome brushed nickel	17.49 24.58
<p>Essentials Authentic Towel ring material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 653 001 40 653 EN1	4005176324345 4005176324253	Chrome brushed nickel	27.91 35.41
<p>Essentials Authentic Towel rail material: metal 626 mm (useable length 582 mm) concealed fastening GROHE StarLight chrome finish</p>				

GROHE ESSENTIALS AUTHENTIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 654 001 40 654 EN1	4005176324352 4005176324260	Chrome brushed nickel	47.91 67.08
<p>Essentials Authentic Double towel rail material: metal 626 mm (useable length 582 mm) concealed fastening GROHE StarLight chrome finish</p>				
 	40 660 001 40 660 EN1	4005176324369 4005176324277	Chrome brushed nickel	95.83 133.33
<p>Essentials Authentic Multi-towel rack material: metal 586 mm (useable length 542 mm) concealed fastening GROHE StarLight chrome finish</p>				
 	40 656 001 40 656 EN1	4005176324383 4005176324291	Chrome brushed nickel	9.58 13.33
<p>Essentials Authentic Robe hook material: metal concealed fastening GROHE StarLight chrome finish</p>				
 	40 657 001 40 657 EN1	4005176324390 4005176324307	Chrome brushed nickel	20.83 29.16
<p>Essentials Authentic Toilet roll holder material: metal without cover concealed fastening GROHE StarLight chrome finish</p>				
 	40 658 001 40 658 EN1	4005176324406 4005176324314	Chrome brushed nickel	28.74 40.41
<p>Essentials Authentic Toilet brush set material: glass / metal wall or deck mounted concealed fastening GROHE StarLight chrome finish</p>				
 	40 659 001 40 659 EN1	4005176324376 4005176324284	Chrome brushed nickel	31.24 40.83
<p>Essentials Authentic Corner Basket, small material: metal concealed fastening GROHE StarLight chrome finish</p>				

GROHTHERM THERMOSTATS





CONTENTS

Grotherm SmartControl	255
Grotherm F	265
Grotherm 3000 Cosmopolitan	269
Grotherm 2000	275
Grotherm Cube	281
Grotherm 1000 Cosmopolitan M	285
Grotherm 1000	289
Grotherm 800	295
Avensys	299

SAFETY NOTE

Avoiding scalding

For a relaxing and comfortable shower and to avoid scalding, GROHE recommends the use of a thermostat. For particular environments, (hospitals, schools, care and nursing homes) it is extremely important that the outlet temperature of the water can be limited to a maximum of 43° C. The Grotherm thermostats for shower and bath are delivered with an appropriate temperature stop to limit the temperature.

In shower facilities in kindergartens and special areas like nursing homes, it is recommended, that the temperature should not exceed 38° C. In these cases we recommend the Grotherm Special with a specific ergonomic handle for better grip and additionally it enables easy thermal disinfection.

Applicable standards (e.g. EN 806-2) and technical rules for drinking water are to be taken in account.


GROHE TURBOSTAT



Always the right temperature, for ultimate convenience and safety.


GROHE TurboStat technology lies at the heart of our Grohtherm thermostats. The thermo-element's unrivaled sensitivity means it delivers water at the desired temperature within a fraction of a second – and keeps it constant for the duration of your shower. No more time and water wasted getting the temperature right. And if the cold water supply fails, it reacts instantly: hot water will shut off automatically to avoid the risk of scalding.

Compensating precisely for fluctuations in temperature and pressure results in a consistent and comfortable shower throughout.



Exceptionally swift reaction to water-pressure fluctuations.

- without GROHE TurboStat
- with GROHE TurboStat



The GROHE TurboStat thermo-element at the heart of GROHE thermostats.



GROHE COOLTOUCH





Safety first with 100 % GROHE CoolTouch.


GROHE's CoolTouch technology ensures that the entire outer surface never exceeds your preferred shower temperature. By designing our thermostats to include an innovative cooling channel, we have created a barrier between the hot water and the chrome surface – so it's never too hot to handle. This safety measure is especially useful for children, who can not always judge whether something they touch is dangerously hot.



Safety surround = 100 % GROHE CoolTouch No risk of scalding



Thermal image
without GROHE CoolTouch



Thermal image
with GROHE CoolTouch

Safety housing with water cooling

THE BEST OF BOTH WORLDS: **GROHE SMARTCONTROL** COMBI SHOWER SYSTEM

Flexibility best describes the reason for choosing the GROHE SmartControl combi shower system, which offers a range of different installation options and possible combinations.

This means for example, that you are free to position the thermostat either vertically under the showerhead or, if you choose, away from the central axis – or even on one of the side walls of the shower. Flexibility also extends to the way you can combine the thermostat with other GROHE head, hand or body showers, creating your own personal shower experience. You also have the option of turning your bath into a shower – by combining the SmartControl thermostat with a bathtub inlet and a hand shower.



THE NOT-SO-HIDDEN BENEFITS: GROHE SMARTCONTROL CONCEALED

Space – we'd all like to have more of it, especially in the shower area where it is often in short supply. So when you have the luxury of planning your shower from scratch, GROHE SmartControl Concealed is a wonderful option. With its concealed installation and exceedingly slim design, GROHE SmartControl Concealed offers more space under the shower and an uncluttered, clean look.

Of course, GROHE SmartControl Concealed also offers the many features shared by GROHE SmartControl Exposed and the GROHE Combi shower system: from precise and intuitive volume and temperature control to your choice of shower sprays at the touch of a button.



Wall plates adjustable by six degrees

One rough-in runs up to three shower/bath filler functions with just one trim

Easy job-side mounting, no bench vice needed

Only 75 mm minimum installation depth

Optional service stops for retrofit

Always compliant with retrofit backflow protection

Efficient piping thanks to bottom inlets

Control up to three shower functions for a better shower experience

Intuitive operation and perfect control of water volume through SmartControl







Concealed technology and elegant super slim design – 43 mm – for more space under the shower

GROHE GROHTHERM SMARTCONTROL







THERMOSTATS









GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 123 000	4005176413292	Chrome	450.00
<p>Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>				
 	29 124 000	4005176413308	Chrome	490.00
<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min</p>				
 	29 125 000	4005176413315	Chrome	588.00
<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves and integrated shower holder set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously integrated shower union with shower outlet 1/2" without roughing-in-set flow performance: outlet B = 24 l/min hand shower = 12 l/min</p>				







GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 126 000	4005176413322	Chrome	530.00
<p>Grotherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min</p>				
 	29 127 000	4005176413339	Chrome	323.00
<p>Grotherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included</p>				
 	29 153 LS0	4005176413582	moon white	579.00
<p>Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>				







GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 156 LS0	4005176413599	moon white	619.00
<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min</p>				
 	29 157 LS0	4005176413605	moon white	659.00
<p>Grotherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min</p>				
 	29 158 LS0	4005176413612	moon white	409.00
<p>Grotherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included</p>				







GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 118 000	4005176412240	Chrome	450.00
	<p>Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>			
 	29 119 000	4005176412257	Chrome	519.00
	<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min</p>			
 	29 120 000	4005176412264	Chrome	588.00
	<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves and integrated shower holder set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously integrated shower union with shower outlet 1/2" without roughing-in-set flow performance: outlet B = 24 l/min hand shower = 12 l/min</p>			





GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 121 000	4005176412271	Chrome	530.00
<p>Grotherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min</p>				
 	29 122 000	4005176412288	Chrome	323.00
<p>Grotherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE StarLight chrome finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols multiple outlets can be run simultaneously without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min</p>				
 	29 150 LS0	4005176413544	moon white	579.00
<p>Grotherm SmartControl Thermostat for concealed installation with one valve set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A (to external shut-off) = 34 l/min outlet B/C = 29 l/min</p>				







GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 151 LSO	4005176413551	moon white	619.00
<p>Grotherm SmartControl Thermostat for concealed installation with 2 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet B = 24 l/min outlet C = 26 l/min</p>				
 	29 904 LSO	4005176413568	moon white	659.00
<p>Grotherm SmartControl Thermostat for concealed installation with 3 valves set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included built-in non return valve and dirt strainers multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet A = 23 l/min outlet B = 27 l/min outlet C = 23 l/min</p>				
 	29 152 LSO	4005176413575	moon white	409.00
<p>Grotherm SmartControl Triple volume control trim set for final installation for GROHE Rapido SmartBox 35 600 000 metal wall escutcheon with GROHE QuickFix (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable 10 mm thin profile escutcheon GROHE StarLight finish GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols multiple outlets can be run simultaneously cover plate in moon white acrylic glass without roughing-in-set flow performance: outlet D = 28 l/min outlet E = 28 l/min outlet A = 28 l/min outlet D+E+A = 65 l/min optional flow reducer for CALGreen compliance included</p>				



GROHE GROHTHERM SMARTCONTROL



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 706 000	4005176413797	Chrome	1,239.00
<p>Grotherm SmartControl Perfect shower set with Rainshower 310 SmartActive Cube Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 126 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 SmartActive Cube head shower set (26 479) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) hand shower Euphoria Cube Stick (27 698 000) Euphoria Cube wall union with integrated shower holder (26 370 000) Silverflex shower hose 1.500 mm (28 364)</p>				
 	34 705 000	4005176413285	Chrome	1,249.00
<p>Grotherm SmartControl Perfect shower set with Rainshower 310 SmartActive Consisting of: concealed thermostat with 3 valves Grotherm SmartControl set for final installation (29 121 000) GROHE Rapido SmartBox 35 600 000 Rainshower 310 head shower set (26 475) including head shower with 2 sprays, horizontal shower arm 400 mm and head shower rough-in (26 483 000) Euphoria Cosmopolitan Stick handshower (27 367 000) Rainshower wall holder (27 074 000) Rainshower wall union 1/2" (27 057 000) Silverflex shower hose 1.500 mm (28 364)</p>				
 	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox Universal rough-in box, 1/2" 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixing options for solid walls and dry cladding gasket without set for final installation</p>				
	14 055 000	4005176413520		146.00
<p>Backflow protection combination (DIN-EN1717) fits Grotherm SmartControl and SmartControl mixer sets for final installation with 2 valves retrofit set for protection against backflow in combination with integrated inlet-, pop-up and waste systems replaces separate pipe interrupter for residential use</p>				
	14 053 00M	4005176413513		46.00
<p>Service stops fits Grotherm SmartControl and SmartControl Mixer sets for final installation in combination with GROHE Rapido SmartBox packaging unit: 2 pieces</p>				

GROHE GROHTHERM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	14 048 000	4005176413483	Chrome	136.00
	Universal extension set 25 mm fits Grohtherm SmartControl and SmartControl Mixer sets for final installation in combination with GROHE Rapido SmartBox			
	47 790 000	4005176841491		53.00
	Rapido connection set fits to Rapido T (35 050), Rapido E (35 501) and Rapido SmartBox (35 600) VA approved 2 pcs./unit			
	18 864 000	4005176413506	Chrome	94.00
	Grohtherm SmartControl Universal mock-up set fits Grohtherm SmartControl and SmartControl mixer sets for final installation			
	49 003 000	4005176413537	Chrome	196.00
	GROHE TurboStat cartridge 3/4" fits concealed thermostats Rapido SmartBox for reversed inlets (hot water right)			
<div style="background-color: #0070C0; color: white; padding: 2px 5px; display: inline-block;">new</div> 	34 713 000	4005176409776	Chrome	799.00
	Grohtherm SmartControl Combi thermostatic shower mixer with 3 valves, exposed/concealed wall or deck mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE EcoJoy technology for less water and perfect flow GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE EasyReach shower tray shower bottom outlet 1/2" multiple outlets can be run simultaneously protected against backflow requires concealed body 26 449 000 – to be ordered separately			

GROHE GROHTHERM SMARTCONTROL











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
new	34 714 000	4005176409783	Chrome	749.00
 	<p>Grohtherm SmartControl Combi thermostatic shower mixer with 2 valves, exposed/concealed wall or deck mounted GROHE CoolTouch prevents scalding on hot surfaces GROHE StarLight chrome finish GROHE TurboStat compact cartridge with wax thermoelement GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE EcoJoy technology for less water and perfect flow GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow exchangeable symbols GROHE EasyReach shower tray shower bottom outlet 1/2" multiple outlets can be run simultaneously protected against backflow</p> <p>requires concealed body 26 449 000 – to be ordered separately</p>			

new	26 449 000	4005176409790		249.00
 	<p>Concealed body for exposed/concealed variants wall or deck mounted 2 outlets 1/2" installation depth 75-105 mm flushing plug wall sealing installation device</p>			

GROHE GROHTHERM F

THERMOSTATS



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 618 000	4005176898280	Chrome	629.00
<p>Grotherm F Thermostatic Trim with integrated 2-way diverter for bath or shower with more than one outlet for use with Rapido T rough-in box 35 500 000 / 35 050 000 sold separately GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included metal handle for temperature control metal handle for Aquadimmer control with multiple function - shut off and flow control - diverter for 2 outlets 3rd outlet requires separate volume control rectangular metal wall escutcheon with hidden fixing and hidden seatings</p>				
	35 050 000	4005176982064		229.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	27 619 000	4005176898297	Chrome	549.00
<p>Grotherm F Thermostatic trim for high-flow, multiple outlet custom shower applications requires separate volume controls for use with Rapido T rough-in box 35 500 000 / 35 050 000 sold separately GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included metal handle for temperature control rectangular metal wall escutcheon with hidden fixing and hidden seatings</p>				
	35 050 000	4005176982064		229.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	27 625 000	4005176898358	Chrome	529.00
<p>Grotherm F Triple volume control trim for use with rough-in box 35 031 000 (1/2" connections) sold separately GROHE StarLight chrome finish metal handles for volume control metal wall escutcheon with hidden fixing and hidden sealing vertical and horizontal installation</p>				
	35 031 000	4005176908330		349.00
<p>GROHE Rapido C rough-in box for triple volume control</p>				
 	27 623 000	4005176898334	Chrome	209.00
<p>Grotherm F Single volume control trim for use with rough-in box 35 028 000 (1/2" connections) sold separately GROHE StarLight chrome finish metal handle for volume control metal wall escutcheon with hidden fixing and hidden sealing</p>				
	35 028 000	4005176908316		119.00
<p>GROHE Rapido C rough-in box for single volume control</p>				
 	27 621 000	4005176898310	Chrome	279.00
<p>Grotherm F Wall shower union with integrated shower holder vertical or horizontal installation for use with rough-in box 35 034 000 (1/2" connection) sold separately shower outlet 1/2" hand shower and shower hose sold separately protected against backflow vertical and horizontal installation</p>				

GROHE GROHTHERM F

Ref. No.

EAN code


Colour

Retail Guide
Price (£)

35 034 000

4005176915697

189.00



Grotherm F


Rough-in for wall shower union 27 621

for grid installation of Grotherm Custom Shower system
built-in box with removable protection cover
waterproof membrane base for wall sealing
flushing plug









for masonry and drywall installation
fixing points for front and back wall
body of DR brass

1/2" connections
installation depth 70 - 95 mm







GROHE GROHTHERM 3000 COSMOPOLITAN











GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 274 000	4005176847905	Chrome	389.00
<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer 1/2" wall or deck mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves, dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing GROHE EcoJoy technology for less water and perfect flow</p>				
 	34 276 000	4005176847929	Chrome	459.00
<p>Grotherm 3000 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall or deck mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off Aquadimmer with multiple function - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow covered S-unions, CoolTouch escutcheons with wall sealing GROHE EcoJoy technology for less water and perfect flow</p>				
 	34 277 000	4005176847936	Chrome	419.00
<p>Grotherm 3000 Cosmopolitan Thermostatic bath/shower mixer 1/2" wall or deck mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off Aquadimmer with multiple function - flow control - diverter: bath/shower shower bottom outlet 1/2", mousseur built-in non return valves, dirt strainers protected against backflow without connection unions for wall mounting</p>				
 	34 275 000	4005176847912	Chrome	569.00
<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer 1/2" with shower set Grotherm 3000 Cosmopolitan thermostat shower mixer (34 274 000) Rainshower Cosmopolitan shower set (28 757 000)</p>				











GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 568 000	4005176895371	Chrome	329.00
	<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° without concealed body TMV2 compliant when used with 35 050 000</p>			
	35 050 000	4005176982064		229.00
	<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			
 	19 467 000	4005176847974	Chrome	339.00
	19 467 LSO	4005176997419	moon white	382.85
<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° without concealed body TMV2 compliant when used with 35 050 000</p>				
	35 050 000	4005176982064		229.00
	<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			
 	19 567 000	4005176895340	Chrome	349.00
	<p>Grotherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 050 000 GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included Aquadimmer with multiple function shut off and flow control diverter for 2 outlets without concealed body</p>			
	35 050 000	4005176982064		229.00
	<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>			













GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 468 000	4005176847981	Chrome	349.00
	19 468 BE0	4005176426919	polished nickel	555.00
	19 468 EN0	4005176426926	brushed nickel	555.00
	19 468 GL0	4005176426858	cool sunrise	555.00
	19 468 GN0	4005176426865	brushed cool sunrise	555.00
	19 468 DA0	4005176426872	warm sunset	555.00
	19 468 DL0	4005176426889	brushed warm sunset	555.00
	19 468 A00	4005176426902	hard graphite	555.00
	19 468 AL0	4005176426896	brushed hard graphite	555.00
	<p>Grotherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included Aquadimmer with multiple function shut off and flow control diverter for 2 outlets without concealed body</p>			
 	19 962 000	4005176982071	Chrome	419.00
	<p>Grotherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 GROHE StarLight chrome finish GROHE SafeStop Plus integrated temperature limiter at max 50°C Aquadimmer with multiple function shut off and flow control diverter for 2 outlets without concealed body TMV2 compliant when used with 35 050 000</p>			
<p>35 050 000 4005176982064 229.00 GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 963 000	4005176982187	Chrome	369.00
	<p>Grotherm 3000 Cosmopolitan Thermostat with integrated 2-way diverter for bath or shower with more than one outlet without concealed body set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 GROHE StarLight chrome finish GROHE SafeStop Plus integrated temperature limiter at max 50°C Aquadimmer with multiple function shut off and flow control diverter for 2 outlets TMV2 compliant when used with 35 050 000</p>			
<p>35 050 000 4005176982064 229.00 GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 469 000	4005176847998	Chrome	279.00
	<p>Grotherm 3000 Cosmopolitan Trim for thermostatic shower valve set for final installation for 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included without concealed body</p>			
<p>35 050 000 4005176982064 229.00 GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				

GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 627 000	4005176344046	Chrome	1,229.00
	<p>Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 160 Consisting of: Grotherm 3000 Cosmopolitan trim set with Aquadimmer (19 567 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500) metal head shower Rainshower Cosmopolitan 310 (27 477 000) Rainshower shower arm 422 mm (26 145 000) hand shower (28 034 000) Rainshower wall holder (27 075 000) Rainshower wall elbow connection (27 076 000) Silverflex shower hose 1250 mm (28 362) min. recommended pressure 1 bar</p>			
	34 408 000	4005176895418	Chrome	849.00
	<p>Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower 210 Consisting of: Grotherm 3000 Cosmopolitan trim set with Aquadimmer (19 567 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500) metal head shower Rainshower Cosmopolitan 210 (28 368 000) Rainshower shower arm modern (28 576 000) Euphoria Hand shower (27 265 000) Shower outlet elbow (28 628 000) Silverflex shower hose 1250 mm (28 362)</p>			
	34 571 000	4005176310751	Chrome	999.00
	<p>Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 160 Consisting of: Grotherm 3000 Cosmopolitan thermostatic shower mixer with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500) Rainshower Cosmopolitan 310 head shower 1 spray (27 477 000) Rainshower shower arm 380 mm round escutcheon (28 361 000)</p>			
	26 262 000	4005176318580	Chrome	789.00
	<p>Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 210 Consisting of: Grotherm 3000 Cosmopolitan thermostatic shower mixer with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500) metal head shower Rainshower Cosmopolitan 210 (28 368 000) shower arm Rainshower 422 mm (26 146 000)</p>			
	34 630 000	4005176344053	Chrome	1,109.00
	<p>Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 160 Consisting of: Grotherm 3000 Cosmopolitan set for final installation with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500) metal head shower Rainshower Cosmopolitan 310 (27 477 000) shower arm Rainshower 422 mm (26 146 000) hand shower (28 034 000) Rainshower wall holder (27 074 000) Rainshower wall elbow connection (27 057 000) Silverflex shower hose 1250 mm (28 362) min. recommended pressure 1 bar</p>			







GROHE GROHTHERM 3000 COSMOPOLITAN

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 399 000	4005176895401	Chrome	669.00
<p>Grotherm 3000 Cosmopolitan Perfect shower set with Rainshower Cosmopolitan 160 Consisting of: set for final installation Grotherm 3000 Cosmopolitan with Aquadimmer (19 468 000) GROHE Rapido T thermostatic mixer for concealed installation (35 500) Rainshower Cosmopolitan Headshower 160 mm (27 134 000) Rainshower shower arm modern (28 576 000) Shower outlet elbow (28 628 000) Euphoria Hand shower (27 265 000) Silverflex shower hose 1250 mm (28 362)</p>				
 	34 278 000	4005176848001	Chrome	629.00
<p>Grotherm 3000 Cosmopolitan Thermostatic shower mixer 1/2" set for final installation Grotherm 3000 Cosmopolitan (19 464 000) concealed body (34 211 000) Rainshower Cosmopolitan shower set (28 757 000) Rainshower wall union 1/2" (27 057 000)</p>				
 	19 470 000	4005176848018	Chrome	59.00
<p>Grotherm 3000 Cosmopolitan Concealed stop-valve trim set for final installation for 35 028 000 GROHE StarLight chrome finish installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve</p>				
 	35 028 000	4005176908316		119.00
<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grotherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				
 	29 811 000	4005176062711		49.00
<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
 	29 813 000	4005176062735		79.00
<p>Concealed stop valve 3/4" pre-assembled ceramic headpart 3/4" 90° threaded union 3/4" installation depth adjustable 25 - 80 mm DR-brass</p>				

GROHE GROHTHERM 2000



GROHE GROHTHERM 2000

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 469 001	4005176926396	Chrome	299.00
 	34 446 001	4005176926402	Chrome	279.00
 	34 170 001	4005176926471	Chrome	259.00

Grotherm 2000

Thermostatic shower mixer 1/2"

wall or deck mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
temperature scale handle with
GROHE SafeStop safety stop at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
integrated mixed water shut off
GROHE TurboStat compact cartridge with wax thermoelement
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray removable for easy cleaning
chrome
GROHE EcoJoy technology for less water and perfect flow

Grotherm 2000

Thermostatic shower mixer 1/2"

wall or deck mounted
100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
covered S-unions, CoolTouch escutcheons with wall sealing
optional upgrade: GROHE EasyReach shower tray (18 608 001)
GROHE EcoJoy technology for less water and perfect flow
integrated flow limiter 14 l/min in the shower outlet


Grotherm 2000

Thermostatic shower mixer 1/2"

wall or deck mounted
GROHE CoolTouch safety housing
GROHE StarLight chrome finish
GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
integrated mixed water shut off
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)
ceramic headpart 1/2", 180°
shower bottom outlet 1/2"
built-in non return valves
dirt strainers
protected against backflow
without connection unions for wall mounting
chrome plated union nuts
GROHE EcoJoy technology for less water and perfect flow


GROHE GROHTHERM 2000

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 464 001	4005176926433	Chrome	339.00



Grotherm 2000
Thermostatic bath/shower mixer 1/2"
 wall or deck mounted
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower shower bottom outlet 1/2"
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions, CoolTouch escutcheons with wall sealing
GROHE EasyReach shower tray removable for easy cleaning
 chrome
GROHE EcoJoy technology for less water and perfect flow


34 466 001	4005176926440	Chrome	349.00
------------	---------------	--------	--------




Grotherm 2000
Thermostatic bath/shower mixer 1/2"
 wall or deck mounted
 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons
GROHE StarLight chrome finish
 GROHE Aqua Paddle ergonomically shaped handles
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus integrated temperature limiter at max 50°C
GROHE TurboStat compact cartridge with wax thermoelement
 integrated mixed water shut off
GROHE AquaDimmer Eco with multiple function:
 - integrated (economy button with economy stop for shower)
 - flow control
 shower bottom outlet 1/2"
 - diverter: bath/shower
GROHE XL Waterfall
 flow straightener
 built-in non return valves
 dirt strainers
 protected against backflow
 covered S-unions, CoolTouch escutcheons with wall sealing
 optional upgrade: GROHE EasyReach shower tray (18 608 001)
min. recommended pressure 1 bar
 integrated flow limiter 14 l/min in the shower outlet
GROHE EcoJoy technology for less water and perfect flow

GROHE GROHTHERM 2000


Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 484 001	4005176932519	Chrome	359.00
<p>Grohtherm 2000 Thermostatic bath/shower mixer 1/2" wall or deck mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE TurboStat compact cartridge with wax thermostatic element integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow integrated flow limiter 14 l/min in the shower outlet GROHE EcoJoy technology for less water and perfect flow</p>			







34 281 001	4005176926501	Chrome	439.00
<p>Grohtherm 2000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm 2000 thermostat shower mixer (34 169) Power&Soul Cosmopolitan shower set 130/600 mm rail (27 731 000)</p>			











34 195 001	4005176926631	Chrome	299.00
<p>Grohtherm 2000 Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm 2000 thermostat shower mixer (34 169) Euphoria 110 Massage shower set, 600 mm (27 231 001)</p>			



GROHE GROHTHERM 2000

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	19 354 001	4005176926563	Chrome	229.00
	Grohtherm 2000 Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° without concealed body TMV2 compliant when used with 35 050 000			
	35 050 000	4005176982064		229.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation			
	19 355 001	4005176926556	Chrome	239.00
	Grohtherm 2000 Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE AquaDimmer Eco with multiple function: - integrated (economy button with economy stop for shower) - flow control - diverter: bath/shower without concealed body			
	19 964 000	4005176982194	Chrome	239.00
	Grohtherm 2000 Thermostat with integrated 2-way diverter for bath or shower with more than one outlet set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE Aqua Paddle ergonomically shaped handles GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower without concealed body TMV2 compliant when used with 35 050 000			
	35 050 000	4005176982064		229.00
	GROHE Rapido T Universal thermostatic mixer for concealed installation			
	34 283 001	4005176926594	Chrome	769.00
	Grohtherm 2000 Perfect shower set with Power&Soul Cosmopolitan 190 Consisting of: with integrated 2-way diverter (19 355 001) GROHE Rapido T thermostatic mixer for concealed installation (35 500) Power&Soul Cosmopolitan head shower (27 764 000) shower arm (28 576 000) hand shower Power&Soul Cosmopolitan 115 (27 660 000) wall connection elbow with integrated hand shower Silverflex shower hose 1.500 mm (28 364)			

GROHE GROHTHERM 2000







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 243 001	4005176926570	Chrome	39.00
<p>Grotherm 2000 Concealed stop-valve trim set for final installation for 35 028 000 GROHE StarLight chrome finish for concealed valves, 1/2", 3/4" installation depth adjustable 20-80 mm metal escutcheon with wall sealing shut-off valve screwed</p>				
 	35 028 000	4005176908316		119.00
<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grotherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				
 	29 811 000	4005176062711		49.00
<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
 	18 608 001	4005176985140	Chrome	39.00
<p>Grotherm 2000 GROHE EasyReach shower tray metal tray removable for easy cleaning GROHE StarLight chrome finish suitable for Grotherm 2000 - exposed thermostatic shower mixer with centre distance 150 mm - exposed thermostatic bath mixer with centre distance 150 mm</p>				

GROHE GROHTHERM CUBE

THERMOSTATS




GROHE GROHTHERM CUBE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 509 000	4005176941801	Chrome	329.00
 	<p>Grotherm Cube Thermostatic shower mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) shower bottom outlet 1/2" ceramic headpart 1/2", 180° built-in non return valves dirt strainers protected against backflow covered S-unions integrated flow limiter 14 l/min in the shower outlet GROHE EcoJoy technology for less water and perfect flow</p>		
34 508 000	4005176941795	Chrome	429.00
 	<p>Grotherm Cube Thermostatic bath/shower mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" GROHE XL Waterfall flow straightener built-in non return valves dirt strainers protected against backflow covered S-unions GROHE EcoJoy technology for less water and perfect flow</p>		
19 959 000	4005176940842	Chrome	269.00
 	<p>Grotherm Cube Thermostatic shower mixer set for final installation for GROHE Rapido T 35 500 000 / 35 050 000 wall escutcheon with covered escutcheon and shaft sealing. covered fixing GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° without concealed body TMV2 compliant when used with 35 050 000</p>		
35 050 000	4005176982064		229.00

GROHE GROHTHERM CUBE

Ref. No. EAN code Colour Retail Guide Price (£)

19 958 000 4005176940835 Chrome 299.00




Grohtherm Cube
Thermostat with integrated 2-way diverter
for bath or shower with more than one outlet
 set for final installation for 35 050 000
 wall escutcheon with covered escutcheon and shaft sealing.
 covered fixing
GROHE StarLight chrome finish
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE AquaDimmer Eco with multiple function:
 - integrated **GROHE EcoButton**
 (economy button with economy stop for shower)
 - flow control
 - diverter: bath/shower
without concealed body

35 050 000 4005176982064 229.00


GROHE Rapido T Universal thermostatic mixer for concealed installation

34 506 000 4005176940804 Chrome 959.00




Grohtherm Cube
Perfect shower set with Rainshower Allure 230
 Grohtherm Cube thermostat with integrated 2-way diverter (19 958 000)
 GROHE Rapido T thermostatic mixer for concealed installation (35 500)
 Rainshower Allure 230 head shower 1 spray (27 479 000)
 Rainshower shower arm 286 mm (27 709 000)
 Euphoria Cube wall holder set (27 703 000)
 Euphoria Cube wall elbow connections (27 704 000)

19 910 000 4005176987014 Chrome 49.00




Eurocube
Volume Control Trim
 for concealed valves, 1/2", 3/4"
without concealed body
 installation depth adjustable
 16 - 38 mm
 metal handle
 Sliding escutcheon with wall sealing
GROHE StarLight chrome finish

35 028 000 4005176908316 119.00



GROHE Rapido C / Concealed Valves
Rough-in for single volume control
 for grid installation of Grohtherm Custom Shower system
 built-in box with removable protection cover
 waterproof membrane base for wall sealing
 for masonry and drywall installation
 fixing points for front and back wall
 body of DR brass
 pre-assembled ceramic headpart 3/4"
 connection threads 1/2"
 installation depth 70 - 95 mm


29 811 000 4005176062711 49.00



Concealed stop valve 1/2"
 preassembled ceramic headpart 1/2"
 180°
 threaded union 1/2"
 installation depth adjustable
 25 - 80 mm
 DR-brass

GROHE GROHTHERM CUBE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
18 700 000	4005176940811	daVinci satin white	39.00



GROHE EasyReach tray

for Grohtherm Cube

removable for easy cleaning

Da Vinci satin white finish

suitable for Grohtherm Cube







- exposed thermostatic shower mixer with centre distance 150 mm

- exposed thermostatic bath mixer with centre distance 150 mm







GROHE GROHTHERM 1000 COSMOPOLITAN M











GROHE GROHTHERM 1000 COSMOPOLITAN M

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	34 065 DC2	4005176374432	supersteel	269.00	
	34 065 BE2	4005176426834	polished nickel	329.00	
	34 065 EN2	4005176426841	brushed nickel	329.00	
	34 065 GL2	4005176426773	cool sunrise	329.00	
	34 065 GN2	4005176426780	brushed cool sunrise	329.00	
	34 065 DA2	4005176426797	warm sunset	329.00	
	34 065 DL2	4005176426803	brushed warm sunset	329.00	
	34 065 A02	4005176426827	hard graphite	329.00	
	34 065 AL2	4005176426810	brushed hard graphite	329.00	
		Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" wall or deck mounted GROHE StarLight finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow			
		<hr/>			
	34 440 002	4005176311048	Chrome	229.00	
		Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow			
<hr/>					
	34 268 002	4005176310997	Chrome	219.00	
		Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° built-in non return valves shower bottom outlet 1/2" dirt strainers protected against backflow without connection unions for wall mounting GROHE EcoJoy technology for less water and perfect flow			

GROHE GROHTHERM 1000 COSMOPOLITAN M

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 441 002	4005176311031	Chrome	269.00
	<p>Grohtherm 1000 Cosmopolitan M Thermostatic bath/shower mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
	34 323 002	4005176311024	Chrome	259.00
	<p>Grohtherm 1000 Cosmopolitan M Thermostatic bath/shower mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting GROHE EcoJoy technology for less water and perfect flow</p>			
	34 286 002	4005176311000	Chrome	269.00
	<p>Grohtherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" with shower set Consisting of: Grohtherm 1000 Cosmopolitan M thermostatic shower mixer 1/2" (34 065 002) Euphoria 110 Massage shower set, 600 mm (27 231 001)</p>			

GROHE GROHTHERM 1000 COSMOPOLITAN M







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 321 002	4005176311017	Chrome	269.00
<p>Grotherm 1000 Cosmopolitan M Thermostatic shower mixer 1/2" with shower set Consisting of: Grotherm 1000 Cosmopolitan M thermostatic shower mixer 1/2" (34 065 002) Euphoria 110 Massage shower set, 900 mm (27 226 001)</p>				
 	34 430 000	4005176917981	Chrome	229.00
<p>Grotherm 1000 Cosmopolitan Thermostat shower mixer 3/4" GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1</p>				
 	34 437 000	4005176918025	Chrome	269.00
<p>Grotherm 1000 Cosmopolitan Thermostatic shower mixer 3/4" with shower set Consisting of: Grotherm 1000 Cosmopolitan M thermostatic shower mixer 3/4" (34 430 000) Euphoria Mono shower set (27 256 001) with GROHE DreamSpray recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1 Euphoria Shower set (27 256 001)</p>				
 	34 448 000	4005176919183	Chrome	339.00
<p>Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 3/4" GROHE StarLight chrome finish chromed scale rings GROHE SafeStop Plus, removable max. temperature stop at 46° C GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower shower bottom outlet 1/2" built-in non return valve dirt strainers protected against backflow without connection unions for wall mounting recommended pressure 0.1 - 1.0 bar max. pressure differential 5:1</p>				

GROHE GROHTHERM 1000







THERMOSTATS









GROHE GROHTHERM 1000

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 143 003	4005176309618	Chrome	209.00
	<p>Grotherm 1000 Thermostatic shower mixer 1/2" wall or deck mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>			
 	34 438 003	4005176309632	Chrome	209.00
	<p>Grotherm 1000 Thermostatic shower mixer 1/2" wall or deck mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers S-unions protected against backflow metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>			
 	34 146 003	4005176309625	Chrome	199.00
	<p>Grotherm 1000 Thermostatic shower mixer 1/2" wall or deck mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow without connection unions for wall mounting GROHE EcoJoy technology for less water and perfect flow</p>			











GROHE GROHTHERM 1000

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 155 003	4005176310027	Chrome	259.00
 	<p>Grotherm 1000 Thermostatic bath/shower mixer 1/2" wall or deck mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>		
34 439 003	4005176310041	Chrome	269.00
 	<p>Grotherm 1000 Thermostatic bath/shower mixer 1/2" wall or deck mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>		
34 156 003	4005176310034	Chrome	269.00
 	<p>Grotherm 1000 Thermostatic bath/shower mixer 1/2" wall or deck mounted GROHE CoolTouch safety housing GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/shower shower bottom outlet 1/2" built-in non return valves mousseur dirt strainers protected against backflow without connection unions for wall mounting min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>		

GROHE GROHTHERM 1000

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 984 000	4005176313837	Chrome	209.00
<p>Grotherm 1000 Thermostatic shower mixer set for final installation for 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° without concealed body GROHE EcoJoy technology for less water and perfect flow</p>				
	35 050 000	4005176982064		229.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 985 000	4005176313844	Chrome	219.00
<p>Grotherm 1000 Thermostatic shower mixer with integrated 2-way diverter set for final installation for 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: head and hand shower without concealed body GROHE EcoJoy technology for less water and perfect flow</p>				
	35 050 000	4005176982064		229.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				
 	19 986 000	4005176313851	Chrome	219.00
<p>Grotherm 1000 Thermostatic bath mixer with integrated 2-way diverter set for final installation for 35 050 000 wall escutcheon with GROHE QuickFix (covered escutcheon- and shaft sealing, covered fixing) GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE AquaDimmer Eco with multiple function: - integrated GROHE EcoButton (economy button with economy stop for shower) - flow control - diverter: bath/hand shower without concealed body GROHE EcoJoy technology for less water and perfect flow</p>				
	35 050 000	4005176982064		229.00
<p>GROHE Rapido T Universal thermostatic mixer for concealed installation</p>				

GROHE GROHTHERM 1000







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	34 582 001	4005176408250	Chrome	575.00
<p>Grotherm 1000 Perfect shower set with Tempesta 210 Consisting of: Grotherm 1000 set for final installation with Aquadimmer Eco (19 985) GROHE Rapido T thermostatic mixer for concealed installation (35 500) head shower Tempesta 210 (26 408) Shower arm Rainshower 286 mm (28 576 000) hand shower, wall holder, wall elbow connection and shower hose to be ordered separately</p>				
 	19 981 000	4005176310706	Chrome	39.00
<p>Grotherm 1000 Trim set concealed valve set for final installation for concealed valves, 1/2", 3/4" 35 028 000 without concealed body GROHE StarLight chrome finish GROHE MetalGrip ergonomically shaped metal handles metal escutcheon with wall sealing installation depth adjustable 20-80 mm</p>				
 	35 028 000	4005176908316		119.00
<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grotherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				
 	29 811 000	4005176062711		49.00
<p>Concealed stop valve 1/2" pre-assembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
 	29 813 000	4005176062735		79.00
<p>Concealed stop valve 3/4" pre-assembled ceramic headpart 3/4" 90° threaded union 3/4" installation depth adjustable 25 - 80 mm DR-brass</p>				

GROHE GROHTHERM 800

THERMOSTATS




GROHE GROHTHERM 800

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 562 000	4005176310102	Chrome	189.00
 	<p>Grotherm 800 Thermostatic shower mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>		
34 567 000	4005176310157	Chrome	229.00
 	<p>Grotherm 800 Thermostatic bath/shower mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon min. recommended pressure 1 bar GROHE EcoJoy technology for less water and perfect flow</p>		
34 569 000	4005176310171	Chrome	229.00
 	<p>Grotherm 800 Thermostatic bath/shower mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus integrated temperature limiter at max 50°C GROHE Turbostat C3 compact cartridge with wax thermoelement integrated mixed water shut off automatic diverter: bath/shower volume handle with GROHE EcoButton (economy button with individually adjustable economy stop) ceramic headpart 1/2", 180° shower bottom outlet 1/2" mousseur built-in non return valves dirt strainers protected against backflow S-unions metal escutcheon GROHE EcoJoy technology for less water and perfect flow</p>		

GROHE GROHTHERM 800

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 565 001	4005176456718	Chrome	199.00



Grotherm 800

Thermostatic shower mixer 1/2" with shower set

Consisting of:









Grotherm 800 thermostatic shower mixer 1/2"
(34 558 000)

New Tempesta shower rail set 2 sprays, 600 mm (27 598)

min. recommended pressure 1 bar

GROHE AVENSYS



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 222 000	4005176815911	Chrome	449.00
	<p>Avensys Modern Dual control shower mixer 1/2" Thermostatic wall mounted, swivel inlet unions suitable for high / low pressure flow & temperature control handles wax thermoelement installation bracket for body built-in non return valves dirt strainers shower outlet 1/2" top or bottom flow limiters for high (>1.0 bar) or unequal pressures recommended pressure 0.1 - 5.0 bar GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish</p>			
	34 224 000	4005176815935	Chrome	529.00
	<p>Avensys Modern Dual control shower mixer 1/2" Thermostatic suitable for high / low pressure concealed brass body & trim set flow & temperature control handles wax thermoelement installation bracket for body built-in non return valves dirt strainers shower outlet 1/2" top or bottom flow limiters for high (>1.0 bar) or unequal pressures recommended pressure 0.1 - 5.0 bar GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish</p>			
	34 038 IL0	4005176224973	chrome/white	419.00
	<p>Avensys Single control D08 shower mixer 1/2" wall mounted, swivel inlet unions Thermostatic brass body wax thermoelement factory set max. temperature 41°C combined flow & temperature control handle metal lever TMV3 Certified built-in non return valves dirt strainers shower outlet 1/2" top or bottom reversible body for crossed supplies flow limiters for high (>1.0 bar) or unequal pressures GROHE StarLight chrome finish recommended pressure 0.1 - 5.0 bar max. pressure differential 5:1</p>			
	34 041 IL0	4005176224997	chrome/white	529.00
	<p>Avensys Single control D08 shower mixer 1/2" Thermostatic suitable for high / low pressure concealed brass body & trim set factory set max. temperature 41°C installation bracket for body in masonry / stud walls combined flow & temperature control handle metal lever built-in non return valves dirt strainers shower outlet 1/2" top or bottom reversible body for crossed supplies flow limiters for high (>1.0 bar) or unequal pressures GROHE StarLight chrome finish recommended pressure 0.1 - 5.0 bar</p>			

GROHE
CONCEALED SOLUTIONS





CONTENTS

GROHE Rapido T	311
GROHE Rapido E	313
GROHE Rapido C / Concealed Valves	315

GROHE RAPIDO T

















OVERVIEW TRIMSETS

	Thermostatic shower mixer	Thermostatic bath mixer	Central thermostat
Allure	 19 380 000	 19 446 000	
Allure Brilliant	 19 791 000	 19 792 000	 19 887 000
Atrio Jota	 19 398 000	 19 399 000	 19 396 000
Atrio Ypsilon	 19 394 000	 19 395 000	 19 392 000
Grandera	 19 934 000	 19 948 000 / 19 937 000	
Grohtherm 1000	 19 984 000 / 19 985 000	 19 986 000	 19 983 000
Grohtherm 2000	 19 354 001	 19 355 001	 19 352 001

	Thermostatic shower mixer	Thermostatic bath mixer	Central thermostat
Grotherm 2000 Special	 19 416 000	 19 417 000	 19 418 000
Grotherm Special	 29 094 000	 29 095 000	 29 096 000
Grotherm 3000 Cosmopolitan	 19 467 000	 19 468 000	 19 469 000
	 19 568 000	 19 567 000	
Grotherm Cube	 19 959 000	 19 958 000	 19 961 000
Grotherm F	 27 618 000		 27 619 000
Veris	 19 369 000	 19 364 000	








GROHE RAPIDO E



























OVERVIEW TRIMSETS

	Shower trim set	Bath/shower trim set
Allure	 19 317 000	 19 315 000
Allure Brilliant	 19 789 000	 19 785 000
Atrio	 19 463 001	 19 459 001
Concetto	 19 345 001	 19 346 001
Essence	 19 286 001	 19 285 001
Eurocube	 19 898 000	 19 896 000
Eurodisc Cosmopolitan	 19 549 002	 19 548 002
Europlus	 19 537 002	 19 536 002


	Shower trim set	Bath/shower trim set
Eurosmart Cosmopolitan	 19 383 000	 19 382 000
Eurosmart	 19 451 002	 19 450 002
Eurostyle	 19 507 003	 29 098 003
		 19 506 003
		 29 099 003
Eurostyle Cosmopolitan	 19 507 002	 19 506 002
Grandera	 19 932 000	 19 920 000
Lineare	 19 296 001/19 296 DC1	 19 297 001/19 297 DC1
Veris	 19 367 000	 19 344 000

GROHE RAPIDO C/CONCEALED VALVES OVERVIEW

	Rapido C stop-valve with pre-assembled ceramic headpart 35 028	Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart 29 800/29 802/29 805	Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart 29 801/29 803/29 804/29 806	Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart 29 811/29 813
Allure	 19 334 000	 19 334 000	 19 334 000	 19 334 000
Allure*	 19 384 000			
Allure Brilliant*	 19 796 000			
Atlanta	 19 841 000	 19 841 000	 19 841 000	 19 841 000
Atrio	 19 088 003	 19 088 003	 19 088 003	 19 088 003
	 19 069 003	 19 069 003	 19 069 003	 19 069 003
Atrio Jota	 19 088 000	 19 088 000	 19 088 000	 19 088 000
Atrio Ypsilon	 19 069 000	 19 069 000	 19 069 000	 19 069 000

	<p>Rapido C stop-valve with pre-assembled ceramic headpart</p> <p>35 028</p>	<p>Concealed stop-valves 1/2", 3/4", 1" with screw connection and pre-assembled longlife headpart</p> <p>29 800/29 802/29 805</p>	<p>Concealed stop-valves 1/2", 3/4", 1" with soldered connection and pre-assembled longlife headpart</p> <p>29 801/29 803/29 804/29 806</p>	<p>Concealed stop-valves 1/2", 3/4" with screw connection and pre-assembled ceramic headpart</p> <p>29 811/29 813</p>
Brilliant	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000	 19 830 000 / 19 831 000
Costa	 19 808 001 / 19 809 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001	 19 808 001 19 809 001 19 806 001 19 807 001 19 854 001 19 855 001
Eurocube	 19 910 000	 19 910 000	 19 910 000	 19 910 000
Grohtherm 1000 New	 19 981 000	 19 981 000	 19 981 000	 19 981 000
Grohtherm 2000	 19 243 001	 19 243 001	 19 243 001	 19 243 001
Grohtherm 3000 Cosmopolitan	 19 470 000	 19 470 000	 19 470 000	 19 470 000
Grohtherm F	 27 623 000			
GROHE Ondus/ Veris*	 19 444 000			


GROHE RAPIDO T



GROHE RAPIDO T

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

35 050 000	4005176982064		229.00
------------	---------------	--	--------





GROHE Rapido T
Universal Thermostatic mixer
for concealed installation
 for use with bath-, shower- and central-mixer
without finishing trim set
 easy to install, premounted and tested unit
GROHE TurboStat compact cartridge
 with wax thermoelement
 two top outlets 1/2", lockable
 bottom outlet 1/2" - can only be used
 with separate stopvalve
 safe to install, stable built-in-box and
 protective cap
 fixing options for solid walls and dry
 cladding
 wall sealing
 Aquadimmer-diverter for bath mixer or
 stopvalve for shower mixer in finishing
 trim set
 body in DR-brass
 built-in non return valve
 and dirt strainers
GROHE EcoJoy technology for less water and perfect flow
TMV2 compliant

47 790 000	4005176841491		53.00
------------	---------------	--	-------



Rapido connection set
 fits to Rapido T (35 050), Rapido E (35 501)
 and Rapido SmartBox (35 600)
 VA approved
 2 pcs./unit

47 781 000	4005176836558		149.00
------------	---------------	--	--------




Extension set 27.5 mm
 for Rapido T 35 500 000/35 050 000
 for use with bath-thermostats with aquadimmer

47 186 000	4005176803901		179.00
------------	---------------	--	--------




Thermostatic compact cartridge 3/4" for
reversed supplies, left:cold/right:hot
GROHE TurboStat compact cartridge
 with wax thermoelement
 Note: for reversed connections

38 652 000	4005176294778		104.30
------------	---------------	--	--------




Rapid SL mounting plate
 for fixing concealed fittings and room ventilation
 for **studded walls**
 for empty elements
 for GROHE Rapido
 500 x 240 x 77 mm
 variable depth adjustment 75-115 mm
 with waterproof plywood board for fixation

GROHE RAPIDO E



GROHE RAPIDO E

Ref. No. EAN code Colour Retail Guide Price (£)




35 501 000 4005176833847 84.00

GROHE Rapido E
Universal Single-lever mixer
for concealed installation
without finishing trim set
GROHE SilkMove 46 mm ceramic cartridge
 adjustable flow rate limiter





47 790 000 4005176841491 53.00

Rapido connection set
 fits to Rapido T (35 050), Rapido E (35 501)
 and Rapido SmartBox (35 600)
 VA approved
 2 pcs./unit




46 191 000 4005176119996 129.00

Extension set
 25 mm
 for universal single-lever mixer for concealed installation 1/2"



46 343 000 4005176189791 179.00


Extension set
 50 mm
 for universal single-lever mixer for concealed installation 1/2"













38 652 000 4005176294778 104.30

Rapid SL mounting plate
 for fixing concealed fittings and room ventilation
 for **studded walls**
 for empty elements
 for GROHE Rapido
 500 x 240 x 77 mm
 variable depth adjustment 75-115 mm
 with waterproof plywood board for fixation

GROHE RAPIDO C / CONCEALED VALVES



GROHE RAPIDO C / CONCEALED VALVES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	35 028 000	4005176908316		119.00
<p>GROHE Rapido C / Concealed Valves Rough-in for single volume control for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" connection threads 1/2" installation depth 70 - 95 mm</p>				
 	35 031 000	4005176908330		349.00
<p>GROHE Rapido C / Concealed Valves Rough-in for triple volume control 27 625 for grid installation of Grohtherm Custom Shower system built-in box with removable protection cover waterproof membrane base for wall sealing for masonry and drywall installation fixing points for front and back wall body of DR brass pre-assembled ceramic headpart 3/4" 3 inlets and 3 outlets connection threads 1/2" installation depth 70 - 95 mm</p>				
 	38 652 000	4005176294778		104.30
<p>Rapid SL mounting plate for fixing concealed fittings and room ventilation for studded walls for empty elements for GROHE Rapido 500 x 240 x 77 mm variable depth adjustment 75-115 mm with waterproof plywood board for fixation</p>				
 	29 811 000	4005176062711		49.00
<p>Concealed stop valve 1/2" preassembled ceramic headpart 1/2" 180° threaded union 1/2" installation depth adjustable 25 - 80 mm DR-brass</p>				
	29 813 000	4005176062735		79.00
<p>ditto, 3/4"</p>				
 	45 203 000	4005176052842		19.00
<p>Extension-set 200 mm for concealed valves, 1/2", 3/4"</p>				

GROHE
SHOWERS





CONTENTS

GROHE Digital	F-digital Deluxe	327
	F-digital Controllers	335
Electric Showers	Electric Showers	339
Shower Systems	Rainshower System SmartControl	341
	Rainshower System	349
	Euphoria Shower System	355
	New Tempesta System	363
	Retro-fit Shower System	367
	Shower System Accessories	369
Head Showers	Head Showers	371
Showers	Sena	395
	Rainshower	397
	Power&Soul	405
	Relaxa	411
	Euphoria	415
	New Tempesta	425
	Sena Trigger Sprays	439
	Tempesta Trigger Sprays	441
	Shower Hoses	443
	Shower Accessories	447

GROHE SHOWERS

INNOVATIVE SPRAY TECHNOLOGY

GROHE's DreamSpray technology is at the heart of every GROHE shower. Boasting the finest quality materials and engineering, it incorporates innovation that helps you to enjoy an unparalleled showering experience.

The advanced shower engine inside the shower heads deliver the ultimate in precise and consistent water distribution to each individual nozzle. Whatever spray pattern you choose, for whatever your mood, you can be assured of sheer joy under the shower.

GETTING THE BEST SHOWER EXPERIENCE WITH JUST ONE SHOWER

While some types of shower gently caress the skin like summer rain, others give an invigorating massage. The new GROHE Rainshower 310 SmartActive showers combine the best of both worlds for a thoroughly satisfying shower every time.

DOUBLE THE PLEASURE

GROHE Rainshower 310 SmartActive showers use a special spray face to double the pleasure of showering. Oval water outlets arranged in a star-shaped pattern at the center of the spray face generate the vigorous GROHE ActiveRain. They are surrounded by an arrangement of nozzles producing the much more gentle PureRain spray. This means users can choose between a concentrated jet to loosen up tense muscles or rinse shampoo out of their hair and a rain shower softly enveloping their body. The shower can be energizing and invigorating or soothing and relaxing – or it can combine the two modes into a deeply satisfying shower session. To simplify switching between the different shower functions and combining them, GROHE offers the new SmartControl Concealed units, featuring intuitive push-and-turn button technology.

Discover all our other spray patterns here:





DRIZZLE SPRAYS

Revitalizing cool water mist acts like a fresh sea breeze.



AQUACURTAIN

A wrap-around curtain of pure water invites you to dive into a different world.



NORMAL SPRAY

A great all-encompassing spray pattern with a refreshing and relaxing effect. Its universal appeal makes it a great all-rounder.



RAIN SPRAY

Wide and luxurious – a soft, delicate pattern to soothe the skin. Mimicking warm summer rain, the spray provides a full and even coverage.



GROHE PURERAIN SPRAY

The new and improved Rain Spray with larger and softer droplets for a more luxurious showering experience.



SMARTRAIN SPRAY

All the features and benefits of our authentic Rain Spray but with a reduced flow. A smart pattern that uses less water to deliver full showering enjoyment.



GROHE RAIN O² SPRAY

A soft, smooth spray based on our original Rain Spray. Water drops are infused with air for a wide and fuller spray.



GROHE BOKOMA SPRAY

Eight dynamic spray nozzles create a 'breathing' effect, recreating the tension-relieving sensation of a fingertip massage.



WATERFALL XL SPRAYS

An extra wide spout creates the sensual pleasure of a waterfall in your own bathroom.



PURE SPRAY

The name says it all. A soft stream of pure water delivered from the centre of the shower head – reminiscent of a fresh, mountain spring.



JET SPRAY

A focussed circular spray, which delivers a refreshing burst of water. Ideal for stimulating the skin or simply cleaning the bathtub or shower.



ACTIVERAIN SPRAY

Innovative Spray to loosen up tense muscles or rinse shampoo out of your hair.



MASSAGE SPRAY

A pulsating spray pattern for a stimulating massage. Gives a unique and invigorating all-over massage.



CHAMPAGNE SPRAY

Enriched with air for bigger and softer water droplets. More air means that less water is required when using this fulfilling and gentle spray pattern.



DELUXE CHAMPAGNE SPRAY

An extra-rich spray bursting with soft water droplets.



GROHE TRIOMASSAGE SPRAY

The combination of the renowned GROHE Bokoma Spray and two GROHE Massage sprays gives you a head and shoulder massage in one combined spray.

GROHE RAINSHOWER SMART CONTROL 3D SHOWERING – PUSH, TURN, SHOWER


Rainshower SmartControl – Choose the spray, control the volume, save the settings. All with one control.

Showering has just become an even more fluid experience. GROHE's unique SmartControl push-and-turn button technology takes the idea of comfortable showering to a new level and requires very little effort. The spray jet type can be directly selected by pressing the push button, meaning adjusting the jet disc is no longer necessary. In addition, personalised jet strength settings can be selected and saved for the desired spray jet type just by turning the button. Everything in one button = An innovative all-in-one solution.


What is more, GROHE SmartControl allows you to combine the different spray jet types in just a few steps. Try GROHE PureRain + TrioMassage, for example. Prefer to switch to handshower? Not a problem! All it takes to activate it is pressing the push button. In short, just three buttons are enough to offer you a vast array of showering options. The new user-friendliness of GROHE SmartControl makes using water even more efficient and utterly convenient.

Additional features include: GROHE TurboStat technology, which ensures that the chosen temperature is reached and maintained within fractions of a second; the SafeStop button, which prevents the water temperature from being turned up beyond 38 degrees; GROHE CoolTouch, which keeps the outer surface of the thermostat at a temperature that is safe to touch; the GROHE Rainshower 360 XXL head shower; and last but not least an elegant organic design. Thanks to the clearly labelled EasyLogic design operating the thermostat becomes child's play and the EasyReach tray provides enough space for all your shower utensils.






Push the button to start the shower.



Turn to adjust the water volume gradually from Eco to Full Flow.



Push again to stop or pause the shower. The volume is now preset when you restart.




INGENIOUS: A TOTAL WATER EXPERIENCE AT YOUR FINGERTIPS.

Compose your own water music. With AquaSymphony you can create your perfect shower moment. The intelligent control systems let you select and adjust a different shower experience for every day, to be completely in tune with your wishes. Choose your favourite!


GROHTHERM F CONFIGURATION

34 634 001, 2 x 35 500 000, 35 031 000, 35 034 000, 2 x 35 028 000



GROHTHERM SMARTCONTROL CONFIGURATION

3 x 29 126 000, 3 x 35 600 000, 26 370 000, 27 698 000, 28 143 000



SPRAYS

- | | | |
|-------------|-------------|---------------|
| ① Waterfall | ④ Pure | ⑦ Drizzle |
| ② Rain | ⑤ Rain | ⑧ AquaCurtain |
| ③ Bokoma | ⑥ Waterfall | ⑨ Handshower |



For detailed information please see our GROHE F-digital Deluxe Planning & Installation Guide or our installation video <https://www.youtube.com/watch?v=aeEuq28RwTo>.


GROHE F-DIGITAL DELUXE



GROHE F-DIGITAL DELUXE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
26 373 001	4005176415593	Chrome	18,749.47

new




Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
 1016 mm x 762 mm x 145 mm
 metal
 minimum flow rate 25 l/min
 min. recommended pressure 3.0 bar
 1 x AquaCurtain
 1 x Pure XL spray
 1 x 2 cold mist spray
 2 x GROHE PureRain spray 400 x 190 mm
 2 x XL Waterfall (separately controlled)
 1 x 4 Bokoma Spray with adjustment angle 20° and combinations
 full spectrum LED: soft light with changing rainbow colours
 individually adjustable: permanent lighting with colour selection
 power supply for light 12 V DC
 CE approved
SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish

requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation

The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm F or Grohtherm SmartControl

new




Ref. No.	EAN code	Colour	Retail Guide Price (£)
26 376 001	4005176415609	Chrome	1,785.00

Rainshower F-Series 40"
Roughing-in set for floor mounted bath spout and bath/shower mixer
 for use with Rainshower F-Series 40" AquaSymphony ceiling shower
 1000 mm x 745 mm x 152 mm
 min. installation depth: 167 mm
 Waterways: Brass
 1/2" connections











The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

Ref. No.	EAN code	Colour	Retail Guide Price (£)
29 126 000	4005176413322	Chrome	530.00



Grohtherm SmartControl
Thermostat for concealed installation with 3 valves
 set for final installation for
 GROHE Rapido SmartBox 35 600 000
 metal wall escutcheon with **GROHE QuickFix** (covered escutcheon and shaft sealing, covered fixing), retroactively 6° adjustable
GROHE StarLight chrome finish
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
 exchangeable symbols
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
 built-in non return valve
 and dirt strainers
 multiple outlets can be run simultaneously
without roughing-in-set
 flow performance:
 outlet A = 23 l/min
 outlet B = 27 l/min
 outlet C = 23 l/min

GROHE F-DIGITAL DELUXE


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	35 600 000	4005176413469		125.00
<p>GROHE Rapido SmartBox Universal rough-in box, 1/2" 3 outlets 1/2" 2 inlets below, 1/2" installation depth 75-105 mm connection unit in DR brass pre-mounted flushing plug stable build-in box and protective cover fixing options for solid walls and dry cladding gasket without set for final installation</p>				
 	26 370 000	4005176341380	Chrome	29.00
<p>Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE StarLight finish</p>				
 	27 698 000	4005176907098	Chrome	39.00
<p>Euphoria Cube Stick Hand shower 1 spray Normal spray GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	28 143 000	4005176601347	Chrome	19.99
<p>Relaxflex Metal Longlife Metal shower hose 1500 1500 mm metal Longlife, 7mm bore strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging</p>				
 	27 865 000	4005176918179	Chrome	3,812.24
<p>Rainshower F-Series 20" Ceiling shower with light, 1 spray Rain 508 x 508 x 59 mm full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection power supply for light 12 V DC CE approved GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation. this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ For detailed planning and product information please contact your local GROHE Customer Service.</p>				

GROHE F-DIGITAL DELUXE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	29 069 000	4005176918384		119.00
<p>Rainshower F-Series Cable connection for ceiling shower with light (27 865 000) Consisting of: 2 cable extensions (5 m each)</p>				
	36 359 000	4005176918414	Chrome	1,129.00
<p>Rainshower F-Series Light set 127 x 127 mm per module full spectrum LED: soft light with changing rainbow colours individually adjustable: permanent lighting with colour selection Consisting of: - 1 light module with two plug connections - 1 light module with one plug connection waterproof & corrosion protected supply voltage: 12 V DC CE approved GROHE StarLight chrome finish requires rough-in set (29 072 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ For detailed planning and product information please contact your local GROHE Customer Service.</p>				
	29 072 000	4005176918421		219.00
<p>Rainshower F-Series Rough-in set light set for use with double light modules (36 359 000) Consisting of: - 2 rough-in sets (115 x 115 x 62-87 mm) - 2 cable extensions (5 m each)</p>				
	36 360 000	4005176918438	Chrome	969.00
<p>Rainshower F-Series Sound set 127 x 127 mm per module full range stereo speaker Consisting of: 2 speakers with plug connections waterproof & corrosion protected GROHE StarLight chrome finish requires rough-in set (29 073 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation For detailed planning and product information please contact your local GROHE Customer Service.</p>				
	29 073 000	4005176918445		219.00
<p>Rainshower F-Series Rough-in set sound set for use with double sound modules (36 360 000) Consisting of: - 2 rough-in sets (115 x 115 x 62-87 mm) - 2 cable extensions (5 m each) - 1 Y-piece</p>				

GROHE F-DIGITAL DELUXE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 362 000	4005176918537	Chrome	2,959.00



GROHE F-digital Deluxe Steam generator 2.2 kW with steam outlet and temperature sensor

Consisting of:

steam generator

415 x 445 x 130 mm

suitable for steam rooms up to 2.5 m³

supply voltage 230 V AC, 50Hz

power 2.2 kW

water inlet 3/4"

operating pressure 1 - 5 bar (above pressure reducer)

automatic emptying

water outlet 1/2"

steam temperature: max. 55°C

steam outlet 1/2"

type of protection IP 23

CE approved

with euro shockproof plug

steam outlet module with indentation for fragranced oil

127 x 127 mm

connection thread 1/2"

temperature sensor module

60 x 60 x 12 mm


SpeedClean anti-limescale system

GROHE StarLight chrome finish

requires rough-in set (29 074 000), F-digital Deluxe base unit box (26 374 000 or 36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation

For detailed planning and product information please contact your local GROHE Customer Service.

SHOWERS



29 074 000 4005176918469

349.00

GROHE F-digital Deluxe Rough-in set steam generator

for use with steam module (36 362 000 or 27 934 000)

Consisting of:

- 1 rough-in box for steam outlet (115 x 115 x 49-77 mm)

- 1 rough-in box for temperature sensor (58 x 83 x 80-105 mm)

- 1 cable extension temperature sensor, 5 m

- 1 cable extension steam generator, 5 m



14 015 000 4005176932748

Chrome

129.00

GROHE F-digital Deluxe

Descaler 6 x 80 g


to remove limescale from the water tank of the steam generator

absolutely odorless and harmless to human beings

and the natural environment

2 bags sufficient for one time descaling

This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/



26 374 000 4005176350825

809.00

GROHE F-digital Deluxe

Base unit box 4.0 Bluetooth F-Series 40 (BCU V4.0)

to control LightCurtain of Rainshower F-Series 40" AquaSymphony ceiling shower

additional light, sound and steam modules can be connected and controlled

Consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)

- 1 plug connection for one pair of light modules (36 359 000)

- 1 plug connection LightCurtain for Rainshower F-Series 40"

AquaSymphony (26 373 000)

- 2 plug connections for steam module (36 362 000 or 36 368 000), including

1 connection for steam generator and 1 connection for temperature sensor

- 2 plug connections for power supply (per power supply max. 4 devices light/ sound)

- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved

must be accessible for service


optional the base unit box can be placed into extra equipment 36 367 000

component to be ordered separately

GROHE F-DIGITAL DELUXE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

36 397 000	4005176999413		969.00
------------	---------------	--	--------




GROHE F-digital Deluxe
Base unit box 2.0 Bluetooth (BCU V2.0)
for connecting light, sound and steam modules

Consisting of:

- 2 plug connections, each for one pair of sound modules (36 360 000)
- 2 plug connections, each for one pair of light modules (36 359 000) or 1 ceiling shower (27 865 000) with integrated light
- 2 plug connections for steam module (36 362 000 or 36 368 000), including 1 connection for steam generator and 1 connection for temperature sensor
- 2 plug connections for power supply (per power supply max. 4 devices light/sound)
- 2 plug connections for Bluetooth unit (supply voltage and data line)

CE approved
must be accessible for service
optional the base unit box can be placed into extra equipment 36 367 000

42 429 000	4005176918520		99.00
------------	---------------	--	-------




GROHE F-digital Deluxe
Power supply base unit box
power supply for base unit box (26 374 000 or 36 397 000)
each power supply for 2 light/sound modules (36 359 000)
or 1 ceiling shower with integrated light (27 865 000)
total 2 power supplies max (8 devices max.) can be connected to the base unit box
with one power supply 4 devices (light/sound modules) can be driven

- ceiling shower with integrated light (27 865 000): 4 devices
- per light module: 1 device
- per sound module: 1 device

input voltage: 90-240 V AC, 50-60Hz
output voltage: 12 V DC
CE approved

36 371 000	4005176928970		549.00
------------	---------------	--	--------



GROHE F-digital Deluxe
Bluetooth unit BT-01A for Apple and Android devices
with integrated electronic for wireless data communication
combinable with existing 36 365 000 docking station
wall or deck mounted
86 x 73 x 42 mm

Features:

- reset switch
- status indicator (LED)
- stand alone/maximum configuration
- one-to-one connection
- with safety cut-off mechanism (1 user)
- safety shutdown in case of connection loss
- connection cable set for data communication and power supply (5 m each)

CE approved
Bluetooth transmitter power supply: 12 V
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
requires Base Unit Box 2.0 (36 397 000) or Base Unit Box 4.0 (26 374 000) – to be ordered separately
Bluetooth-enabled device (Bluetooth V2.1 or higher) necessary

System requirements Android
operating system: as of release 2.3.3
pixel density: 160 dpi minimum
display resolution: 320 x 470 pixels per inch

System requirements: Apple
iPod touch 4/5, iPhone 4/5, iPad/ iPad mini**
Apple operating system: as of release iOS 6.0 and above













Mobile devices and GROHE SPA F-digital deluxe App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.



** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

GROHE F-DIGITAL DELUXE

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 367 000	4005176923203		259.00
 	47 837 000	4005176918490		69.00
 	47 838 000	4005176918506		69.00
 	47 867 000	4005176923227		69.00
 	47 868 000	4005176923234		69.00
 	47 877 000	4005176923241		69.00



GROHE F-DIGITAL DELUXE



Ref. No.	EAN code	Colour	Retail Guide Price (£)
40 666 000	4005176935633	Chrome	499.00
 <p>Spare part LED set spare part for 27 865 000 Consisting of: 2 lamps connected in series this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+</p>			
48 348 000	4005176408502	Chrome	20.00
 <p>Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly key</p>			

GROHE F-DIGITAL CONTROLLERS







GROHE F-DIGITAL CONTROLLERS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 289 000	4005176894619	Chrome	1,329.00
<p>F-digital Veris F-Digital Digital controller and digital diverter for bath includes digital thermostat unit Digital Controller - intuitive multifunctional operating unit - Wireless technology - Temperature and flow control (temperature adjustable up to max. 46° C) - Pause-function - Memory function - LED ring incl. warming-up function: visual feedback when preferred temperature is reached digital diverter for bath - Diverter: head-, hand shower and bath spout - LED ring (indication of outlet) digital thermostat unit (concealed body) - warm/cold-supplies 1/2" - 3 outlets 1/2" bath diverter default setting configurable during installation - automatic safety shut-off after 20 min - GROHE SafeStop at 38°C transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m GROHE TurboStat digitally controlled compact cartridge with wax thermoelement GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow requires: built-in power supply 36 078 000 min. recommended pressure 1 bar energy efficiency class illumination of control unit: not applicable</p>			
 			

36 295 000	4005176894671	Chrome	1,499.00
<p>F-digital Digital controller and digital diverter for shower includes digital thermostat unit Digital Controller - intuitive multifunctional operating unit - Wireless technology - Temperature and flow control (temperature adjustable up to max. 46° C) - Pause-function - Memory function - LED ring incl. warming-up function: visual feedback when preferred temperature is reached digital diverter for shower - Diverter: head-, side- and hand shower - LED ring (indication of outlet) digital thermostat unit (concealed body) - warm/cold-supplies 1/2" - 3 outlets 1/2" shower diverter default setting configurable during installation - automatic safety shut-off after 20 min - GROHE SafeStop at 38°C transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m GROHE TurboStat digitally controlled compact cartridge with wax thermoelement GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow requires: built-in power supply 36 078 000 energy efficiency class illumination of control unit: not applicable</p>			
 			

GROHE F-DIGITAL CONTROLLERS


Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 292 000	4005176894640	Chrome	929.00
<p>F-digital Veris F-Digital Digital controller for bath or shower includes digital thermostat unit Digital Controller - intuitive multifunctional operating unit - Wireless technology - Temperature and flow control (temperature adjustable up to max. 46° C) - Pause-function - Memory function - LED ring incl. warming-up function: visual feedback when preferred temperature is reached digital thermostat unit (concealed body) - 1 outlet 1/2" - warm/cold-supplies 1/2" default setting configurable during installation - automatic safety shut-off after 20 min - GROHE SafeStop at 38°C transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m GROHE TurboStat digitally controlled compact cartridge with wax thermoelement GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow requires: built-in power supply 36 078 000 energy efficiency class illumination of control unit: not applicable</p>			
			
36 309 000	4005176894794	Chrome	239.00
<p>F-digital Digital Controller Remote Controller for bath or shower additional multifunctional operating unit - Wireless technology - Temperature and flow control - Pause-function - Memory function - LED ring GROHE StarLight chrome finish energy efficiency class illumination of control unit: not applicable</p>			
			
40 479 000	4005176894787	Chrome	89.00
<p>Holder plate for Digital Controller & Digital Diverter vertical or horizontal installation GROHE StarLight chrome finish</p>			
			
40 548 000	4005176909832	Chrome	113.26
<p>Holder plate for Digital Controller & Digital Diverter vertical or horizontal installation or combination with 36289000 and 36295000 GROHE StarLight chrome finish</p>			
			

SHOWERS


GROHE F-DIGITAL CONTROLLERS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

36 298 000	4005176894701	Chrome	1,109.00
------------	---------------	--------	----------




Rainshower Solo F-digital Shower set
 includes digital thermostatic unit
 Digital Controller - intuitive multifunctional operating unit
 - Wireless technology
 - Temperature and flow control
 - Pause-function
 - Memory function
 - LED ring incl. warming-up function: visual feedback when preferred temperature is reached
 digital thermostatic unit (concealed body)
 - warm/cold-supplies 1/2"
 - 1 outlet 1/2"
 Rainshower Solo shower set (27 273 001)
 Rainshower wall union 1/2" (27 057 000)
 transceiver unit for Digital Controller and Digital thermostatic unit incl. cable 3 m
GROHE TurboStat digitally controlled compact cartridge with wax thermoelement
 default setting configurable during installation
 - automatic safety shut-off after 20 min
 - GROHE SafeStop at 38°C
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow




36 078 000	4005176856532		99.00
------------	---------------	--	-------

Plug power supply 110-240 V
 operating voltage 6V
 cable length 400 mm



47 727 000	4005176884160		29.00
------------	---------------	--	-------

Connection wire
 2-pin
 cable length 3 m






36 356 000	4005176911347		149.00
------------	---------------	--	--------

GROHE F-digital Transceiver
 optional accessory for digital mixing unit

GROHE ELECTRIC SHOWERS



GROHE ELECTRIC SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 179 000	4005176304842	white/nighttime grey/ chrome	229.00
	<p>New Tempesta 100 Pressure stabilized electric shower 9.5 kW Maximum entry options for power/water services (top, rear or bottom) both left and right hand sides Dual terminal blocks for left or right hand connection Separate push button start/stop Upper rotary control with three power settings Lower rotary control for adjustment of temperature/flow „Power On“ and „Auto Reset“ LED indicators Temperature cut out Removable water inlet filter Mains Cold Water Supply Operating pressure 0.1 to 1.0 [MPa] / 1.0 to 10.0 [bar] New Tempesta 100 shower rail set 3 sprays New Tempesta 100 hand shower (26 135 000) shower rail 620 mm, semi-flexible (27 499 000) shower hose 1500 mm (28 161) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	26 178 000	4005176304859	white/nighttime grey/ chrome	199.00
	<p>New Tempesta 100 Pressure stabilized electric shower 8.5kW Dual terminal blocks for left or right hand connection Maximum entry options for power/water services (top, rear or bottom) both left and right hand sides Separate push button start/stop Upper rotary control with three power settings Lower rotary control for adjustment of temperature/flow „Power On“ and „Auto Reset“ LED indicators Temperature cut out Removable water inlet filter Mains Cold Water Supply Operating pressure 0.1 to 1.0 [MPa] / 1.0 to 10.0 [bar] New Tempesta 100 shower rail set 3 sprays New Tempesta 100 hand shower (26 135 000) shower rail 620 mm, semi-flexible (27 499 000) shower hose 1500 mm (28 161) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling GROHE SprayZoom Zoom from extra wide Rain to focussed Jet spray</p>			
	28 161 001	4005176935107	Chrome	15.41
	<p>Silverflex Shower hose 1500 for low pressure 12mm bore 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>			


GROHE RAINSHOWER SYSTEM SMARTCONTROL



GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

26 250 000	4005176316999	Chrome	1,269.00
------------	---------------	--------	----------



Rainshower System SmartControl 360 DUO with thermostat for wall mounting

Consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 DUO, spray plate chrome
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055 000)
Silverflex shower hose 1750 mm (28 388 000)

min. recommended pressure 1.5 bar

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-limescale system


Inner WaterGuide for a longer life

min.recommended pressure 1 bar

Twistfree preventing the hose from twisting

* to be decided during initial installation; factory default setting: GROHE PureRain

26 250 LS0	4005176317002	moon white	1,249.00
------------	---------------	------------	----------



Rainshower System SmartControl 360 DUO with thermostat for wall mounting

Consisting of:

horizontal 500 mm shower arm
exposed SmartControl thermostat
allows change between:
head shower Rainshower 360 DUO, spray plate white
GROHE PureRain/GROHE Rain O² spray* and TrioMassage
hand shower Power&Soul 115, spray plate white (27 671 LS0)
hand shower wall holder (27 055 000)
Silverflex shower hose 1750 mm (28 388 000)

min. recommended pressure 1.5 bar

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE CoolTouch prevents scalding on hot surfaces

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE EcoJoy technology for less water and perfect flow

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow

GROHE EasyReach shower tray

SpeedClean anti-limescale system

Inner WaterGuide for a longer life


min.recommended pressure 1 bar

Twistfree preventing the hose from twisting

* to be decided during initial installation; factory default setting: GROHE PureRain

GROHE RAINSHOWER SYSTEM SMARTCONTROL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
26 361 000	4005176347580	Chrome	1,159.00



Rainshower System SmartControl 360 MONO with thermostat for wall mounting

Consisting of:

- horizontal 500 mm shower arm
- exposed SmartControl thermostat allows change between:
- head shower Rainshower 360 MONO, spray plate chrome
- GROHE PureRain/GROHE Rain O² spray*
- Power&Soul 130 hand shower, spray plate white (27 673 LS0)
- hand shower wall holder (27 055 000)
- Silverflex shower hose 1750 mm (28 388 000)

min. recommended pressure 1.5 bar

- GROHE DreamSpray perfect spray pattern
- GROHE StarLight chrome finish
- GROHE CoolTouch prevents scalding on hot surfaces
- GROHE TurboStat compact cartridge with wax thermoelement
- GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop safety button at 38°C (calibration required)
- GROHE SafeStop Plus optional temperature limiter at 43°C included
- GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
- GROHE EasyReach shower tray
- SpeedClean anti-limescale system
- Inner WaterGuide for a longer life
- min.recommended pressure 1 bar
- Twistfree preventing the hose from twisting

* to be decided during initial installation; factory default setting: GROHE PureRain

SHOWERS

new

26 361 LS0	4005176409707	moon white	1,149.00
------------	---------------	------------	----------

Rainshower System SmartControl 360 MONO with thermostat for wall mounting


Consisting of:

- horizontal 500 mm shower arm
- exposed SmartControl thermostat allows change between:
- head shower Rainshower 360 MONO, spray plate white
- GROHE PureRain/GROHE Rain O² spray*
- Power&Soul 130 hand shower, spray plate white (27 673 LS0)
- hand shower wall holder (27 055 000)
- Silverflex shower hose 1750 mm (28 388 000)

min. recommended pressure 1.5 bar



- GROHE DreamSpray perfect spray pattern
- GROHE StarLight chrome finish
- GROHE CoolTouch prevents scalding on hot surfaces
- GROHE TurboStat compact cartridge with wax thermoelement
- GROHE EcoJoy technology for less water and perfect flow
- GROHE SafeStop safety button at 38°C (calibration required)
- GROHE SafeStop Plus optional temperature limiter at 43°C included
- GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow
- GROHE EasyReach shower tray
- SpeedClean anti-limescale system
- Inner WaterGuide for a longer life
- min.recommended pressure 1 bar
- Twistfree preventing the hose from twisting



* to be decided during initial installation; factory default setting: GROHE PureRain



GROHE RAINSHOWER SYSTEM SMARTCONTROL


Ref. No. EAN code Colour Retail Guide Price (£)

new		26 443 000	4005176409875	Chrome	1,099.00
		<p>Rainshower System SmartControl 360 DUO Combi shower system with thermostat, exposed/concealed Consisting of: exposed/concealed SmartControl thermostat allows change between: head shower Rainshower 360 DUO with horizontal 450 mm shower arm, spray plate chrome GROHE PureRain/GROHE Rain O² spray* and TrioMassage hand shower Power&Soul 115, spray plate white (27 671 LS0) hand shower wall holder (27 055 000) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1.5 bar GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE EcoJoy technology for less water and perfect flow GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately</p>			
* to be decided during initial installation; factory default setting: GROHE PureRain					

new		26 443 LS0	4005176409882	moon white	1,149.00
		<p>Rainshower System SmartControl 360 DUO Combi shower system with thermostat, exposed/concealed Consisting of: exposed/concealed SmartControl thermostat allows change between: head shower Rainshower 360 DUO with horizontal 450 mm shower arm, spray plate white GROHE PureRain/GROHE Rain O² spray* and TrioMassage hand shower Power&Soul 115, spray plate white (27 671 LS0) hand shower wall holder (27 055 000) Silverflex shower hose 1.500 mm (28 364) min. recommended pressure 1.5 bar GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE CoolTouch prevents scalding on hot surfaces GROHE TurboStat compact cartridge with wax thermoelement GROHE EcoJoy technology for less water and perfect flow GROHE SafeStop safety button at 38°C (calibration required) GROHE SafeStop Plus optional temperature limiter at 43°C included GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy to full flow GROHE EasyReach shower tray SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be ordered separately</p>			
* to be decided during initial installation; factory default setting: GROHE PureRain					

GROHE RAINSHOWER SYSTEM SMARTCONTROL


Ref. No.	EAN code	Colour	Retail Guide Price (£)
26 446 000	4005176409905	Chrome	1,241.00



Rainshower System SmartControl 360 MONO
Combi shower system with thermostat, exposed/concealed
 Consisting of:
 exposed/concealed SmartControl thermostat
 allows change between:
 head shower Rainshower 360 MONO with horizontal
 450 mm shower arm, spray plate chrome
 GROHE PureRain/GROHE Rain O² spray*
 Power&Soul 130 hand shower, spray plate white (27 673 LS0)
 hand shower wall holder (27 055 000)
 Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy
 to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be
 ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain


26 446 LS0	4005176409912	moon white	1,241.00
------------	---------------	------------	----------



Rainshower System SmartControl 360 MONO
Combi shower system with thermostat, exposed/concealed
 Consisting of:
 exposed/concealed SmartControl thermostat
 allows change between:
 head shower Rainshower 360 MONO with horizontal
 450 mm shower arm, spray plate white
 GROHE PureRain/GROHE Rain O² spray*
 Power&Soul 130 hand shower, spray plate white (27 673 LS0)
 hand shower wall holder (27 055 000)
 Silverflex shower hose 1.500 mm (28 364)
min. recommended pressure 1.5 bar
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE CoolTouch prevents scalding on hot surfaces
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE SmartControl push for ON-OFF, turn for volume adjustment from EcoJoy
 to full flow
GROHE EasyReach shower tray
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 requires rough-in set 26 264 001 and concealed unit 26 449 000 – all to be
 ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain











26 254 000	4005176317026	Chrome	529.00
------------	---------------	--------	--------








Rainshower 360 Duo
Head shower set 450 mm, 2 sprays
 Consisting of:
 head shower Rainshower 360 DUO, spray plate chrome
 2 spray patterns:
 GROHE PureRain/GROHE Rain O² spray* and TrioMassage
 horizontal 450 mm shower arm
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
 requires rough-in set 26 264 001 – to be ordered separately

* to be decided during initial installation; factory default setting: GROHE PureRain

GROHE RAINSHOWER SYSTEM SMARTCONTROL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
new	26 254 LS0	4005176409806	moon white	629.00
 	<p>Rainshower 360 Duo Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower 360 DUO, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>	<p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>		
	26 450 000	4005176409813	Chrome	491.00
 	<p>Rainshower 360 Mono Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower 360 MONO, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>	<p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>		
	26 450 LS0	4005176409820	moon white	491.00
 	<p>Rainshower 360 Mono Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower 360 MONO, spray plate white 1 spray pattern: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>	<p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>		
new	26 264 001	4005176417108		179.00
 	<p>Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information</p>			
new	26 449 000	4005176409790		249.00
 	<p>Concealed body for exposed/concealed variants wall or deck mounted 2 outlets 1/2" installation depth 75-105 mm flushing plug wall sealing installation device</p>			

GROHE RAINSHOWER SYSTEM SMARTCONTROL


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	48 349 000	4005176409851	Chrome	100.00
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p>				
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	48 350 000	4005176409868	Chrome	125.00
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p> <p>Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>				
	48 348 000	4005176408502	Chrome	20.00
<p>Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly key</p>				

GROHE RAINSHOWER SYSTEM




GROHE RAINSHOWER SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 174 001	4005176877162	Chrome	1,139.00




Rainshower System 400 with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 400 head shower (28 778 000)
with ball joint
rotation angle $\pm 20^\circ$
hand shower Sena Stick (28 034 000)
adjustable height via gliding element (12 140 000)
shower hose 1.750 mm (28 025 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 472 000	4005176882814	Chrome	1,009.00
------------	---------------	--------	----------



Rainshower System Veris 300 with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower 310 (27 471 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower Ondus (27 185 000)
adjustable height via gliding element (12 140 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE StarLight chrome finish
Inner WaterGuide for a longer life


27 966 000	4005176929250	Chrome	1,009.00
------------	---------------	--------	----------



Rainshower System 310 with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower Sena Stick (28 034 000)
adjustable height via gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
minimum flow rate 7 l/min.


GROHE RAINSHOWER SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



27 968 000	4005176929687	Chrome	1,009.00
------------	---------------	--------	----------

Rainshower System 310 with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 310 head shower (27 477 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable height via gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
minimum flow rate 7 l/min.




27 569 000	4005176894275	Chrome	1,009.00
------------	---------------	--------	----------

Rainshower F-series System 10" with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Rainshower F-Series 10" (27 271 000)
with ball joint, rotation angle $\pm 20^\circ$
hand shower Sena Stick (28 034 000)
adjustable height via gliding element (12 140 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
metal shower hose 1750 mm (28 025 000)
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life
minimum flow rate 7 l/min.

27 469 000	4005176882593	Chrome	1,009.00
------------	---------------	--------	----------

ditto, with non-restricted flow




27 374 000	4005176877285	Chrome	1,239.00
------------	---------------	--------	----------

Rainshower System 210 Shower system with thermostat and side showers
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint
rotation angle $\pm 15^\circ$
4 adjustable side showers
metal shower hose 1750 mm (28 025 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
min.recommended pressure 1 bar

GROHE RAINSHOWER SYSTEM


Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

27 032 001	4005176877155	Chrome	889.00
------------	---------------	--------	--------




Rainshower System 210 with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint, rotation angle $\pm 15^\circ$
hand shower Sena Stick (28 034 000)
adjustable height via gliding element (12 140 000)
metal shower hose 1750 mm (27 178 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch prevents scalding on hot surfaces
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 967 000	4005176929670	Chrome	889.00
------------	---------------	--------	--------



Rainshower System 210 with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Rainshower Cosmopolitan 210 head shower (28 368 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower Power&Soul Cosmopolitan 130 (27 664 000)
adjustable height via gliding element (12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE One-Click Showering spray selection
with one click
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
minimum flow rate 7 l/min.

27 641 000	4005176901645	Chrome	1,009.00
------------	---------------	--------	----------




Rainshower System 210 Shower system with bath thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
Head shower Rainshower Cosmopolitan 210 (28 373 000)
with ball joint, rotation angle $\pm 15^\circ$
bath inlet
separate diverter for hand shower Sena (28 341 000)
adjustable height via gliding element (12 140 000)
metal shower hose 1750 mm (27 178 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE CoolTouch
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

GROHE RAINSHOWER SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------


27 175 000	4005176838507	Chrome	889.00
------------	---------------	--------	--------



Rainshower System 400
Shower system with diverter
for wall mounting

horizontal swivable 450 mm projection shower arm
Rainshower Cosmopolitan 400 head shower (28 778 000)
with ball joint
rotation angle $\pm 20^\circ$
hand shower (28 034 000)
adjustable height via gliding element
(12 140 000)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
metal shower hose 1750 mm
GROHE DreamSpray perfect flow
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life

27 058 000	4005176830464	Chrome	629.00
------------	---------------	--------	--------



Rainshower System 210
Shower system with diverter
for wall mounting


horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower (28 034 000)
adjustable height via gliding element
(12 140 000)
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life


SHOWERS

GROHE EUPHORIA SHOWER SYSTEM



GROHE EUPHORIA SHOWER SYSTEM

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 075 000	4005176937606	Chrome	716.00
	26 075 DC0	4005176371219	supersteel	1,069.00
	26 075 BE0	4005176428593	polished nickel	1,499.00
	26 075 EN0	4005176428609	brushed nickel	1,499.00
	26 075 GL0	4005176425332	cool sunrise	1,499.00
	26 075 GN0	4005176425349	brushed cool sunrise	1,499.00
	26 075 DA0	4005176425356	warm sunset	1,499.00
	26 075 DL0	4005176425363	brushed warm sunset	1,499.00
	26 075 A00	4005176425387	hard graphite	1,499.00
	26 075 AL0	4005176425370	brushed hard graphite	2,003.00



Euphoria System 310

Shower system with thermostatic mixer for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

metal head shower Rainshower Cosmopolitan 310 (27 477 000)

Rain spray pattern

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage

(27 221 000)

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

Inner WaterGuide for a longer life

SpeedClean anti-limescale system

Twistfree preventing the hose from twisting

GROHE MetalGrip ergonomically shaped metal handles

min. recommended pressure 1 bar

minimum flow rate 7 l/min.

min. recommended pressure 1 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

	27 296 002	4005176417818	Chrome	517.00
---	------------	---------------	--------	--------

Euphoria System 260

with thermostat for wall mounting

Consisting of:

horizontal swivable 450 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Euphoria 260 (26 455)

3 spray patterns:

Rain, SmartRain, Jet

with ball joint

rotation angle $\pm 15^\circ$

hand shower Euphoria 110 Massage

(27 221 000)

3 spray patterns:

Rain, SmartRain, Massage

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

GROHE SprayDimmer (Stepless

flow rate reduction)

SpeedClean anti-limescale system

Inner WaterGuide for a longer life


Twistfree preventing the hose from twisting

min. recommended pressure 1 bar

minimum flow rate 7 l/min.


min. recommended pressure 1 bar

optional upgrade: **GROHE EasyReach** tray (26 362)



GROHE EUPHORIA SHOWER SYSTEM


Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 615 001	4005176417825	Chrome	517.00



Euphoria System 260 with thermostatic for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower with Aquadimmer function allows change between:
 head shower Euphoria 260 (26 457)
 3 spray patterns:
 Rain, SmartRain, Jet with ball joint rotation angle $\pm 15^\circ$
 hand shower Euphoria 110 Massage (27 239 000)
 3 spray patterns:
 Rain, SmartRain, Massage adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 min.recommended pressure 1 bar
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar
 optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS

26 087 000	4005176940828	Chrome	1,099.00
------------	---------------	--------	----------




Euphoria Cube System 230 Shower system with thermosttic mixer for wall mounting
 shower arm
 projection 400 mm
exposed thermostatic shower with Aquadimmer function allows change between:
 Rainshower Allure head shower (27 479 000)
 Rain spray pattern with ball joint rotation angle $\pm 15^\circ$
 hand shower Euphoria Cube (27 699 000)
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Twistfree preventing the hose from twisting
 minimum flow rate 7 l/min.

GROHE EUPHORIA SHOWER SYSTEM


Ref. No. EAN code Colour Retail Guide Price (£)

26 363 000 4005176339264 Chrome 629.00



Euphoria System 210 with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower with Aquadimmer function allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
Rain spray pattern with ball joint rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage (27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EasyReach tray (26 362 LN0) minimum flow rate 7 l/min.
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

27 964 000 4005176929595 Chrome 649.00




Euphoria System 210 with thermostat for wall mounting
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower with Aquadimmer function allows change between:
metal head shower Rainshower Cosmopolitan 210 (28 368 000)
Rain spray pattern with ball joint rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage (27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge with wax thermoelement
GROHE SafeStop safety button at 38°C (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
GROHE MetalGrip ergonomically shaped metal handles minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE EUPHORIA SHOWER SYSTEM


Ref. No. EAN code Colour Retail Guide Price (£)

26 249 000 4005176317156 Chrome 529.00



Euphoria System 190
with thermostat for wall mounting
horizontal swivable 390 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower 190 1 spray (27 370)
Rain
with ball joint
rotation angle $\pm 15^\circ$
hand shower 100 3 sprays: GROHE Rain O², Rain, Massage (27 574001)
adjustable height via gliding element
GROHE EasyReach shower tray
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow rate
GROHE EcoJoy technology for less water and perfect flow
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting

27 296 001 4005176896293 Chrome 549.00





Euphoria System 180
with thermostat for wall mounting
Consisting of:
horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
with Aquadimmer function
allows change between:
head shower Euphoria Cosmopolitan 180 (27 491 000), Rain spray pattern
with ball joint, rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 221 000)
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE TurboStat compact cartridge
with wax thermoelement
GROHE SafeStop safety button at 38°C
(calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
minimum flow rate 7 l/min.
optional upgrade: **GROHE EasyReach** tray (26 362)

SHOWERS


GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 475 001	4005176417863	Chrome	647.00



Euphoria System 260
Shower system with bath thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria 260 (26 457)
 3 spray patterns:
 Rain, SmartRain, Jet
 with ball joint
 rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower
 hand shower Euphoria 110 Massage
 (27 239 000)
 3 spray patterns:
 Rain, SmartRain, Massage
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
 flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 min.recommended pressure 1 bar
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar


26 114 001	4005176417870	Chrome	634.00
------------	---------------	--------	--------



Euphoria System 260
Shower system with bath thermostat for wall mounting
 Consisting of:
 horizontal swivable 450 mm projection shower arm
exposed thermostatic shower
 with Aquadimmer function
 allows change between:
 head shower Euphoria 260 (26 455)
 3 spray patterns:
 Rain, SmartRain, Jet
 with ball joint
 rotation angle $\pm 15^\circ$
 bath inlet
 separate diverter for hand shower
 hand shower Euphoria 110 Massage
 (27 221 000)
 3 spray patterns:
 Rain, SmartRain, Massage
 adjustable height via gliding element
 Silverflex shower hose 1750 mm (28 388 000)
 distance between thermostat and upper bracket: 1016 mm
GROHE TurboStat compact cartridge
 with wax thermoelement
GROHE SafeStop safety button at 38°C
 (calibration required)
GROHE SafeStop Plus optional temperature limiter at 43°C included
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
 flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
 min.recommended pressure 1 bar
 minimum flow rate 7 l/min.
min. recommended pressure 1 bar

GROHE EUPHORIA SHOWER SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 473 001	4005176417900	Chrome	465.00




Euphoria System 260 Shower system with single lever for wall mounting

Consisting of:
horizontal swivable 450 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min.recommended pressure 1 bar
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

SHOWERS

23 061 002	4005176417917	Chrome	491.00
------------	---------------	--------	--------




Euphoria Concetto System 260 Shower system with single lever for wall mounting

Consisting of:
horizontal swivable 450 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria Cosmopolitan Stick (27 400)
Rain spray pattern
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
GROHE EcoJoy 9.5 l/min flow limiter
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min.recommended pressure 1 bar
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

GROHE EUPHORIA SHOWER SYSTEM

Ref. No. EAN code Colour Retail Guide Price (£)


27 421 002 4005176417924 Chrome 413.00



Euphoria System 260 Shower system with diverter for wall mounting

Consisting of:
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
head shower Euphoria 260 (26 457)
3 spray patterns:
Rain, SmartRain, Jet
with ball joint
rotation angle $\pm 15^\circ$
hand shower Euphoria 110 Massage
(27 239 000)
3 spray patterns:
Rain, SmartRain, Massage
adjustable height via gliding element
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
GROHE SprayDimmer (Stepless
flow rate reduction)
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min. recommended pressure 1 bar
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

27 911 000 4005176921902 Chrome 449.00



Euphoria Power&Soul System 190 Shower system with diverter for wall mounting

Consisting of:
horizontal swivable 450 mm projection shower arm
change between hand and head shower
by using the diverter
Power&Soul head shower (27 766 000)
with ball joint
rotation angle $\pm 15^\circ$
hand shower Power&Soul 115 (27 671 000)
adjustable height via gliding element
(12 140 000)
Silverflex shower hose 1750 mm (28 388 000)
Silverflex shower hose 800 mm
connection to water supply with 1/2"-thread of
the 800 mm shower hose to faucet / wall union
GROHE DreamSpray perfect spray pattern
GROHE One-click showering
push button spray selection
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
minimum flow rate 7 l/min.


GROHE NEW TEMPESTA SYSTEM



GROHE NEW TEMPESTA SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

27 922 001	4005176985348	Chrome	465.00
------------	---------------	--------	--------



Tempesta Cosmopolitan System 210 with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 210 (26 408)

Rain spray pattern

with ball joint

rotation angle $\pm 15^\circ$

hand shower New Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting


min.recommended pressure 1 bar

minimum flow rate 7 l/min.

min. recommended pressure 1 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

26 302 001	4005176408137	Chrome	465.00
------------	---------------	--------	--------



Tempesta Cosmopolitan System 210 with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:

head shower Tempesta 210 (26 408)

Rain spray pattern

with ball joint

rotation angle $\pm 15^\circ$

hand shower New Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Relexaflex shower hose 1500 mm (28 161)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-limescale system

Inner WaterGuide for a longer life

min.recommended pressure 1 bar

minimum flow rate 7 l/min.


min. recommended pressure 1 bar

optional upgrade: **GROHE EasyReach** tray (26 362)

GROHE NEW TEMPESTA SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

27 922 000	4005176923364	Chrome	479.00
------------	---------------	--------	--------



New Tempesta Cosmopolitan 160 with thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

exposed thermostatic shower

with Aquadimmer function

allows change between:
head shower 1 spray (28 232 000)

Rain

with ball joint

rotation angle $\pm 15^\circ$

hand shower New Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Silverflex shower hose 1750 mm (28 388 000)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish


SpeedClean anti-limescale system

Inner WaterGuide for a longer life

Twistfree preventing the hose from twisting

optional upgrade: **GROHE EasyReach** tray (26 362)

26 223 001	4005176408144	Chrome	595.00
------------	---------------	--------	--------



Tempesta Cosmopolitan System 210

Shower system with bath thermostat for wall mounting

Consisting of:

horizontal swivable 390 mm projection shower arm

exposed thermostat Grohtherm 1000 Cosmopolitan with Aquadimmer function

allows change between:

head shower Tempesta 210 (26 408)

Rain spray pattern

with ball joint

rotation angle $\pm 15^\circ$

bath inlet

separate diverter for hand shower

hand shower New Tempesta Cosmopolitan 100 (27 571 001)

2 spray patterns:

Rain, Jet

adjustable height via gliding element

Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)

GROHE TurboStat compact cartridge

with wax thermoelement

GROHE SafeStop safety button at 38°C

(calibration required)

GROHE SafeStop Plus optional temperature limiter at 43°C included

GROHE DreamSpray perfect spray pattern

GROHE StarLight chrome finish

SpeedClean anti-limescale system

Inner WaterGuide for a longer life


Twistfree preventing the hose from twisting

min.recommended pressure 1 bar

minimum flow rate 7 l/min.

GROHE NEW TEMPESTA SYSTEM

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------




26 224 001	4005176408168	Chrome	413.00
------------	---------------	--------	--------

Tempesta Cosmopolitan System 210 Shower system with single lever for wall mounting

Consisting of:
horizontal swivable 390 mm projection shower arm
exposed single-lever shower mixer
with diverter
allows change between:
head shower Tempesta 210 (26 408)
Rain spray pattern
with ball joint
rotation angle $\pm 15^\circ$
hand shower New Tempesta Cosmopolitan 100 (27 571 001)
2 spray patterns:
Rain, Jet
adjustable height via gliding element
Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410)
GROHE SilkMove 46 mm ceramic cartridge
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
Twistfree preventing the hose from twisting
min.recommended pressure 1 bar
minimum flow rate 7 l/min.
min. recommended pressure 1 bar

new



26 381 001	4005176451980	Chrome	229.00
------------	---------------	--------	--------



New Tempesta System 210 Flex shower system with diverter for wall mounting



Consisting of:
horizontal 390 mm shower arm, adjustable before installation
change by diverter between hand shower, head shower or head shower Eco setting
head shower Tempesta 210 (26 408)
2 spray patterns (via diverter):
chrome plated spray face
with ball joint
rotation angle $\pm 15^\circ$
hand shower New Tempesta 100 (27 852)
Rain spray pattern
adjustable height via gliding element
distance between diverter and upper bracket: 620 mm
shower hose Relexaflex 1500 mm (28 151)
shower hose Relexaflex 1250 mm (28 150)
flexible installation: connection to faucet / wall union for water supply with 1/2" thread of the 1250 mm shower hose
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
Inner WaterGuide for a longer life
ShockProof silicone ring prevents damage caused by a shower falling
min.recommended pressure 1 bar
minimum flow rate 7 l/min.

GROHE RETRO-FIT SHOWER SYSTEM




GROHE RETRO-FIT SHOWER SYSTEM











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 190 001	4005176408267	Chrome	546.00
<p>Retrofit System 210 Shower system with diverter for wall mounting Consisting of: horizontal swivable 450 mm projection shower arm built-in diverter allows change between: head shower Tempesta 210 (26 408) Rain spray pattern GROHE EcoJoy 9.5 l/min flow limiter with ball joint rotation angle $\pm 15^\circ$ hand shower New Tempesta Cosmopolitan 100 (27 571 001) 2 spray patterns: Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter adjustable height via gliding element Rotaflex shower hose 1500 mm 1/2" x 1/2" (28 409) angle adapter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min.recommended pressure 1 bar min. recommended pressure 1 bar</p>				

 	26 191 000	4005176305740	Chrome	29.00
<p>Retro-fit spacer for GROHE Retro-fit shower system 26 190 000 GROHE StarLight chrome finish</p>				

GROHE SHOWER SYSTEM ACCESSORIES













GROHE SHOWER SYSTEM ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	48 349 000	4005176409851	Chrome	100.00
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting - 15 cm shorter than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p>				
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	48 350 000	4005176409868	Chrome	125.00
<p>Rainshower SmartControl Shower system pipe for retrofitting metal shower pipe for retrofitting 15 cm longer than original shower system pipe suitable for all Rainshower SmartControl shower systems GROHE StarLight chrome finish</p> <p>Note: longer pipe cannot be installed afterwards or rather a mounted system cannot be modified to a longer pipe useable with systems as of production date 04/2017, see TPI</p>				
 	14 014 000	4005176929274	Chrome	49.00
<p>Rainshower Shower arm for shower systems metal projection 340 mm distance from wall 390 mm connection thread 1/2" GROHE StarLight chrome finish suitable for all GROHE shower systems</p>				
 	26 191 000	4005176305740	Chrome	29.00
<p>Retro-fit spacer for GROHE Retro-fit shower system 26 190 000 GROHE StarLight chrome finish</p>				
 	26 362 LN0	4005176339257	white	19.00
<p>GROHE EasyReach tray for Euphoria and New Tempesta shower systems with thermostat centre distance 150 mm</p>				











GROHE HEAD SHOWERS













GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 254 000	4005176317026	Chrome	529.00
	<p>Rainshower 360 Duo Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower 360 DUO, spray plate chrome 2 spray patterns: GROHE PureRain/GROHE Rain O² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>	<p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>		
<p>new</p> 	26 254 LS0	4005176409806	moon white	629.00
	<p>Rainshower 360 Duo Head shower set 450 mm, 2 sprays Consisting of: head shower Rainshower 360 DUO, spray plate white 2 spray patterns: GROHE PureRain/GROHE Rain O² spray* and TrioMassage horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>	<p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>		
	26 450 000	4005176409813	Chrome	491.00
	<p>Rainshower 360 Mono Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower 360 MONO, spray plate chrome 1 spray pattern: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>	<p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>		
<p>new</p> 	26 450 LS0	4005176409820	moon white	491.00
	<p>Rainshower 360 Mono Head shower set 450 mm, 1 spray Consisting of: head shower Rainshower 360 MONO, spray plate white 1 spray pattern: GROHE PureRain/GROHE Rain O² spray* horizontal 450 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 264 001 – to be ordered separately</p>	<p>* to be decided during initial installation; factory default setting: GROHE PureRain</p>		
	26 264 001	4005176417108		179.00
	<p>Rainshower 360 Rough-in box for head shower set 26 254 / 26 450 inlets and outlets 1/2" fixing points for back wall leakproof housing removable protection cover with installation information</p>			









GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 475 000	4005176423758	Chrome	470.00
<p>Rainshower 310 SmartActive Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>				
 	26 475 LS0	4005176425899	moon white	617.00
<p>Rainshower 310 SmartActive Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>				
 	26 477 000	4005176423772	Chrome	470.00
<p>Rainshower 310 SmartActive Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>				
 	26 477 LS0	4005176425912	moon white	617.00
<p>Rainshower 310 SmartActive Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>				
 	26 479 000	4005176425196	Chrome	495.00
<p>Rainshower 310 SmartActive Cube Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive Cube, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately head shower Rainshower 310 SmartActive Cube, spray plate chrome</p>				









GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 479 LS0	4005176425936	moon white	642.00
	<p>Rainshower 310 SmartActive Cube Head shower set 430 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive Cube, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain horizontal 430 mm shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>			
 	26 481 000	4005176425219	Chrome	495.00
	<p>Rainshower 310 SmartActive Cube Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive Cube, spray plate chrome 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>			
 	26 481 LS0	4005176425950	moon white	642.00
	<p>Rainshower 310 SmartActive Cube Head shower set ceiling 142 mm, 2 sprays Consisting of: head shower Rainshower 310 SmartActive Cube, spray plate moon white 2 spray patterns: GROHE PureRain, ActiveRain 142 mm ceiling shower arm GROHE DreamSpray perfect spray pattern GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life requires rough-in set 26 483 000 or 26 484 000 - to be ordered separately</p>			
 	26 483 000	4005176425103	Chrome	98.00
	<p>Rainshower Universal rough-in box, 1/2" for head shower set 26 475 / 26 477 / 26 479 / 26 481 2 inlets, 1/2" installation depth 75-105 mm connection unit in DR brass stable build-in box and protective cover leakproof housing gasket integrated flushing plug without set for final installation</p>			
 	26 484 000	4005176425110	Chrome	98.00
	<p>Rainshower Universal rough-in box, 1/2" for head shower set 26 475 / 26 477 / 26 479 / 26 481 2 inlets, 1/2" installation depth 75-105 mm connection unit in DR brass stable build-in box and protective cover leakproof housing gasket integrated flushing plug GROHE EcoJoy 9.5 l/min flow limiter per each water way without set for final installation</p>			

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
new	26 255 000	4005176317415	Chrome	749.00
		<p>Rainshower Cosmopolitan 400 Head shower set 422 mm, 1 spray Consisting of: metal head shower Rainshower Cosmopolitan 400 (28 778 000) 1 spray pattern: Rain shower arm Rainshower 422 mm (26 146 000) GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 1 bar</p>		
new	26 256 000	4005176318597	Chrome	689.00
		<p>Rainshower Cosmopolitan 400 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower Cosmopolitan 400 (28 778 000) 1 spray pattern: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater min. recommended pressure 1 bar</p>		
new	26 257 000	4005176317927	Chrome	499.00
		<p>Rainshower 310 Head shower set 422 mm, 1 spray Consisting of: Rainshower Cosmopolitan 310 head shower (27 477 000) 1 spray pattern: Rain shower arm Rainshower 422 mm (26 146 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve suitable for instantaneous heater min. recommended pressure 1 bar</p>		
	26 066 000	4005176937200	Chrome	469.00
	26 066 DC0	4005176371172	supersteel	639.00
	26 066 BE0	4005176427244	polished nickel	674.00
	26 066 EN0	4005176427251	brushed nickel	674.00
	26 066 GL0	4005176427183	cool sunrise	674.00
	26 066 GN0	4005176427190	brushed cool sunrise	674.00
	26 066 DA0	4005176427206	warm sunset	674.00
	26 066 DL0	4005176427213	brushed warm sunset	674.00
	26 066 A00	4005176427237	hard graphite	674.00
	26 066 AL0	4005176427220	brushed hard graphite	674.00
		<p>Rainshower Cosmopolitan 310 Head shower set 380 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray pattern: Rain shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve</p>		
	26 056 000	4005176937101	Chrome	469.00
	ditto, with non-restricted flow			









GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 067 000	4005176937217	Chrome	469.00
	26 067 DC0	4005176371189	supersteel	639.00
	26 067 BE0	4005176427329	polished nickel	674.00
	26 067 EN0	4005176427336	brushed nickel	674.00
	26 067 GL0	4005176427268	cool sunrise	674.00
	26 067 GN0	4005176427275	brushed cool sunrise	674.00
	26 067 DA0	4005176427282	warm sunset	674.00
	26 067 DL0	4005176427299	brushed warm sunset	674.00
	26 067 A00	4005176427312	hard graphite	674.00
	26 067 AL0	4005176427305	brushed hard graphite	674.00
	Rainshower Cosmopolitan 310 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 310 (27 478 000) 1 spray pattern: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve			
				
	26 057 000	4005176937118	Chrome	469.00
	ditto, with non-restricted flow			
	Rainshower Veris 300 Head shower set 286 mm, 1 spray Consisting of: Head shower Rainshower Veris (27 471 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
				
	26 058 000	4005176937125	Chrome	394.25
	ditto, with non-restricted flow			
	Rainshower Veris 300 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Veris (27 471 000) 1 spray pattern: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
				
	26 059 000	4005176937132	Chrome	419.00
	ditto, with non-restricted flow			
	Rainshower F-Series 10" 254 x 254 Head shower set 286 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 488 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
				
	26 060 000	4005176937149	Chrome	419.00
	ditto, with non-restricted flow			

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 071 000	4005176937255	Chrome	419.00
<p>Rainshower F-Series 10" Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Rainshower F-Series 254 (27 285 000) 1 spray pattern: Rain shower arm Rainshower ceiling 142 mm (27 485 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
<p>26 061 000 4005176937156 Chrome 419.00 ditto, with non-restricted flow</p>				
 	26 064 000	4005176937187	Chrome	479.00
<p>Rainshower Allure 230 Head shower set 286 mm, 1 spray Consisting of: Head shower Rainshower Allure 230 (27 480 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
<p>26 054 000 4005176937088 Chrome 479.00 ditto, with non-restricted flow</p>				
 	26 065 000	4005176937194	Chrome	439.00
<p>Rainshower Allure 230 Head shower set ceiling 154 mm, 1 spray Consisting of: Head shower Rainshower Allure 230 (27 480 000) 1 spray pattern: Rain shower arm Rainshower ceiling 154 mm (27 711 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
<p>26 055 000 4005176937095 Chrome 469.00 ditto, with non-restricted flow</p>				
 	26 062 000	4005176937163	Chrome	339.00
<p>Rainshower Cosmopolitan 210 Head shower set 286 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve starting at 0.5 bar flow pressure</p>				
<p>26 052 000 4005176937064 Chrome 339.00 ditto, with non-restricted flow</p>				






GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 063 000	4005176937170	Chrome	339.00
<p>Rainshower Cosmopolitan 210 Head shower set ceiling 142 mm, 1 spray Consisting of: Head shower Rainshower Cosmopolitan 210 (28 373 000) 1 spray pattern: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system DropStop no afterdripping from the horizontal shower head after closing the valve starting at 0.5 bar flow pressure</p>				
	26 053 000	4005176937071	Chrome	339.00
<p>ditto, with non-restricted flow</p>				
 	26 053 LS0	4005176997334	moon white	431.00
<p>Rainshower Cosmopolitan 210 Head shower set ceiling 142 mm, 1 spray Consisting of: Rainshower Cosmopolitan 210 metal head shower, spray plate white (28 368 LS0) 1 spray pattern: Rain shower arm Rainshower ceiling 142 mm, escutcheon white (28 724 LS0) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater starting at 0.5 bar flow pressure</p>				
 	26 459 000	4005176416965	Chrome	200.00
<p>Euphoria 260 Head shower set 380 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	26 458 000	4005176416958	Chrome	200.00
<p>ditto, with non-restricted flow</p>				
 	26 461 000	4005176416989	Chrome	159.00
<p>Euphoria 260 Head shower set ceiling 142 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	26 460 000	4005176416972	Chrome	159.00
<p>ditto, with non-restricted flow</p>				

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 072 000	4005176937262	Chrome	169.00
<p>Euphoria Cosmopolitan 180 Head shower set 286 mm, 1 spray head shower Euphoria Cosmopolitan (27 492 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	26 073 000	4005176937279	Chrome	209.00
<p>Euphoria Cube 150 Head shower set 286 mm, 1 spray head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	26 412 000	4005176390173	Chrome	145.00
<p>Tempesta 210 Head shower set 286 mm, 1 spray Consisting of: head shower Tempesta 210 (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 414 000	4005176408090	Chrome	122.00
<p>Tempesta 210 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 210 (26 410) 1 spray pattern: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	26 413 000	4005176390180	Chrome	145.00
<p>ditto, with non-restricted flow</p>				
<div style="background-color: #0070C0; color: white; padding: 2px 5px; font-weight: bold;">new</div>  	26 267 001	4005176444197	Chrome	52.00
<p>New Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure 12mm bore Min. recommended pressure 1.0 bar</p>				

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	27 869 001	4005176444005	Chrome	70.00
<p>New Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
<p>new</p> 	26 090 001	4005176443992	Chrome	65.00
<p>New Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O², Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
<p>new</p>  	26 089 001	4005176444067	Chrome	62.00
<p>New Tempesta Rustic 100 Head shower set 4 sprays GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				


GROHE HEAD SHOWERS

Ref. No. EAN code Colour Retail Guide Price (£)

new

26 373 001 4005176415593 Chrome 18,749.47

Rainshower F-Series 40" AquaSymphony
Ceiling shower 6+ sprays with light
1016 mm x 762 mm x 145 mm
metal
minimum flow rate 25 l/min
min. recommended pressure 3.0 bar
1 x AquaCurtain
1 x Pure XL spray
1 x 2 cold mist spray
2 x GROHE PureRain spray 400 x 190 mm
2 x XL Waterfall (separately controlled)
1 x 4 Bokoma Spray with adjustment angle 20° and combinations
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
SpeedClean anti-limescale system
GROHE DreamSpray perfect spray pattern
GROHE StarLight finish



requires rough-in set (26 376 001), F-digital Deluxe base unit box (26 376 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to individualised installation


The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

recommendation: configuration with Grohtherm F or Grohtherm SmartControl

new

26 376 001 4005176415609 Chrome 1,785.00


Rainshower F-Series 40"
Roughing-in set for floor mounted bath spout and bath/shower mixer
for use with Rainshower F-Series 40" AquaSymphony ceiling shower
1000 mm x 745 mm x 152 mm
min. installation depth: 167 mm
Waterways: Brass
1/2" connections



The ceiling construction must be appropriate for the static requirement of the product (total product weight > 70 kg). Ceiling shower has to be controlled by 8 outlets + 1 hand shower outlet and the performance of the waste must be of sufficient size (> 100 l/min). For detailed planning please see separate planning & installation guide before start.

27 865 000 4005176918179 Chrome 3,812.24

Rainshower F-Series 20"
Ceiling shower with light, 1 spray
Rain
508 x 508 x 59 mm
full spectrum LED: soft light with changing rainbow colours
individually adjustable: permanent lighting with colour selection
power supply for light 12 V DC
CE approved
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system
suitable for instantaneous heater




requires rough-in set (29 069 000), F-digital Deluxe base unit box (36 397 000), Bluetooth unit (36 371 000) and various cable connections – all to be ordered separately due to installation situation.











this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+
For detailed planning and product information please contact your local GROHE Customer Service.

27 286 000 4005176860737 Chrome 1,599.00













Rainshower F-Series 20"
Ceiling shower 1 spray
Rain
508 x 508 mm
connection thread 1/2"
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system













GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 939 001	4005176927287	Chrome	2,739.00
	<p>Rainshower F-Series 15" Ceiling shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 17 mm (height) x 456 mm (depth) metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min</p> <p>head shower has to be controlled by 4 outlets recommendation: Grohtherm F thermostatic trim with integrated 2-way diverter 27 618 000, 35 500 000 and triple volume control trim 27 625 000, 35 031 000</p>			
 	27 938 001	4005176927072	Chrome	2,739.00
	<p>Rainshower F-Series 15" Head shower 3 sprays Rain, Bokoma Spray, Waterfall and combinations 381 mm (width) x 60 mm (height) x 677 mm (depth) metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE XL Waterfall extra wide waterfall spray SpeedClean anti-limescale system flow of single spray at 3 bar: 1 x Rain spray 300 mm: ca. 20 l/min 2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min 4 x Bokoma Spray with adjustment angle 20°: 20 l/min Requires Rough-in (26 042) - to be ordered separately</p> <p>head shower has to be controlled by 4 outlets recommendation: Grohtherm F thermostatic trim with integrated 2-way diverter 27 618 000, 35 500 000 and triple volume control trim 27 625 000, 35 031 000</p>			
 	26 042 000	4005176935954		177.91
	<p>Rainshower F-Series 15" Roughing-in set for floor mounted bath spout and bath/shower mixer for use with Rainshower F-Series 15" Multi Spray head shower 295mm (width) x 121mm (height) x 181mm (depth) Max. installation depth: 91mm Min. wall thickness: not less than 200mm Minimum screw-in depth of stud bolts: 14mm Full metal construction Waterways: Brass 1/2" connections</p>			
 	27 467 000	4005176882609	Chrome	549.00
	<p>Rainshower F-Series 10" 254 x 254 Ceiling shower 1 spray Rain 254 x 254 mm connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
 	27 285 000	4005176860713	Chrome	399.00
	<p>Rainshower F-Series 10" Head shower 1 spray Rain 254 x 254 mm metal Ball joint +/- 20° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	27 271 000	4005176860690	Chrome	399.00
	ditto, with non-restricted flow			










GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 251 000	4005176856327	Chrome	99.00
<p>Rainshower F-Series 5" Side shower 1 spray Normal spray including concealed body 127 x 127 mm flow straightener with ball joint ($\pm 12.5^\circ$ rotatable) connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-limescale system</p>				
 	27 253 000	4005176856365	Chrome	149.00
<p>Rainshower F-Series 5" Head shower 1 spray wall or deck mounted 127 x 127 mm flow straightener with ball joint ($\pm 12.5^\circ$ rotatable) connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE FlowBalance flow regulating screw SpeedClean anti-limescale system</p>				
 	27 287 000	4005176842061	Chrome	499.00
<p>GROHE Ondus 210 Head shower 1 spray $\varnothing 210$ mm GROHE StarLight chrome finish SpeedClean anti-limescale system This headshower should only be used in conjunction with shower arm 28 497 000, 28 576 000, 28 361 000 or 28 982 000</p>				
 	27 861 000	4005176918131	Chrome	589.00
<p>Rainshower Veris 300 Ceiling shower 1 spray Rain 300 x 150 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	27 470 000	4005176882531	Chrome	419.00
<p>Rainshower Veris 300 Head shower 1 spray Rain 300 x 150 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	27 863 000	4005176918155	Chrome	599.00
<p>Rainshower Allure 230 Ceiling shower 1 spray Rain 230 x 230 mm metal connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				





GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 479 000	4005176883309	Chrome	429.00
Rainshower Allure 230 Head shower 1 spray Rain 230 x 230 mm metal ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system				
 	28 778 000	4005176820526	Chrome	579.00
Rainshower Cosmopolitan 400 Head shower 1 spray diameter 400 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE StarLight chrome finish SpeedClean anti-limescale system min. recommended pressure 1 bar this head shower should only be used in conjunction with shower arm 26 146, 28 982 or 28 497				
 	27 477 000	4005176883286	Chrome	439.00
Rainshower Cosmopolitan 310 Head shower 1 spray Rain Ø 310 mm metal ball joint with turning angle $20^\circ \pm 20^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system				
 	28 368 00E	4005176867385	Chrome	299.00
Rainshower Cosmopolitan 210 Head shower 1 spray Rain starting at 0.5 bar flow pressure Ø 210 mm metal with ball joint rotation angle $\pm 15^\circ$ connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system				
	28 368 000	4005176267253	Chrome	199.00
ditto, with non-restricted flow				
 	27 134 000	4005176836060	Chrome	109.00
Rainshower Cosmopolitan 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle $\pm 15^\circ$ connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system				

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	28 375 000	4005176267338	Chrome	319.00
	Rainshower Rustic 210 Head shower 1 spray Rain normal (wide) spray starting at 0.5 bar flow pressure Ø 210 mm 120 spray nozzles brass ball joint with turning angle 20° ± 20° connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system			
	28 369 000	4005176267260	Chrome	319.00
	ditto, with non-restricted flow			
	27 128 000	4005176835995	Chrome	139.00
	Rainshower Rustic 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray ball joint with turning angle 15° ± 15° connection thread 1/2" GROHE StarLight chrome finish SpeedClean anti-limescale system recommended for use with Rainshower shower arms			
	27 370 000	4005176877773	Chrome	149.00
	Rainshower Solo 190 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar			
	27 976 000	4005176932816	Chrome	389.00
	Rainshower Grandera 210 Head shower 1 spray Rain 210 x 210 mm metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
	27 974 000	4005176932793	Chrome	389.00
	27 974 IGO	4005176933486	chrome/gold	509.00
	Grandera 210 Head shower 1 spray 221 x 221 mm metal with ball joint rotation angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			











GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 765 000	4005176913129	Chrome	129.00
	<p>Power&Soul Cosmopolitan 190 Wall holder set 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
 	27 767 000	4005176913150	Chrome	119.00
	<p>Power&Soul 190 Wall holder set 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			



GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 308 000	4005176254949	Chrome	119.00
<p>Sena 75 Head shower 1 spray Normal spray metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	27 530 000	4005176889219	Chrome	419.00
<p>Relexa Deluxe 130 Head shower 4 sprays Normal, Rain, Champagne spray, Champagne spray Deluxe Ball joint +/- 15° rotatable GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish Inner WaterGuide for a longer life</p>				
 	27 062 000	4005176831669	Chrome	179.00
<p>Relexa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	27 065 000	4005176832109	Chrome	149.00
<p>Relexa 100 Trio Head shower 3 sprays Wide Spray/ Needle Jet / Rain ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 067 000	4005176832123	Chrome	119.00
<p>Relexa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				





GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 457 000	4005176416934	Chrome	120.00
	26 457 EN0	4005176416941	brushed nickel	168.00
	<p>Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	26 455 000	4005176416903	Chrome	120.00
	ditto, with non-restricted flow			
	27 492 000	4005176885556	Chrome	119.00
	<p>Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system min. recommended pressure 1 bar</p>			
	28 233 000	4005176868016	Chrome	79.00
	<p>Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater</p>			
	28 737 000	4005176872983	Chrome	49.00
	<p>Euphoria Rustic 130 Head shower 1 spray Rain Ball joint +/- 20° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>			
	27 705 000	4005176907166	Chrome	129.00
	<p>Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle ± 12° connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar</p>			

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 409 000	4005176390128	Chrome	82.00
	26 409 EN0	4005176390135	brushed nickel	115.00
	Tempesta 210 Head shower 1 spray Rain Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			
	26 410 000	4005176390142	Chrome	82.00
	26 410 EN0	4005176390159	brushed nickel	115.00
	ditto, with 9.5 l/min flow limiter			
	26 408 000	4005176390111	Chrome	82.00
	ditto, with non-restricted flow			
new	27 606 001	4005176444180	Chrome	53.00
		New Tempesta 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life		
new	26 050 001	4005176444166	Chrome	42.00
		New Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar		
new	27 591 001	4005176443985	Chrome	59.00
		New Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life		
new	26 051 001	4005176443954	Chrome	47.00
	New Tempesta Cosmopolitan 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar			












GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	27 541 001	4005176451676	Chrome	75.00
	<p>New Tempesta Cosmopolitan 200 Head shower 1 spray Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" suitable for instantaneous heater min. recommended pressure 1 bar</p>			
<p>new</p>  	27 610 001	4005176444050	Chrome	54.00
	<p>New Tempesta Rustic 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			











GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 094 000	4005176601132	Chrome	49.00
<p>Relaxa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE StarLight chrome finish adjustable flow rate without shower arm</p>				
 	28 189 000	4005176075650	Chrome	129.00
<p>Relaxa Plus 80 Dual Head shower 2 sprays Turbo Jet (normal spray hard)/Normal (full shower spray) with ball joint connection thread with pre-assembled sealing GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 002 000	4005176858796	Chrome	169.00
<p>Relaxa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection</p>				
 	28 948 000	4005176209871	Chrome	129.00
<p>Relaxa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 286 000	4005176198526	Chrome	89.00
<p>Relaxa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 146 000	4005176986017	Chrome	99.00
<p>Rainshower Shower arm 422 mm metal connection thread 1/2" with round escutcheon, chrome can be used for all Rainshower head showers GROHE StarLight chrome finish</p>				
 	28 982 000	4005176829987	Chrome	119.00
<p>Rainshower Shower arm 378 mm connection thread 1/2" GROHE StarLight chrome finish</p>				
 	28 361 000	4005176295157	Chrome	89.00
<p>Rainshower Shower arm, 380 mm metal connection thread 1/2" can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish</p>				
	28 576 000	4005176274022	Chrome	69.00
<p>Ditto, projection 286 mm</p>				
 	28 384 000	4005176267451	Chrome	159.00
<p>Rainshower Rustic Shower arm 272 mm connection thread 1/2" GROHE StarLight chrome finish</p>				
 	27 488 000	4005176885525	Chrome	69.00
<p>Rainshower Shower arm 275 mm metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers except Rainshower Jumbo GROHE StarLight chrome finish</p>				
 	27 709 000	4005176909092	Chrome	99.00
<p>Rainshower Shower arm 286 mm metal connection thread 1/2" with square escutcheon and rectangular arm suitable for square Rainshower Allure and Euphoria Cube head shower GROHE StarLight chrome finish</p>				

GROHE HEAD SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 497 000	4005176270338	Chrome	59.00
<p>Rainshower Shower ceiling arm 292 mm connection thread 1/2" can be used for all Rainshower head showers GROHE StarLight chrome finish</p>				
	28 724 000	4005176812644	Chrome	49.00
<p>ditto, length 142 mm</p>				
 	27 484 000	4005176885488	Chrome	59.00
<p>Rainshower Shower ceiling arm 292 mm metal connection thread 1/2" with square escutcheon can be used for all Rainshower head showers GROHE StarLight chrome finish</p>				
	27 485 000	4005176885495	Chrome	49.00
<p>ditto, 142 mm length</p>				
 	27 711 000	4005176909115	Chrome	79.00
<p>Rainshower Shower arm ceiling 154 mm metal connection thread 1/2" GROHE StarLight chrome finish</p>				
 	27 986 000	4005176933011	Chrome	89.00
	27 986 IGO	4005176933547	chrome/gold	119.00
<p>Rainshower Grandera Shower arm 286 mm projection 286 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers</p>				
 	27 982 000	4005176932878	Chrome	79.00
	27 982 IGO	4005176933523	chrome/gold	99.00
<p>Rainshower Grandera Shower ceiling arm 292 mm metal connection thread 1/2" Grandera escutcheon GROHE StarLight chrome finish suitable for all Grandera head showers</p>				
	27 978 000	4005176932830	Chrome	69.00
	27 978 IGO	4005176933509	chrome/gold	89.00
<p>ditto, 142 mm length</p>				



GROHE HEAD SHOWERS

Ref. No.	EAN code	Colour	Retail Guide Price (£)
28 541 000	4005176040528	Chrome	39.00
<p>Relexa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish</p>			
28 429 000	4005176601910	Chrome	49.00
<p>Relexa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish</p>			
48 348 000	4005176408502	Chrome	20.00
<p>Spray face for SmartControl and head showers with multiple Bokoma sprays including spray face with / without GROHE Logo including disassembly key</p>			

GROHE SENA













GROHE SENA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 341 000	4005176259463	Chrome	129.00
<p>Sena Stick Hand shower 1 spray Normal spray metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	28 581 000	4005176276996	Chrome	189.00
<p>Sena Shower rail set 1 spray hand shower Sena Stick (28 034 000) shower rail 600 mm (28 580 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) angle adapter (28 389 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	28 347 000	4005176262791	Chrome	209.00
<p>Sena Wall holder set 1 spray metal hand shower Sena Stick (28 034 000) wall shower holder (28 690 000) shower hose (28 151 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	28 348 000	4005176263262	Chrome	129.00
<p>Sena 75 Head shower 1 spray Normal spray metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 308 000	4005176254949	Chrome	119.00
<p>Sena 75 Head shower 1 spray Normal spray metal GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 690 000	4005176256196	Chrome	89.00
<p>Sena Wall hand Shower holder non-adjustable metal GROHE StarLight chrome finish</p>				
 	28 389 000	4005176269837	Chrome	11.90
<p>Sena Adapter 1/2" x 1/2" metal for use with hand shower holder or shower rail GROHE StarLight chrome finish</p>				


GROHE RAINSHOWER













GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 756 000	4005176819667	Chrome	109.00
<p>Rainshower Cosmopolitan 160 Hand shower 4 sprays Rain / Jet / Pure / Champagne spray GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	28 755 000	4005176819650	Chrome	99.00
<p>Rainshower Cosmopolitan 130 Hand shower 3 sprays Rain / Jet / Pure GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	28 758 001	4005176875533	Chrome	209.00
<p>Rainshower Cosmopolitan 160 Shower rail set 4 sprays hand shower Cosmopolitan (28 756 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) Twistfree preventing the hose from twisting</p>				
	28 763 001	4005176875557	Chrome	229.00
<p>ditto, 900 mm rail</p>				
 	28 757 001	4005176875526	Chrome	199.00
<p>Rainshower Cosmopolitan 130 Shower rail set 3 sprays hand shower Cosmopolitan (28 755 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes Twistfree preventing the hose from twisting</p>				
	28 762 001	4005176875540	Chrome	219.00
<p>ditto, 900 mm rail</p>				
 	27 134 000	4005176836060	Chrome	109.00
<p>Rainshower Cosmopolitan 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray Ø 160 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				









GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 765 000	4005176820120	Chrome	99.00
<p>Rainshower Classic 160 Hand shower 4 sprays Rain / Jet / Pure / Champagne spray GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	28 764 000	4005176820113	Chrome	89.00
<p>Rainshower Classic 130 Hand shower 3 sprays Rain / Jet / Pure GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	28 768 001	4005176875571	Chrome	189.00
<p>Rainshower Classic 160 Shower rail set 4 sprays Hand shower Classic (28 765 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes Twistfree preventing the hose from twisting</p>				
	28 770 001	4005176875595	Chrome	209.00
<p>ditto, 900 mm rail</p>				
 	28 767 001	4005176875564	Chrome	179.00
<p>Rainshower Classic 130 Shower rail set 3 sprays hand shower Classic (28 764 000) shower rail, 600 mm (28 797 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE StarLight chrome finish Twistfree preventing the hose from twisting GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes</p>				
	28 769 001	4005176875588	Chrome	199.00
<p>ditto, 900 mm rail</p>				





GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 127 000	4005176835988	Chrome	109.00
<p>Rainshower Rustic 130 Hand shower 3 sprays Rain / Jet / Pure GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 139 000	4005176836688	Chrome	229.00
<p>Rainshower Rustic 130 Shower rail set 3 sprays hand shower Rustic 130 (27 127 000) shower rail, 600 mm (28 666 000) Rotaflex shower hose 1750 mm 1/2" x 1/2" (28 410) soap dish GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 128 000	4005176835995	Chrome	139.00
<p>Rainshower Rustic 160 Head shower 4 sprays Rain / Jet / Pure / Champagne spray ball joint with turning angle 15° ± 15° connection thread 1/2" GROHE StarLight chrome finish SpeedClean anti-limescale system recommended for use with Rainshower shower arms</p>				
 	28 369 000	4005176267260	Chrome	319.00
<p>Rainshower Rustic 210 Head shower 1 spray metal ball joint with turning angle 20° ± 20° connection thread 1/2" GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	27 283 000	4005176861444	Chrome	99.00
<p>Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
	27 276 000	4005176861437	Chrome	79.00
<p>ditto, with non-restricted flow</p>				









GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 637 000	4005176900808	chrome/misty slate	79.00
	Rainshower Icon 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) metal elbow adapter for the combination of hand showers with shower hoses GROHE EcoJoy technology for less water and perfect flow GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
 	27 377 000	4005176877476	Chrome	59.00
	Rainshower Icon 100 Hand shower 1 spray Rain Elbow adapter for the combination of handshowers with shower sets GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	27 375 000	4005176877452	Chrome	59.00
	ditto, with non-restricted flow			
 	26 115 DU0	4005176982309	purple	69.00
	26 115 DP0	4005176982316	pink	69.00
	26 115 YF0	4005176982293	yellow	69.00
	26 115 TY0	4005176982323	blue	69.00
	Rainshower Icon 100 Hand shower 1 spray Rain Ø 100 mm with white rubber flower Elbow adapter for the combination of handshowers with shower sets GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
	26 115 YR0	4005176982286	orange	69.00
	26 115 DG0	4005176982170	red	69.00
	ditto, with yellow rubber flower			
 	27 402 001	4005176877919	Chrome	189.00
	Rainshower Icon 150 Shower rail set 2 sprays Consisting of: hand shower Icon 150 (27 283 000) shower rail 900 mm (28 819 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) Elbow adapter for the combination of handshowers with shower sets GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting			
	27 277 001	4005176875489	Chrome	189.00
	ditto, with non-restricted flow			









GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 378 000	4005176877780	Chrome	159.00
	Rainshower Icon 100 Shower rail set 1 spray hand shower Icon 100 (27 377 000) shower rail, 600 mm (28 797 001) Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting			
	27 379 000	4005176877797	Chrome	169.00
	ditto, 900mm hose			
 	27 383 000	4005176877827	Chrome	89.00
	Rainshower Icon 100 Wall holder set 1 spray hand shower Icon 100 (27 377 000) wall shower holder (27 056 000) Silverflex shower hose 1250 mm (28 362) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting			

GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 272 000	4005176860836	Chrome	99.00
<p>Rainshower Solo 150 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) Elbow adapter for the combination of handshowers with shower sets GROHE EcoJoy technology for less water and perfect flow GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 376 000	4005176877469	Chrome	59.00
<p>Rainshower Solo 100 Hand shower 1 spray Rain Elbow adapter for the combination of handshowers with shower sets GROHE EcoJoy 9.5 l/min flow limiter GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 273 001	4005176875502	Chrome	219.00
<p>Rainshower Solo 150 Shower rail set 2 sprays hand shower Solo 150 (27 272 000) shower rail 900 mm (28 819 001) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) Elbow adapter for the combination of handshowers with shower sets GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 370 000	4005176877773	Chrome	149.00
<p>Rainshower Solo 190 Headshower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar</p>				











GROHE RAINSHOWER

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 274 000	4005176861383	Chrome	99.00
<p>Rainshower Eco 120 Hand shower 2 sprays Rain, SmartRain Eco function (reduction of flow rate) Elbow adapter for the combination of handshowers with shower sets GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	28 797 001	4005176870941	Chrome	109.00
<p>Rainshower Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) GROHE StarLight chrome finish</p>				
 	28 819 001	4005176870958	Chrome	119.00
<p>Rainshower Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) GROHE StarLight chrome finish</p>				
 	27 136 001	4005176870965	Chrome	139.00
<p>Rainshower Shower rail, 1150 mm with wall holders made of metal glide element and swivel holder adjustable distance between wall brackets to adapt to existing drill holes GROHE StarLight chrome finish</p>				









GROHE POWER&SOUL













GROHE POWER&SOUL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 668 000	4005176905698	Chrome	119.00
<p>Power&Soul Cosmopolitan 160 Hand Shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 664 000	4005176905469	Chrome	99.00
<p>Power&Soul Cosmopolitan 130 Hand Shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 661 000	4005176905438	Chrome	89.00
<p>Power&Soul Cosmopolitan 115 Hand shower 2 sprays GROHE Rain O², Rain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 744 000	4005176912900	Chrome	199.00
<p>Power&Soul Cosmopolitan 160 Shower rail set 4+ sprays Consisting of: hand shower Power&Soul Cosmopolitan 160 (27 669 000) shower rail 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
	27 746 000	4005176912924	Chrome	199.00
ditto, 900 mm				
 	27 732 000	4005176910920	Chrome	179.00
<p>Power&Soul Cosmopolitan 130 Shower rail set 4+ sprays Consisting of: hand shower Power&Soul Cosmopolitan 130 (27 664 000) shower rail 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
	27 734 000	4005176910944	Chrome	189.00
ditto, 900 mm				









GROHE POWER&SOUL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 753 000	4005176913006	Chrome	169.00
<p>Power&Soul Cosmopolitan 115 Shower rail set 2 sprays hand shower Power&Soul Cosmopolitan 115 (27 661 000) shower rail 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
	27 755 000	4005176913020	Chrome	179.00
<p>ditto, 900 mm rail</p>				
 	27 741 000	4005176911125	Chrome	139.00
<p>Power&Soul Cosmopolitan 130 Wall holder set 4+ sprays hand shower Power&Soul Cosmopolitan 130 (27 664 000) wall shower holder, adjustable (27 055 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 838 000	4005176916168	Chrome	119.00
<p>Power&Soul Cosmopolitan 115 Wall holder set 2 sprays hand shower Power&Soul Cosmopolitan 115 (27 661 000) wall shower holder (27 056 000) Silverflex shower hose 1250 mm (28 362) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 765 000	4005176913129	Chrome	129.00
<p>Power&Soul Cosmopolitan 190 Wall holder set 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				









GROHE POWER&SOUL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 675 000	4005176905766	Chrome	99.00
<p>Power&Soul 160 Hand Shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 673 000	4005176905742	Chrome	79.00
<p>Power&Soul 130 Hand shower 4+ sprays, spray plate night time grey GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 673 LSO	4005176409844	moon white	87.00
<p>Power&Soul 130 Hand shower 4+ sprays, spray plate white GROHE Rain O², Rain, Bokoma Spray, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	27 672 000	4005176905735	Chrome	79.00
<p>Power&Soul 130 Hand Shower 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses min. recommended pressure 1 bar</p>				
 	27 671 000	4005176905728	Chrome	69.00
<p>Power&Soul 115 Hand shower 2 sprays, spray plate night time grey GROHE Rain O², Rain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				

GROHE POWER&SOUL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 671 LS0	4005176409837	moon white	77.00
<p>Power&Soul 115 Hand shower 2 sprays, spray plate white GROHE Rain O², Rain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 748 000	4005176912948	Chrome	189.00
<p>Power&Soul 160 Shower rail set 4+ sprays Consisting of: hand shower Power&Soul 160 (27 675 000) shower rail 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE CoolTouch GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
	27 750 000	4005176912962	Chrome	189.00
ditto, 900 mm				
 	27 736 000	4005176910968	Chrome	169.00
<p>Power&Soul 130 Shower rail set 4+ sprays Consisting of: hand shower Power&Soul 130 (27 573 000) shower rail 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 757 000	4005176913044	Chrome	159.00
<p>Power&Soul 115 Shower rail set 2 sprays hand shower Power&Soul 115 (27 671 000) shower rail 600 mm (27 784 000) with wall holders made of metal Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix Plus adjustable distance between brackets, to adapt to existing holes SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
	27 759 000	4005176913068	Chrome	159.00
ditto, 900 mm rail				

GROHE POWER&SOUL


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 742 000	4005176911132	Chrome	119.00
<p>Power&Soul 130 Wall holder set 4+ sprays hand shower Power&Soul 130 (27 573 000) wall shower holder, adjustable (27 055 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 839 000	4005176916175	Chrome	99.00
<p>Power&Soul 115 Wall holder set 2 sprays Consisting of: hand shower Power&Soul 115 (27 671 000) wall shower holder (27 056 000) Silverflex shower hose 1250 mm (28 362) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 767 000	4005176913150	Chrome	119.00
<p>Power&Soul 190 Wall holder set 4+ sprays GROHE Rain O², Rain, Bokoma Spray, Jet Ø 190 mm ball joint with turning angle ± 15° connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE One-click showering push button spray selection GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	27 785 000	4005176913983	Chrome	99.00
<p>Power&Soul Shower rail, 900 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) GROHE StarLight chrome finish</p>				
	27 784 000	4005176913976	Chrome	89.00
<p>ditto, shower rail 600 mm</p>				

GROHE RELEXA



GROHE RELEXA









Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 530 000	4005176889219	Chrome	419.00



Relexa Deluxe 130
Head shower 4 sprays
Normal, Rain, Champagne spray, Champagne spray Deluxe
Ball joint +/- 15° rotatable
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
Inner WaterGuide for a longer life

GROHE RELEXA











	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 796 000	4005176824296	Chrome	119.00
<p>Relaxa 100 Five Hand shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	28 793 000	4005176823961	Chrome	69.00
<p>Relaxa 100 Trio Hand shower 3 sprays Wide Spray/ Needle Jet / Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 062 000	4005176831669	Chrome	179.00
<p>Relaxa 100 Five Head shower 5 sprays Wide spray / Needle Jet / Rain / Massage / Champagne spray ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life minimum flow rate 7.5 l/min.</p>				
 	27 065 000	4005176832109	Chrome	149.00
<p>Relaxa 100 Trio Head shower 3 sprays Wide Spray/ Needle Jet / Rain ball-joint connection thread with pre-assembled sealing GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 067 000	4005176832123	Chrome	119.00
<p>Relaxa 65 Side shower 2 sprays Wide spray/Massage ball-joint GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	28 094 000	4005176601132	Chrome	49.00
<p>Relaxa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE StarLight chrome finish adjustable flow rate without shower arm</p>				

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 189 000	4005176075650	Chrome	129.00
<p>Relexa Plus 80 Dual Head shower 2 sprays Turbo Jet (normal spray hard)/Normal (full shower spray) with ball joint connection thread with pre-assembled sealing GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 002 000	4005176858796	Chrome	169.00
<p>Relexa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection</p>				
 	28 948 000	4005176209871	Chrome	129.00
<p>Relexa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 286 000	4005176198526	Chrome	89.00
<p>Relexa 50 Side shower 2 sprays Wide Spray/ Needle Jet ball-joint GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				









GROHE EUPHORIA











GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 239 000	4005176854323	Chrome	54.00
<p>Euphoria 110 Massage Hand shower 3 sprays Rain, Massage, SmartRain GROHE EcoJoy 9.5 l/min flow limiter GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
 	27 220 000	4005176854118	Chrome	39.00
<p>Euphoria 110 Duo Hand shower 2 sprays Rain, SmartRain GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
 	27 224 000	4005176854156	Chrome	29.00
<p>Euphoria 110 Mono Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar</p>				
 	27 243 001	4005176899799	Chrome	89.00
<p>Euphoria 110 Massage Shower rail set 3 sprays hand shower Massage (27 239 000) shower rail, 600 mm (27 499 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater</p>				
 	27 231 001	4005176899553	Chrome	89.00
<p>Euphoria 110 Massage Shower rail set 3 sprays hand shower Massage (27 221 000) shower rail, 600 mm (27 499 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater</p>				







GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 230 001	4005176899546	Chrome	84.00
<p>Euphoria 110 Duo Shower rail set 2 sprays hand shower Duo (27 220 000) shower rail, 600 mm (27 499 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater</p>				
 	27 256 001	4005176899805	Chrome	74.00
<p>Euphoria 110 Mono Shower rail set 1 spray hand shower Mono (27 224 000) shower rail, 600 mm (27 499 000) shower hose 1500 mm (28 161) soap dish GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	27 226 DC1	4005176374456	supersteel	149.00
	27 226 BE1	4005176427169	polished nickel	169.00
	27 226 EN1	4005176427176	brushed nickel	169.00
	27 226 GL1	4005176427107	cool sunrise	169.00
	27 226 GN1	4005176427114	brushed cool sunrise	169.00
	27 226 DA1	4005176427121	warm sunset	169.00
	27 226 DL1	4005176427138	brushed warm sunset	169.00
	27 226 A01	4005176427152	hard graphite	169.00
	27 226 AL1	4005176427145	brushed hard graphite	169.00
<p>Euphoria 110 Massage Shower rail set 3 sprays Consisting of: hand shower Massage (27 221 000) shower rail 900 mm (27 500 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight finish GROHE SprayDimmer (Stepless flow rate reduction) GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	27 225 001	4005176899508	Chrome	89.00
<p>Euphoria 110 Duo Shower rail set 2 sprays hand shower Duo (27 220 000) shower rail 900 mm (27 500 000) Silverflex shower hose 1750 mm (28 388 000) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish GROHE QuickFix (upper bracket adjustable to adapt to existing holes) SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater</p>				







GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 355 000	4005176874451	Chrome	89.00
<p>Euphoria 110 Champagne Wall holder set 3 sprays Wall shower holder 28 401 Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE SprayDimmer (Stepless flow rate reduction) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	27 354 000	4005176874444	Chrome	49.00
<p>Euphoria 110 Mono Wall holder set 1 spray wall shower holder (27 056 000) Silverflex shower hose 1250 mm (28 362) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 459 000	4005176416965	Chrome	200.00
<p>Euphoria 260 Head shower set 380 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower 380 mm (28 361 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	26 458 000	4005176416958	Chrome	200.00
<p>ditto, with non-restricted flow</p>				
 	26 461 000	4005176416989	Chrome	159.00
<p>Euphoria 260 Head shower set ceiling 142 mm, 3 sprays Consisting of: head shower Euphoria 260 (26 457) 3 spray patterns: Rain, SmartRain, Jet shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	26 460 000	4005176416972	Chrome	159.00
<p>ditto, with non-restricted flow</p>				









GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	26 457 000	4005176416934	Chrome	120.00
	26 457 EN0	4005176416941	brushed nickel	168.00
	<p>Euphoria 260 Head shower 3 sprays Rain, SmartRain, Jet Ø 260 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>			
	26 455 000	4005176416903	Chrome	120.00
	ditto, with non-restricted flow			
	27 499 000	4005176886041	Chrome	39.00
		<p>Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable to adapt to existing holes) GROHE StarLight chrome finish</p>		
	27 500 000	4005176886058	Chrome	49.00
	ditto, 900 mm			
	27 596 000	4005176895944		9.00
		<p>GROHE EasyReach tray acrylic for New Tempesta and Euphoria shower rails Ø 22 mm</p>		
				











GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 400 000	4005176877292	Chrome	39.00
	27 400 DC0	4005176374470	supersteel	56.00
	27 400 BE0	4005176427077	polished nickel	63.00
	27 400 EN0	4005176889394	brushed nickel	63.00
	27 400 GL0	4005176407628	cool sunrise	63.00
	27 400 GN0	4005176427053	brushed cool sunrise	63.00
	27 400 DA0	4005176407611	warm sunset	63.00
	27 400 DL0	4005176427060	brushed warm sunset	63.00
	Euphoria Cosmopolitan Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar			
	27 367 000	4005176875939	Chrome	39.00
	ditto, with non-restricted flow			
 	27 369 000	4005176875953	Chrome	69.00
	Euphoria Cosmopolitan Stick Wall holder set 1 spray hand shower 27 400 000 wall shower holder (27 056 000) Silverflex shower hose 1.500 mm (28 364) GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting suitable for instantaneous heater Min. recommended pressure 0.5 bar			
 	26 072 000	4005176937262	Chrome	169.00
	Euphoria Cosmopolitan 180 Head shower set 286 mm, 1 spray head shower Euphoria Cosmopolitan (27 492 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system			
 	27 492 000	4005176885556	Chrome	119.00
	Euphoria Cosmopolitan 180 Head shower 1 spray Rain Ø 180 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system min. recommended pressure 1 bar			
	27 491 000	4005176885549	Chrome	119.00
	ditto, with non-restricted flow			
 	28 233 000	4005176868016	Chrome	79.00
	Euphoria Cosmopolitan 160 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system suitable for instantaneous heater			
	28 232 000	4005176868009	Chrome	79.00
	ditto, with non-restricted flow			

GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 888 000	4005176921179	Chrome	79.00
<p>Euphoria Cube+ Stick Hand shower 1 spray Normal spray metal GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses</p>				
	27 884 001	4005176919695	Chrome	79.00
<p>ditto, with non-restricted flow</p>				
 	27 891 000	4005176921209	Chrome	219.00
<p>Euphoria Cube+ Stick Shower rail set 1 spray hand shower, metal (27 888 000) shower rail 600 mm (27 892 000) metal shower hose 1750 mm (28 025 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 890 000	4005176921193	Chrome	229.00
<p>Euphoria Cube+ Stick Shower rail set 1 spray Consisting of: hand shower, metal (27 888 000) shower rail 900 mm (27 841 000) metal shower hose 1750 mm (28 025 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				
 	27 889 000	4005176921186	Chrome	119.00
<p>Euphoria Cube+ Stick Wall holder set 1 spray hand shower, metal (27 888 000) wall shower holder (27 706 000) metal shower hose 1500 mm (28 417) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting</p>				

GROHE EUPHORIA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 699 000	4005176907104	Chrome	39.00
	Euphoria Cube Stick Hand shower 1 spray Normal spray GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses			
	27 698 000	4005176907098	Chrome	39.00
	ditto, with non-restricted flow			
 	27 700 000	4005176907111	Chrome	189.00
	Euphoria Cube Stick Shower rail set 1 spray Hand shower (27 698 000) shower rail 900 mm (27 841 000) Silverflex shower hose 1750 mm (28 388 000) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar			
 	27 703 000	4005176907142	Chrome	69.00
	Euphoria Cube Stick Wall holder set 1 spray Handshower (27 699 000) wall shower holder (27 693 000) Silverflex shower hose 1250 mm (28 362) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar			
	27 702 000	4005176907135	Chrome	69.00
	ditto, with non-restricted flow			
 	26 073 000	4005176937279	Chrome	209.00
	Euphoria Cube 150 Head shower set 286 mm, 1 spray head shower Euphoria Cube 150 (27 705 000) 1 spray pattern: Rain Shower arm Rainshower 286 mm (27 709 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life			
 	27 705 000	4005176907166	Chrome	129.00
	Euphoria Cube 150 Head shower 1 spray Rain 152 x 152 mm ball-joint rotation angle $\pm 12^\circ$ connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar			

GROHE EUPHORIA

Ref. No.	EAN code	Colour	Retail Guide Price (£)
28 737 000	4005176872983	Chrome	49.00











Euphoria Rustic 130
Head shower 1 spray
Rain
Ball joint +/- 20° rotatable
connection thread 1/2"
GROHE EcoJoy 9.5 l/min flow limiter
GROHE DreamSpray perfect spray pattern
GROHE StarLight chrome finish
SpeedClean anti-limescale system


GROHE NEW TEMPESTA



GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	27 608 001	4005176444029	Chrome	47.00
	<p>New Tempesta Rustic 100 Hand shower 4 sprays GROHE Rain O², Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
	26 085 001	4005176444036	Chrome	41.00
	ditto, with non-restricted flow			
<p>new</p>  	27 609 001	4005176451898	Chrome	88.00
	<p>New Tempesta Rustic 100 Shower rail set 4 sprays hand shower (27 608) shower rail, 600 mm (27 519) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
	26 086 001	4005176451904	Chrome	83.00
	ditto, with non-restricted flow			
<p>new</p>  	27 805 001	4005176451911	Chrome	61.00
	<p>New Tempesta Rustic 100 Wall holder set 4 sprays hand shower (27 608) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
	26 089 001	4005176444067	Chrome	62.00
	ditto, with non-restricted flow			
<p>new</p>  	27 610 001	4005176444050	Chrome	54.00
	<p>New Tempesta Rustic 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable connection thread 1/2"</p>			
	<p>GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>			
	<p>suitable for instantaneous heater min. recommended pressure 1 bar</p>			

GROHE NEW TEMPESTA











Ref. No.	EAN code	Colour	Retail Guide Price (£)
27 519 000	4005176886485	Chrome	49.00
Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish			
27 520 000	4005176886492	Chrome	49.00
ditto, 900 mm			






GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
new	27 575 002	4005176443930	Chrome	42.00
		New Tempesta Cosmopolitan 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses		
	27 573 002	4005176443947	Chrome	42.00
	ditto, with non-restricted flow			
new	27 574 002	4005176443916	Chrome	32.00
		New Tempesta Cosmopolitan 100 Hand shower 3 sprays GROHE Rain O ² , Rain, Massage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses		
	27 572 002	4005176443923	Chrome	32.00
	ditto, with non-restricted flow			
new	27 571 20E	4005176443275	Chrome	25.00
		New Tempesta Cosmopolitan 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses suitable for instantaneous heater min. recommended pressure 1 bar		
	27 571 002	4005176443893	Chrome	25.00
	ditto, with non-restricted flow			
	26 130 001	4005176443909	Chrome	25.00
	ditto, with non-restricted flow, for low pressure			
		New Tempesta Cosmopolitan 100 Hand shower 1 spray Rain GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Universal Mounting System. Fits all standard shower hoses		
	26 082 002	4005176443268	Chrome	20.00
new	27 576 002	4005176451560	Chrome	74.00
		New Tempesta Cosmopolitan 100 Shower set 3 sprays Consisting of: hand shower (27 574) shower rail, 600 mm (27 521 000) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar		










GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<div style="background-color: #0070C0; color: white; padding: 2px; font-weight: bold;">new</div>  	26 083 002	4005176451546	Chrome	58.00
<p>New Tempesta Cosmopolitan 100 Shower rail set 1 spray Consisting of: hand shower (26 082) shower rail, 600mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
<div style="background-color: #0070C0; color: white; padding: 2px; font-weight: bold;">new</div>  	27 580 002	4005176451515	Chrome	72.00
<p>New Tempesta Cosmopolitan 100 Shower rail set 4 sprays Consisting of: hand shower New Tempesta Cosmopolitan 100 (27 575) shower rail, 600mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
	27 787 002	4005176451522	Chrome	72.00
<p>ditto, with non-restricted flow</p>				
<div style="background-color: #0070C0; color: white; padding: 2px; font-weight: bold;">new</div>  	27 579 002	4005176451492	Chrome	65.00
<p>New Tempesta Cosmopolitan 100 Shower rail set 3 sprays Consisting of: hand shower (27 574) shower rail, 600mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
	27 786 002	4005176451508	Chrome	65.00
<p>ditto, with non-restricted flow</p>				
<div style="background-color: #0070C0; color: white; padding: 2px; font-weight: bold;">new</div>  	27 578 20E	4005176451362	Chrome	58.00
<p>New Tempesta Cosmopolitan 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta Cosmopolitan 100 (27 571 20E) shower rail, 600mm (27 521) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
	27 578 002	4005176451386	Chrome	58.00
<p>ditto, with non-restricted flow</p>				






GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p> 	27 584 002	4005176451621	Chrome	48.00
<p>New Tempesta Cosmopolitan 100 Shower set 3 sprays hand shower (27 574) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
<p>new</p> 	27 588 002	4005176451669	Chrome	45.00
<p>New Tempesta Cosmopolitan 100 Wall holder set 3 sprays Consisting of: hand shower (27 574) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE EcoJoy 9.5 l/min flow limiter GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
<p>new</p> 	26 084 002	4005176451645	Chrome	32.00
<p>New Tempesta Cosmopolitan 100 Wall holder set 1 spray Consisting of: hand shower (26 082) wall shower holder non-adjustable (27 594) Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151) GROHE StarLight chrome finish GROHE DreamSpray perfect spray pattern SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
<p>new</p> 	27 869 001	4005176444005	Chrome	70.00
<p>New Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
<p>new</p> 	26 090 001	4005176443992	Chrome	65.00
<p>New Tempesta Cosmopolitan 100 Head shower set 3 sprays GROHE Rain O², Rain, Massage Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				









GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	27 591 001	4005176443985	Chrome	59.00
<p>New Tempesta Cosmopolitan 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
<p>new</p> 	26 051 001	4005176443954	Chrome	47.00
<p>New Tempesta Cosmopolitan 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
<p>new</p>  	27 541 001	4005176451676	Chrome	75.00
<p>New Tempesta Cosmopolitan 200 Head shower 1 spray Rain spray pattern Ball joint +/- 20° rotatable connection thread 1/2" suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	27 521 000	4005176886508	Chrome	39.00
<p>New Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish</p>				
	27 522 000	4005176886515	Chrome	49.00
<p>ditto, 900 mm</p>				
 	27 596 000	4005176895944		9.00
<p>GROHE EasyReach tray acrylic for New Tempesta and Euphoria shower rails Ø 22 mm</p>				









GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	28 421 002	4005176444142	Chrome	39.00
	New Tempesta 100 Hand shower 4 sprays GROHE Rain O ² , Rain, Massage, Jet GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	28 578 002	4005176444159	Chrome	39.00
	ditto, with non-restricted flow			
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	28 419 002	4005176444128	Chrome	29.00
	New Tempesta 100 Hand shower 3 sprays GROHE Rain O ² , Rain, Massage GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	28 261 002	4005176444135	Chrome	29.00
	ditto, with non-restricted flow			
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	27 597 10E	4005176985409	Chrome	23.00
	New Tempesta 100 Hand shower 2 sprays Rain, Jet GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling			
	27 597 001	4005176985508	Chrome	23.00
	ditto, with non-restricted flow			
	28 422 002	4005176444111	Chrome	23.00
	ditto, with non-restricted flow, for low pressure			
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	27 923 001	4005176444074	Chrome	18.00
	New Tempesta 100 Hand shower 1 spray Rain GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling Universal Mounting System. Fits all standard shower hoses			
	27 852 001	4005176444081	Chrome	18.00
	ditto, with non-restricted flow			
	28 214 003	4005176444098	Chrome	22.00
	ditto, with non-restricted flow, for low pressure			









GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	28 436 002	4005176451799	Chrome	73.00
<p>New Tempesta 100 Shower rail set 4 sprays Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>				
<p>new</p>  	27 600 001	4005176451775	Chrome	67.00
<p>New Tempesta 100 Shower rail set 3 sprays Consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>				
<p>new</p>  	27 926 001	4005176451768	Chrome	61.00
<p>New Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta 100 (27 597 10E) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EasyReach tray (27 596) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>				
<p>new</p>  	27 645 001	4005176451744	Chrome	65.00
<p>New Tempesta 100 Shower rail set 4 sprays Consisting of: hand shower (28 421) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>				
	27 795 001	4005176451751	Chrome	65.00
<p>ditto, with non-restricted flow</p>				

GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	27 644 001	4005176451720	Chrome	59.00
	<p>New Tempesta 100 Shower rail set 3 sprays Consisting of: hand shower (28 419) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	27 794 001	4005176451737	Chrome	59.00
	ditto, with non-restricted flow			
<p>new</p>  	27 598 10E	4005176985416	Chrome	53.00
	<p>New Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower Tempesta 100 (27 597 10E) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	27 598 001	4005176985515	Chrome	53.00
	ditto, with non-restricted flow			
<p>new</p>  	27 924 001	4005176451690	Chrome	44.00
	<p>New Tempesta 100 Shower rail set 1 spray Consisting of: hand shower (27 923) shower rail, 600 mm (27 523) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	27 853 001	4005176451706	Chrome	44.00
	ditto, with non-restricted flow			
<p>new</p>  	28 789 002	4005176451843	Chrome	65.00
	<p>New Tempesta 100 Shower rail set 3 sprays Consisting of: hand shower (28 419) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling</p>			
	27 796 001	4005176451850	Chrome	65.00
	ditto, with non-restricted flow			





GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	27 646 10E	4005176985423	Chrome	59.00
<p>New Tempesta 100 Shower rail set 2 sprays Consisting of: hand shower (27 597) shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	27 646 001	4005176985522	Chrome	59.00
<p>ditto, with non-restricted flow</p>				
<p>new</p>  	27 854 001	4005176451829	Chrome	50.00
<p>New Tempesta 100 Shower rail set 1 spray Consisting of: 50001JK7 shower rail, 900 mm (27 524) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>				
<p>new</p>  	27 601 10E	4005176985430	Chrome	38.00
<p>New Tempesta 100 Wall holder set 2 sprays hand shower (27 597) wall shower holder adjustable (27 595) Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling min. recommended pressure 1 bar</p>				
<p>new</p>  	27 798 10E	4005176985447	Chrome	33.00
<p>New Tempesta 100 Wall holder set 2 sprays Consisting of: hand shower (27 597) wall shower holder (28 605) non-adjustable Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150) GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life ShockProof silicone ring prevents damage caused by a shower falling suitable for instantaneous heater min. recommended pressure 1 bar</p>				
	27 799 001	4005176985539	Chrome	33.00
<p>ditto, with non-restricted flow</p>				

GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 412 000	4005176390173	Chrome	145.00
<p>Tempesta 210 Head shower set 286 mm, 1 spray Consisting of: head shower Tempesta 210 (26 410) 1 spray pattern: Rain Shower arm Rainshower 286 mm (28 576 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	26 267 001	4005176444197	Chrome	52.00
<p>New Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable shower arm with connection thread 1/2" escutcheon GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life for low pressure 12mm bore Min. recommended pressure 1.0 bar</p>				
 	26 414 000	4005176408090	Chrome	122.00
<p>Tempesta 210 Head shower set ceiling 142 mm, 1 spray Consisting of: head shower Tempesta 210 (26 410) 1 spray pattern: Rain shower arm Rainshower ceiling 142 mm (28 724 000) GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
<p>26 413 000 4005176390180 Chrome 145.00 ditto, with non-restricted flow</p>				
	26 409 000	4005176390128	Chrome	82.00
	26 409 EN0	4005176390135	brushed nickel	115.00
<p>Tempesta 210 Head shower 1 spray Rain Ø 210 mm Ball joint +/- 15° rotatable connection thread 1/2" GROHE EcoJoy 6.6 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
<p>26 410 000 4005176390142 Chrome 82.00 26 410 EN0 4005176390159 brushed nickel 115.00 ditto, with 9.5 l/min flow limiter</p>				
<p>26 408 000 4005176390111 Chrome 82.00 ditto, with non-restricted flow</p>				


GROHE NEW TEMPESTA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	27 606 001	4005176444180	Chrome	53.00
<p>New Tempesta 100 Head shower 4 sprays GROHE Rain O², Rain, Massage, Jet connection thread 1/2" GROHE EcoJoy 9.5 l/min flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life</p>				
<p>new</p>  	26 050 001	4005176444166	Chrome	42.00
<p>New Tempesta 100 Head shower 1 spray Rain Ball joint +/- 15° rotatable GROHE EcoJoy 5.7 l/min. flow limiter GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suitable for instantaneous heater min. recommended pressure 1 bar</p>				
 	27 523 000	4005176886522	Chrome	39.00
<p>New Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish</p>				
	27 524 000	4005176886539	Chrome	59.00
<p>ditto, 900mm</p>				
 	27 596 000	4005176895944		9.00
<p>GROHE EasyReach tray acrylic for New Tempesta and Euphoria shower rails Ø 22 mm</p>				
 	28 541 000	4005176040528	Chrome	39.00
<p>Relaxa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish</p>				
 	28 429 000	4005176601910	Chrome	49.00
<p>Relaxa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish</p>				

GROHE SENA TRIGGER SPRAYS



GROHE SENA TRIGGER SPRAYS











Ref. No.	EAN code	Colour	Retail Guide Price (£)
26 332 000	4005176332135	Chrome	159.00
Sena Trigger Spray 35 Wall holder set with angle valve 1 spray Consisting of: hand shower with trigger control (26 328) valve with integrated shower holder (26 333 000) Silverflex Longlife shower hose 1250 mm (26 335 000) GROHE StarLight chrome finish SpeedClean anti-limescale system Twistfree preventing the hose from twisting Min. recommended pressure 0.5 bar Please refer to local norms regarding installation.			
26 329 000	4005176332128	Chrome	149.00
ditto, hose 1.000 mm			

GROHE TEMPESTA TRIGGER SPRAYS











GROHE TEMPESTA TRIGGER SPRAYS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 353 000	4005176333866	Chrome	29.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) Silverflex Longlife shower hose 1500 mm (26 346 000) GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				
	27 513 001	4005176333842	Chrome	29.00
<p>ditto, with 1250 mm hose</p>				
 	26 354 000	4005176333873	Chrome	39.00
<p>Tempesta-F Trigger Spray 30 Wall holder set 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) metal shower hose 1250 mm GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				
 	27 514 001	4005176333910	Chrome	59.00
<p>Tempesta-F Trigger Spray 30 Wall holder set with angle valve 1 spray Consisting of: hand shower with trigger control (27 512 001) wall shower holder (28 605) angle valve 1/2" (22 958) Silverflex Longlife shower hose 1250 mm (26 335 000) GROHE StarLight finish SpeedClean anti-limescale system Inner WaterGuide for a longer life Twistfree preventing the hose from twisting min. recommended pressure 1 bar Please refer to local norms regarding installation.</p>				
 	26 346 000	4005176332173	Chrome	18.33
<p>Silverflex Longlife Shower hose 1500 1500 mm smooth surface for easy cleaning Longlife, 7mm bore strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>				







GROHE SHOWER HOSES







GROHE SHOWER HOSES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 417 000	4005176264702	Chrome	21.66
<p>Rotaflex Metal Longlife Metal shower hose 1500 1500 mm metal Longlife, 7mm bore strengthened model tensile strength 500 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function Cone with silicone tape to prevent turning of hand shower during usage GROHE StarLight chrome finish blister packaging</p>				
 	28 145 000	4005176601354	Chrome	23.74
<p>Relexaflex Metal Longlife Metal shower hose 2000 2000 mm metal Longlife, 7mm bore strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging</p>				
	28 143 000	4005176601347	Chrome	19.99
	28 143 LSO	4005176842269	moon white	26.24
	28 143 KSO	4005176842252	velvet black	26.24
	ditto, 1500mm hose			
	28 142 000	4005176601330	Chrome	18.33
	ditto, 1250 mm			
 	28 140 000	4005176601323	Chrome	19.99
<p>Relexaflex Metal Metal shower hose 2000 2000 mm metal tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging</p>				
	28 105 000	4005176601217	Chrome	16.66
	ditto, 1500mm hose			
 	26 346 000	4005176332173	Chrome	18.33
<p>Silverflex Longlife Shower hose 1500 1500 mm smooth surface for easy cleaning Longlife, 7mm bore strengthened model tensile strength 500 N pressure resistance up to 12 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>				

GROHE SHOWER HOSES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
 	27 137 000	4005176836237	Chrome	18.33	
	Silverflex Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging				
	28 388 000	4005176295362	Chrome	16.66	
	28 388 BE0	4005176295386	polished nickel	22.91	
	28 388 EN0	4005176427718	brushed nickel	22.91	
	28 388 GL0	4005176427657	cool sunrise	22.91	
	28 388 GN0	4005176427664	brushed cool sunrise	22.91	
	28 388 DA0	4005176427671	warm sunset	22.91	
	28 388 A00	4005176427701	hard graphite	22.91	
	28 388 AL0	4005176427695	brushed hard graphite	22.91	
ditto, 1750mm hose					
28 364 000	4005176295294	Chrome	14.58		
ditto, 1500mm hose					
28 362 000	4005176295225	Chrome	12.91		
28 362 BE0	4005176295249	polished nickel	17.91		
28 362 EN0	4005176427640	brushed nickel	17.91		
28 362 GL0	4005176427589	cool sunrise	17.91		
28 362 GN0	4005176427596	brushed cool sunrise	17.91		
28 362 DA0	4005176427602	warm sunset	17.91		
28 362 DL0	4005176427619	brushed warm sunset	17.91		
28 362 A00	4005176427633	hard graphite	17.91		
28 362 AL0	4005176427626	brushed hard graphite	17.91		
ditto, 1250 mm					
 	28 410 001	4005176933240	Chrome	17.00	
	Rotaflex Shower hose 1750 1750 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging				
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	28 155 001	4005176933226	Chrome	12.49	
	Relaxflex Shower hose 2000 2000 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging				
ditto, 1750 mm					
ditto, 1500 mm					
ditto, 1250 mm					

GROHE SHOWER HOSES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	28 161 001	4005176935107	Chrome	15.41
	<p>Silverflex Shower hose 1500 for low pressure 12mm bore 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>			
 	28 158 000	4005176601606	Chrome	28.33
	<p>Metal hose 2000 mm for bath rim, installation under tiled surround and shower sets GROHE StarLight chrome finish</p>			













GROHE SHOWER ACCESSORIES




GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 055 000	4005176830433	Chrome	39.00
<p>Rainshower Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	28 623 000	4005176031595	Chrome	29.00
<p>Relaxa Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				
 	27 595 000	4005176895937	Chrome	16.00
<p>New Tempesta Wall hand Shower holder adjustable GROHE StarLight chrome finish</p>				











GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 188 000	4005176842160	Chrome	99.00
GROHE Ondus Hand shower holder wall or deck mounted non-adjustable metal GROHE StarLight finish				
 	28 690 000	4005176256196	Chrome	89.00
Sena Wall hand Shower holder non-adjustable metal GROHE StarLight chrome finish				
 	27 056 000	4005176830440	Chrome	29.00
Rainshower Wall hand Shower holder non-adjustable without escutcheon GROHE StarLight chrome finish				
 	27 074 000	4005176833083	Chrome	29.00
	27 074 LS0	4005176873591	moon white	39.00
	27 074 BE0	4005176834325	polished nickel	54.00
	27 074 EN0	4005176834301	brushed nickel	54.00
	27 074 GL0	4005176338984	cool sunrise	54.00
	27 074 GN0	4005176427084	brushed cool sunrise	54.00
	27 074 DA0	4005176338977	warm sunset	54.00
	27 074 DL0	4005176427091	brushed warm sunset	54.00
	27 074 A00	4005176338991	hard graphite	54.00
	27 074 AL0	4005176339004	brushed hard graphite	54.00
Rainshower Wall hand Shower holder non-adjustable with round escutcheon GROHE StarLight chrome finish				
 	27 075 000	4005176833090	Chrome	29.00
Rainshower Wall hand Shower holder non-adjustable with square escutcheon GROHE StarLight chrome finish				
 	27 706 000	4005176908439	Chrome	29.00
Allure Brilliant Wall hand Shower holder non-adjustable metal GROHE StarLight chrome finish				











GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 693 000	4005176907043	Chrome	19.00
<p>Euphoria Cube Wall hand Shower holder non-adjustable GROHE StarLight chrome finish</p>				
 	28 622 000	4005176041297	Chrome	29.00
<p>Relexa Wall hand Shower holder non-adjustable GROHE StarLight chrome finish</p>				
 	27 594 000	4005176895920	Chrome	10.90
<p>New Tempesta Cosmopolitan Wall hand Shower holder non-adjustable GROHE StarLight chrome finish</p>				
 	28 605 000	4005176041105	Chrome	19.00
<p>Relexa Wall hand Shower holder non-adjustable GROHE StarLight chrome finish</p>				
 	27 151 000	4005176837012	Chrome	89.00
<p>Pull-out shower for bath rim installation and under tiled surround Lead-through for shower hose shower hose 1/2" x 3/8", 2000 mm (28 158 000) The pull-out shower assembly can be combined with all hand showers GROHE StarLight chrome finish</p>				
 	27 531 000	4005176889486	Chrome	249.00
<p>Pull-out shower for bath rim installation and under tiled surround Lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000) The pull-out shower assembly can be combined with all hand showers GROHE StarLight chrome finish</p>				











GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	27 190 000	4005176842221	Chrome	99.00
<p>GROHE Ondus Shower outlet elbow connection thread 1/2" external thread metal protected against backflow GROHE StarLight finish</p>				
 	27 057 000	4005176830457	Chrome	49.00
<p>Rainshower Shower outlet elbow, 1/2" male thread with round escutcheon protected against backflow GROHE StarLight chrome finish</p>				
<p>27 057 DC0 4005176371196 supersteel 59.00 27 057 BE0 4005176426957 polished nickel 75.00 27 057 EN0 4005176426964 brushed nickel 75.00 27 057 GL0 4005176338946 cool sunrise 75.00 27 057 GN0 4005176426933 brushed cool sunrise 75.00 27 057 DA0 4005176338939 warm sunset 75.00 27 057 DL0 4005176426940 brushed warm sunset 75.00 27 057 A00 4005176338953 hard graphite 75.00 27 057 AL0 4005176338960 brushed hard graphite 75.00</p>				
 	27 076 000	4005176833106	Chrome	49.00
<p>Rainshower Shower outlet elbow male thread with square escutcheon protected against backflow GROHE StarLight chrome finish</p>				
 	27 707 000	4005176908446	Chrome	39.00
<p>Allure Brilliant Shower outlet elbow, 1/2" male thread protected against backflow metal GROHE StarLight chrome finish</p>				
 	27 704 000	4005176907159	Chrome	29.00
<p>Euphoria Cube Shower outlet elbow, 1/2" male thread protected against backflow GROHE StarLight chrome finish</p>				

















GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	26 370 000	4005176341380	Chrome	29.00
Euphoria Cube Shower outlet elbow, 1/2" with wall shower holder male thread protected against backflow GROHE StarLight finish				
 	28 405 000	4005176264559	Chrome	49.00
Movario Shower outlet elbow, 1/2" protected against backflow GROHE StarLight chrome finish				
 	28 671 000	4005176103070	Chrome	29.00
Relexa Shower outlet elbow, 1/2" male thread GROHE StarLight chrome finish				
	28 680 000	4005176116780	Chrome	39.00
ditto, protected against backflow				
 	28 626 000	4005176041358	Chrome	49.00
Relexa Shower outlet elbow, 1/2" shower connection 1/2" wall connection 1/2" male thread GROHE StarLight chrome finish with matt chrome cap				
	28 678 000	4005176116711	Chrome	49.00
ditto, protected against backflow				
	28 636 000	4005176078606	Chrome	49.00
ditto, for IG-combination				
 	28 406 000	4005176264566	Chrome	49.00
Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE StarLight chrome finish				
 	28 628 000	4005176041396	Chrome	49.00
Relexa Shower outlet elbow, 1/2" with wall shower holder male thread GROHE StarLight chrome finish				
	28 679 000	4005176116759	Chrome	49.00
ditto, protected against backflow				





GROHE SHOWER ACCESSORIES

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		28 797 001	4005176870941	Chrome	109.00
		Rainshower Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) GROHE StarLight chrome finish			
		28 819 001	4005176870958	Chrome	119.00
		27 136 001	4005176870965	Chrome	139.00
		ditto, 1150 mm			
		27 784 000	4005176913976	Chrome	89.00
		Power&Soul Shower rail, 600 mm with wall holders made of metal glide element and swivel holder GROHE QuickFix (variable distance between wall shower holders to adapt to existing holes) GROHE StarLight chrome finish			
		27 785 000	4005176913983	Chrome	99.00
		ditto, 900mm hose			
		28 587 000	4005176282966	Chrome	179.00
		Relaxa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish			
		27 892 000	4005176921216	Chrome	169.00
		Euphoria Cube Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE StarLight chrome finish			
		27 841 000	4005176916670	Chrome	179.00
		ditto, 900mm			
		27 499 000	4005176886041	Chrome	39.00
		Euphoria Shower rail, 600 mm with wall holders, glide element and swivel holder GROHE QuickFix (upper bracket adjustable to adapt to existing holes) GROHE StarLight chrome finish			
		27 500 000	4005176886058	Chrome	49.00
		ditto, 900 mm			

GROHE SHOWER ACCESSORIES

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		27 519 000	4005176886485	Chrome	49.00
		Tempesta Rustic Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish			
		27 520 000	4005176886492	Chrome	49.00
		ditto, 900 mm			
		27 521 000	4005176886508	Chrome	39.00
		New Tempesta Cosmopolitan Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish			
		27 522 000	4005176886515	Chrome	49.00
		ditto, 900 mm			
		27 523 000	4005176886522	Chrome	39.00
		New Tempesta Shower rail, 600 mm with wall brackets, glider and swivel holder GROHE StarLight chrome finish			
		27 524 000	4005176886539	Chrome	59.00
		ditto, 900mm			
		27 206 000	4005176845444		19.00
		Soap dish transparent surface textured in parts			
		27 596 000	4005176895944		9.00
		GROHE EasyReach tray acrylic for New Tempesta and Euphoria shower rails Ø 22 mm			

GROHE SHOWER ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 708 000	4005176602375	Chrome	79.00
<p>Pipe clip for pillar shower, 1/2" for shower riser Ø 18 mm with stone pin for fixing with wood screws GROHE StarLight chrome finish</p>				
 	28 389 000	4005176269837	Chrome	11.90
<p>Sena Adapter 1/2" x 1/2" metal for use with hand shower holder or shower rail GROHE StarLight chrome finish</p>				

GROHE
KITCHEN FITTINGS





CONTENTS

Water Systems	GROHE Blue Professional	469
	GROHE Blue Home	473
	GROHE Blue Pure	481
	GROHE Blue Accessories	483
	GROHE Red	487
Premium Lines	K7	491
	Foot Control	493
	Minta / Minta Touch	495
	Zedra / Zedra Touch	499
	Essence	501
	Eurocube	505
Competence Lines	Ambi	507
	Parkfield	509
	Eurodisc Cosmopolitan	511
	Eurodisc	513
	Concetto	515
	Eurostyle Cosmopolitan	519
	Eurosmart Cosmopolitan	523
	Eurosmart	525
	Euroeco / Euroeco Special	529
	Costa	531
	Bau Lines	533
Soap dispensers	535	

HANDS ON GROHE KITCHEN FEATURES

Accommodating your every wish and desire, GROHE water systems and kitchen mixers include user-centric features and ingenious details that make all the difference. More choice, more comfort and more flexibility; which is why our products are such a pleasure to use.



Lead+Nickel Free

No contact of water with lead and nickel due to isolated inner water ways.



EasyExchange

The aerator is easy to install and de-install using just a coin.



RealSteel

Made of solid stainless steel, a robust material with anti-bacterial properties.



EasyTouch

Just touch the kitchen mixer at any point with your wrist, elbow or just your fingertip to turn the mixer ON and OFF.



FootControl

Just touch the bottom side of the cabinet with a gentle tap of your foot to turn the mixer ON and OFF.



ProfessionalSpray

Features a 360° spring arm and easy switching between the spray and mousseur.



Pull-Out Dual Spray

Increases operating radius of the kitchen mixer and offers easy switching between mousseur and the spray.



Pull-Out Mousseur Spray

Increases operating radius of the kitchen mixer and offers different sprays.



Pull-Out Mousseur

Increases the operating radius of your kitchen mixer.



SpeedClean
Remove limescale with a single wipe.



EasyDock
Guarantees easy retraction and smooth docking for your pull-out spray head, every time.



StopValve
Includes a dishwasher shut-off valve on the mixer body.




PreWindow
To open the window, just lift up the mixer and lay it flat on the surface.



ComfortHeight
Height of the spout allows easy filling of large pots.



SwivelStop
Limited turn angle prevents flooding.



Forward Rotating Lever
Forward rotating lever prevents the lever hitting the backsplash.



Enhanced Water
Superior-quality water directly from the kitchen mixer – saving time, money and the environment.



ChildLock
LED push-button activation with child lock for triple protection and total peace of mind.



Titanium Inside
All boilers in our GROHE Red collection are made from titanium.

GROHE BLUE HOME

WELCOME TO YOUR **PRIVATE** **WATER SOURCE**

When was the last time you truly tasted water? When you took a sip that left you thirsting for more? That's what happens after your first encounter with GROHE Blue Home: a beautiful and intelligent system that transforms simple water into pure thirst-quenching pleasure. And your kitchen into a meeting place for thirsty friends.



STILL, MEDIUM OR SPARKLING: THE CHOICE IS ALL YOURS

How sparkling do you like your water? It's all a matter of taste. GROHE Blue Home has a simple and intuitive mechanism that lets you carbonate your drinking water at the touch of a button. Deliciously cool filtered water, just the way that you – and all your family – like it.



Still waters run deep. If you prefer your water cool and still, nothing could be simpler: just push the top button. The LED lights up blue and your glass fills with pure refreshment.



Sparkling – but not too much? More of a medium sparkling? Coming right up. Press both buttons in sequence – the LED lights up turquoise – to produce a finely pearled stream of water.



Sparkling water, alive with bubbles. If that's your idea of thirst-quenching heaven, just press the lower button – the LED lights up green – for your perfect glass of water.

THE **MAGIC** IS IN THE FILTER

For our GROHE Blue system we have worked with BWT, Europe's leading filtered water professionals, to ensure that our system produces an unparalleled, refreshing drinking experience. Our standard high performance S-Size filter comes with every GROHE Blue Home starter set. It uses a five-step filtration process to remove even the smallest particles from tap water, while leaving behind all the important minerals that benefit your health.



KITCHEN
FITTINGS



THE **GUARANTEE** FOR PURE TASTE

If you enjoy tea and coffee, you'll love them even more with GROHE Blue Home. Whether in your coffee machine or for making tea, the still water brings out the best in your favourite hot drinks. And thanks to the ultimate purity of the filtered water, the aromas can develop to the full – for an unforgettable café crema. At the same time protecting your high-end kitchen appliances.

GROHE BLUE HOME

NEW: WITH PULL-OUT FUNCTION

Our new GROHE Blue Home taps now come with a pull-out mousseur head for ultimate functionality and flexibility. Select from three contemporary tap shapes with a pull-out head, each with a hygienic mouser and two separate waterways, delivering both filtered and unfiltered water effortlessly.



CONTROL VIA SMARTPHONE APP

Control your GROHE Blue Home tap via smartphone app for total convenience. The GROHE Ondus App will not only let you know when the filter or CO2 need replacing, but can reorder for you automatically. Use it to pour water and monitor your consumption via personal fitness apps.

System requirements

iPhone with iOS 9.0 or higher / smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners. Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards.

THE GROHE BLUE HOME PRODUCT PORTFOLIO



31 454 001 / 31 454 DC1
GROHE Blue Home
L-spout



31 455 001 / 31 455 DC1
GROHE Blue Home
C-spout



31 456 001 / 31 456 DC1
GROHE Blue Home
U-spout



31 498 001 / 31 498 DC1
GROHE Blue Home
Mono



31 539 000 / 31 539 DC0
GROHE Blue Home
L-spout with pull-out



31 541 000 / 31 541 DC0
GROHE Blue Home
C-spout with pull-out



31 543 000 / 31 543 DC0
GROHE Blue Home
U-spout with pull-out

KITCHEN
FITTINGS

GROHE BLUE HOME CONTAINS:



CARBONATOR
GROHE BLUE HOME



CO₂ BOTTLE 425g



S-SIZE
FILTER

GROHE BLUE

GROHE BLUE PROFESSIONAL THE PERFECT SOLUTION FOR OFFICES

Imagine drinking water fresh from a mountain spring – life-affirming, thirst-quenching, and absolutely pure. Now imagine the same health-giving, untainted water flowing directly from your own kitchen tap.

The GROHE Blue Professional water system makes this a reality in your own home. It transforms ordinary tap water and filters it, leaving a taste as fresh and pure as nature intended.

Whatever your idea of perfect water refreshment – filtered, chilled, sparkling or all three – GROHE Blue brings it to you straight from the tap.



FIND OUT THE WAYS IN WHICH **GROHE BLUE** BRINGS **BENEFITS** TO YOUR OFFICE:

Access to fresh, cool water at any time – still, medium or sparkling

Fresh water delivers a positive impact on motivation and health of your employees

Cost effective solution for staff refreshment

Convenient logistics, without costly delivery and disposal

Environmental friendly solution with less waste on packaging and processing





GROHE BLUE PROFESSIONAL DUO

Kitchen tap and GROHE Blue filtered, chilled and sparkling water in one.

MONO

Water dispenser for GROHE Blue filtered, chilled and sparkling water



KITCHEN FITTINGS



GROHE BLUE PURE DUO

Kitchen tap and GROHE Blue filtered, water in one.

MONO

Water dispenser for GROHE Blue filtered water.



GROHE RED

Never wait for the kettle to boil again. With the innovative GROHE Red system you can fill anything, from a mug to a large pot, with kettle-hot water in an instant – and all direct from your kitchen tap.

With GROHE Red you still have your standard kitchen mixer, but separate push-buttons provide kettle-hot water on tap.



THE **BENEFITS** ARE CRYSTAL CLEAR

SAFETY FIRST

Our first commitment is to our safety. That's why GROHE Red comes with an unique, failsafe child lock.

NO MORE WAITING

Kettle-hot water is always available at the turn of the lever, so waiting for the kettle or pot to boil is a thing of the past.

LESS WASTE

You only take the exact amount of hot water you need, so you save on water and energy consumption.

CLEAN, FRESH TASTE

Filtered water heated to 99 degrees for an exceptional taste experience.

CLEAR YOUR WORKTOP

No need for the clutter of a kettle. GROHE Red fulfils all your water needs from a single kitchen mixer.



GROHE RED PRODUCT PORTFOLIO



● ●
30 340 001 / 30 340 DC1
GROHE RED Duo
L-spout, L Size



●
30 329 001
GROHE RED Mono
L-spout, M Size



● ●
30 058 001 / 30 058 DC1
GROHE RED Duo
C-spout, M Size



●
30 060 001
GROHE RED Mono
C-spout, M Size

30 341 001 / 30 341 DC1
GROHE RED Duo
L-spout, M Size

KITCHEN
FITTINGS

**EACH GROHE RED CONTAINS
BOILER (M OR L SIZE) & FILTERSET.**



BOILER L SIZE **BOILER M SIZE**



40 841 001
GROHE RED mixing valve

Colour options:

● 001 | StarLight Chrome | ● DC1 | SuperSteel

GROHE BLUE PROFESSIONAL



GROHE BLUE PROFESSIONAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 323 001	4005176987946	Chrome	2,099.00
31 323 DC1	4005176987953	supersteel	2,199.00

GROHE Blue Professional Starter kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

C-spout

separate handle for 3 types of filtered and chilled table water
still, medium, sparkling

headpart 1/2"

GROHE StarLight finish

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

swivel tubular spout

swivel area 180°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Cube

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

GROHE Blue size S filter, filter head with flexible adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001

GROHE Blue 425 g CO₂-carbonization bottle

Min. recommended pressure 2.0 bar


this product contains built-in LED lamps, which

cannot be changed: energy efficiency class: A+

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data

at: www.grohe.com/safety-data-sheets/



31 324 001	4005176987960	Chrome	2,099.00
31 324 DC1	4005176987977	supersteel	2,199.00

GROHE Blue Professional

Starter kit

Consisting of:

GROHE Blue single-lever sink mixer with filter function
monobloc installation

U spout

separate handle for 3 types of filtered and chilled table water
still, medium, sparkling

headpart 1/2"

GROHE StarLight finish

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

swivel tubular spout

swivel area 180°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Cube

270 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

GROHE Blue size S filter, filter head with flexible adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001

GROHE Blue 425 g CO₂-carbonization bottle

Min. recommended pressure 2.0 bar


this product contains built-in LED lamps, which

cannot be changed: energy efficiency class: A+

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data

at: www.grohe.com/safety-data-sheets/



GROHE BLUE PROFESSIONAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 347 002	4005176988059	Chrome	2,099.00
31 347 DC2	4005176988066	supersteel	2,199.15

GROHE Blue Minta Professional Starter kit

Consisting of:
 GROHE Blue Minta single-lever sink mixer with filtration function
 monobloc installation
 separate handle for 3 types of filtered and chilled table water
 still, medium, sparkling
 headpart 1/2"

GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 150°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
 GROHE Blue Cube


270 Watt cooling unit, 230 V, 50 Hz
 type of protection IP 21

GROHE Blue size S filter, filter head with flexible adjustment
GROHE Blue 425 g CO₂-carbonization bottle

Min. recommended pressure 2.0 bar

this product contains built-in LED lamps, which
 cannot be changed: energy efficiency class: A+

This product includes an article which is declared as a hazardous substance.
 Find more information in the safety data sheet. You can download the safety data
 at: www.grohe.com/safety-data-sheets/



31 346 001	4005176988035	Chrome	2,199.00
31 346 DC1	4005176988042	supersteel	2,299.00

GROHE Blue K7 Professional Starter kit

Consisting of:
 GROHE Blue K7 single-lever sink mixer
 with filtration
 monobloc installation
 separate handle for 3 types of filtered and chilled table water
 still, medium, sparkling
 headpart 1/2"

GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 separate inner water ways for filtered
 and non-filtered water
 flexible connection hoses
 GROHE Blue Cube

270 Watt cooling unit, 230 V, 50 Hz
 type of protection IP 21

CE approved

GROHE Blue size S filter, filter head with flexible adjustment
 for regions with water hardness of more than 9° dKH


for regions with water hardness below 9° dKH please order activated carbon filter
 40 547 001

GROHE Blue 425 g CO₂-carbonization bottle

Min. recommended pressure 2.0 bar

this product contains built-in LED lamps, which
 cannot be changed: energy efficiency class: A+

This product includes an article which is declared as a hazardous substance.
 Find more information in the safety data sheet. You can download the safety data
 at: www.grohe.com/safety-data-sheets/



GROHE BLUE HOME



GROHE BLUE HOME

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 454 001	4005176454110	Chrome	1,799.00
31 454 DC1	4005176454127	supersteel	1,999.00

GROHE Blue Home

L-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with GROHE SilkMove

swivel tubular spout, swivel area 150°

separate inner water ways for filtered
and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

available April 2018

31 454 000	4005176323003	Chrome	1,799.00
31 454 DC0	4005176323010	supersteel	1,999.00
ditto, without integrated WIFI interface. Available until March 2018			



GROHE BLUE HOME

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 455 001	4005176454134	Chrome	1,799.00
31 455 DC1	4005176454141	supersteel	1,999.00

GROHE Blue Home C-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout
touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**

swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water
flexible connection hoses
GROHE Blue Home cooler
delivers 3 liters of chilled water per hour
180 Watt cooling unit, 230 V, 50 Hz
type of protection IP 21
CE approved

software set-up and monitoring of filter and CO₂ capacity possible via GROHE
Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter
GROHE Blue filter S-Size, filter head with flexible
water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have
to be ordered separately via an authorised Apple store/store/iTunes or Google Play
store.

* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.


** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.
Find more information in the safety data sheet. You can download the safety data
at: www.grohe.com/safety-data-sheets/

available April 2018

31 455 000	4005176323027	Chrome	1,799.00
31 455 DC0	4005176323034	supersteel	1,999.00
ditto, without integrated WIFI interface. Available until March 2018			



GROHE BLUE HOME

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 456 001	4005176454158	Chrome	1,799.00
31 456 DC1	4005176454165	supersteel	1,999.00

GROHE Blue Home

U-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

U spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish
28 mm ceramic cartridge

with **GROHE SilkMove**

swivel tubular spout, swivel area 150°

separate inner water ways for filtered
and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

software set-up and monitoring of filter and CO₂ capacity possible via GROHE
Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue
activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have
to be ordered separately via an authorised Apple store/store/iTunes or Google Play
store.

* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.
Find more information in the safety data sheet. You can download the safety data
at: www.grohe.com/safety-data-sheets/

available April 2018

31 456 000	4005176327377	Chrome	1,799.00
31 456 DC0	4005176327384	supersteel	1,999.00
ditto, without integrated WIFI interface. Available until March 2018			



GROHE BLUE HOME

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 498 001	4005176454172	Chrome	1,799.00

GROHE Blue Home Mono Starter kit

Consisting of:

GROHE Blue Home Mono faucet with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

swivel tubular spout, swivel area 150°

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

available April 2018


31 498 000	4005176356360	Chrome	1,799.00
31 498 DC0	4005176356377	supersteel	1,999.00
ditto, without integrated WIFI interface. Available until March 2018			



GROHE BLUE HOME

new

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 539 000	4005176437014	Chrome	1,899.00
31 539 DC0	4005176437021	supersteel	2,099.00



GROHE Blue Home

L-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

L-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with GROHE SilkMove

pull out mousseur spout

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.


Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

available June 2018

GROHE BLUE HOME

new

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 541 000	4005176437038	Chrome	1,899.00
31 541 DC0	4005176437045	supersteel	2,099.00



GROHE Blue Home

C-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

C-spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish

28 mm ceramic cartridge

with GROHE SilkMove

pull out mousseur spout

swivel tubular spout, swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

software set-up and monitoring of filter and CO₂ capacity possible via GROHE

Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication

for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls

between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter

40 547 001
GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.

* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data


at: www.grohe.com/safety-data-sheets/

available June 2018

GROHE BLUE HOME

new

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 543 000	4005176437052	Chrome	1,899.00
31 543 DC0	4005176437069	supersteel	2,099.00



GROHE Blue Home U-spout

Consisting of:
GROHE Blue Home single-lever sink mixer with filter function
monobloc installation

U spout

touch operated for 3 types of filtered and chilled water
still, medium, sparkling

GROHE StarLight finish
28 mm ceramic cartridge
with **GROHE SilkMove**

pull out mousseur spout

swivel tubular spout, swivel area 150°
separate inner water ways for filtered
and non-filtered water

flexible connection hoses

GROHE Blue Home cooler

delivers 3 liters of chilled water per hour

180 Watt cooling unit, 230 V, 50 Hz

type of protection IP 21

CE approved

software set-up and monitoring of filter and CO₂ capacity possible via GROHE Ondus app

with Bluetooth 4.0* and WIFI interface for wireless data communication
for Apple** and Android devices

Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver

adjustable for GROHE Blue filter S-Size, GROHE Blue

activated carbon filter and GROHE Blue magnesium+ filter

GROHE Blue filter S-Size, filter head with flexible

water hardness adjustment

for regions with water hardness of more than 9° dKH

for regions with water hardness below 9° dKH please order activated carbon filter
40 547 001

GROHE Blue 425 g CO₂ bottle

System requirements: Apple

iPhone with iOS 9.0 or higher

System requirements Android

smart phone with Android 4.3 or higher

Mobile devices and GROHE Ondus App*** are not included in delivery and have
to be ordered separately via an authorised Apple store/store/iTunes or Google Play
store.

* The Bluetooth word mark and logos are registered trademarks owned by
Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license.
Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of
Apple Inc., registered in the U.S. and other countries. Apple is not responsible for
the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.

This product includes an article which is declared as a hazardous substance.

Find more information in the safety data sheet. You can download the safety data
at: www.grohe.com/safety-data-sheets/


available June 2018

GROHE BLUE PURE



GROHE BLUE PURE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 345 002	4005176987885	Chrome	639.00
31 345 DC2	4005176987892	supersteel	739.00



GROHE Blue Minta Pure Starter kit

Consisting of:
GROHE Blue Minta single-lever sink mixer with filtration function
monobloc installation
separate handle for filtered water
headpart 1/2"

GROHE StarLight finish

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

swivel tubular spout

swivel area 150°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

type of protection IP 21

main switching power supply 100 - 240 V AC

50/60 Hz with safety extra-low voltage (SELV)

6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment


adjustable for 600 litre, 1500 litre or

3000 litre filter cartridges

this product contains built-in LED lamps, which

cannot be changed: energy efficiency class: A+

31 344 001	4005176987861	Chrome	789.00
31 344 DC1	4005176987878	supersteel	799.00



GROHE Blue K7 Pure Starter kit

Consisting of:

GROHE Blue K7 single-lever sink mixer

with filtration

monobloc installation

separate handle for filtered water

headpart 1/2"

GROHE StarLight finish

GROHE SilkMove 35 mm ceramic cartridge

adjustable flow rate limiter

swivel cast spout

swivel area 140°

separate inner water ways for filtered

and non-filtered water

flexible connection hoses

type of protection IP 21

main switching power supply 100 - 240 V AC

50/60 Hz with safety extra-low voltage (SELV)


6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment

this product contains built-in LED lamps, which

cannot be changed: energy efficiency class: A+

31 301 001	4005176987922	Chrome	479.00
31 301 DC1	4005176987939	supersteel	539.00



GROHE Blue Mono Pure Starter kit

Consisting of:

GROHE Blue Minta Mono tap with filter function

monobloc installation

handle for filtered table water

GROHE StarLight finish

swivel tubular spout

swivel area 150°

flexible connection hoses

type of protection IP 21

main switching power supply 100 - 240 V AC

50/60 Hz with safety extra-low voltage (SELV)

6 V DC to filter change display unit

GROHE Blue size S filter, filter head with flexible adjustment


GROHE BLUE ACCESSORIES



GROHE BLUE ACCESSORIES

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		40 848 000	4005176351082		7.24
GROHE Blue Drinking bottle Tritan drinking bottle with GROHE Blue decor BPA (Bisphenol A) free lid with strap volume 500 ml					
		40 848 SD0	4005176386008	stainless steel	10.83
GROHE Blue Thermo drinking bottle stainless steel drinking bottle with GROHE Blue decor double-walled lid with strap volume 450 ml					
		40 405 000	4005176860812		25.41
GROHE Blue Glass carafe crystal glass with GROHE Blue decor stainless steel lid dish washer safe volume 1l					
		40 437 000	4005176885471		25.41
GROHE Blue Water glasses (6 pieces) crystal glasses with GROHE Blue decor dish washer safe volume 250 ml					
		40 404 001	4005176984068		50.83
GROHE Blue Filter S-Size BWT replacement filter for GROHE Blue Capacity 600 L at 15° dKH 5-stage filter					
		40 430 001	4005176984075		95.83
ditto, M-Size, capacity 1500 l at 15° dKh, 376 mm high					
		40 412 001	4005176984082		124.99
ditto, L-Size, capacity 2600 l at 15° dKh, 429 mm high					
		40 547 001	4005176984099		65.41
GROHE Blue Active carbon filter BWT replacement filter for GROHE Blue systems for regions with water hardness below 9° dKH Upto 3000 Liters 3-stage filter					


GROHE BLUE ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 691 001	4005176984129		50.83
<p>GROHE Blue Magnesium+ Filter BWT replacement filter for GROHE Blue for recharge of the water with magnesium Capacity 400 L at 15° dGH 5-stage filter</p>				
	64 508 001	4005176984112		39.00
<p>GROHE Blue Filter Head only for use in combination with GROHE Blue filters 40 404 001 / 40 430 001 / 40 412 001 / 40 691 001 / 40 547 001</p>				
 	40 434 001	4005176985294		29.16
<p>GROHE Blue Cleaning cartridge for 100% biological disinfection of the GROHE Blue chiller and filter head including spray head and water test stripes only to use in combination with 40 694 000 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/</p>				
	40 694 000	4005176985300		21.66
<p>GROHE Blue Cleaning cartridge adapter for GROHE Blue BWT filterhead Only use in combination with 40 434 001</p>				

GROHE RED




Ref. No.	EAN code	Colour	Retail Guide Price (£)
30 340 001	4005176414893	Chrome	1,899.00
30 340 DC1	4005176414909	supersteel	1,999.00




GROHE Red Duo Tap and L Size Boiler
 Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
 monobloc installation
 L-spout
 GROHE ChildLock push buttons for kettle hot water
 TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 insulated tubular spout
 swivel area 150°
 separate water ways
 flexible connection hoses
 connection for GROHE Red boiler
GROHE Red boiler L size
 reservoir for kettle hot and hot water
 5.5 liter 99° C hot water
 7 liter total capacity
 required inlet pressure: 1-7 bar
 with flexible connection hose and outlet for kettle hot water
 CE approved
 power supply 230 V 50 Hz
 power consumption 2100 W
 standby power consumption 15 W
 energy efficiency class A
 GROHE Red filter set
 for protection of the boiler from limescale
 Capacity 600 L at 15° dKH
 5 phase filter
 flow rate measuring unit

30 058 001	4005176989162	Chrome	1,799.00
30 058 DC1	4005176989179	supersteel	1,899.00




GROHE Red Duo Tap and M Size Boiler
 Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
 monobloc installation
 C-spout
 GROHE ChildLock push buttons for kettle hot water
 TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 insulated tubular spout
 swivel area 150°
 separate water ways
 flexible connection hoses
 connection for GROHE Red boiler
GROHE Red boiler M size
 reservoir for kettle hot and hot water
 3 litre 99° C kettle hot water
 4 litre total capacity
 required inlet pressure: 1-7 bar
 with flexible connection hose and outlet for kettle hot water
 CE approved
 power supply 230 V 50 Hz
 power consumption 2100 W
 standby power consumption 15 W
 energy efficiency class A
 GROHE Red filter set
 for protection of the boiler from limescale
 Capacity 600 L at 15° dKH
 5 phase filter
 flow rate measuring unit

Ref. No.	EAN code	Colour	Retail Guide Price (£)
30 341 001	4005176414916	Chrome	1,799.00
30 341 DC1	4005176414923	supersteel	1,899.00




GROHE Red Duo Tap and M Size Boiler
 Consisting of:
GROHE Red Duo single-lever sink mixer (30 033 000)
 monobloc installation
 L-spout
 GROHE ChildLock push buttons for kettle hot water
 TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove** insulated tubular spout
 swivel area 150°
 separate water ways
 flexible connection hoses
 connection for GROHE Red boiler
GROHE Red boiler M size
 reservoir for kettle hot and hot water
 3 litre 99° C kettle hot water
 4 litre total capacity
 required inlet pressure: 1-7 bar
 with flexible connection hose and outlet for kettle hot water
 CE approved
 power supply 230 V 50 Hz
 power consumption 2100 W
 standby power consumption 15 W
 energy efficiency class A
 GROHE Red filter set
 for protection of the boiler from limescale
 Capacity 600 L at 15° dKH
 5 phase filter
 flow rate measuring unit

30 060 001	4005176989186	Chrome	1,599.00
------------	---------------	--------	----------



GROHE Red Mono Pillar tap and M size boiler
 Consisting of:
GROHE Red Mono pillar tap
 monobloc installation
 C-spout
 GROHE ChildLock push buttons for kettle hot water
 TÜV certified triple electronic safeguards against accidental activation of boiling water
GROHE StarLight chrome finish
 insulated tubular spout
 swivel area 150°
 connection for GROHE Red boiler
GROHE Red boiler M size
 reservoir for kettle hot and hot water
 3 litre 99° C kettle hot water
 4 litre total capacity
 required inlet pressure: 1-7 bar
 with flexible connection hose and outlet for kettle hot water
 CE approved
 power supply 230 V 50 Hz
 power consumption 2100 W
 standby power consumption 15 W
 energy efficiency class A
 GROHE Red filter set
 for protection of the boiler from limescale
 Capacity 600 L at 15° dKH
 5 phase filter
 flow rate measuring unit









GROHE RED

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	30 329 001	4005176414121	Chrome	1,599.00
	<p>GROHE Red Mono Pillar tap and M size boiler Consisting of: GROHE Red Mono pillar tap monobloc installation L-spout GROHE ChildLock push buttons for kettle hot water TÜV certified triple electronic safeguards against accidental activation of boiling water GROHE StarLight chrome finish insulated tubular spout swivel area 150° connection for GROHE Red boiler GROHE Red boiler M size reservoir for kettle hot and hot water 3 litre 99° C kettle hot water 4 litre total capacity required inlet pressure: 1-7 bar with flexible connection hose and outlet for kettle hot water CE approved power supply 230 V 50 Hz power consumption 2100 W standby power consumption 15 W energy efficiency class A GROHE Red filter set for protection of the boiler from limescale Capacity 600 L at 15° dKH 5 phase filter flow rate measuring unit</p>			
	40 919 SD0	4005176450136	stainless steel	35.00
	<p>GROHE Red Thermo drinking bottle stainless steel bottle with GROHE Red decor double-walled lid with strap with tea strainer volume 450 ml</p>			
	40 432 000	4005176883255		54.00
	<p>GROHE Red Tea glasses (4 pieces) heat proof glass with GROHE Red decor dish washer safe volume 250 ml</p>			

GROHE K7



GROHE K7

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 950 000	4005176879838	Chrome supersteel	589.00
	32 950 DC0	4005176879845		769.00
	<p>K7 Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout swivel area 140° protected against backflow flexible connection hoses rapid installation system</p>			
	31 379 000	4005176938085	Chrome supersteel	569.00
	31 379 DC0	4005176938092		739.00
	<p>K7 Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge professional spray diverter: mousseur/shower jet automatic return to mousseur metal spray adjustable flow rate limiter swivel spout, swivel area 140° protected against backflow flexible connection hoses rapid installation system</p>			
	32 175 000	4005176860232	Chrome supersteel	579.00
	32 175 DC0	4005176860249		739.00
	<p>K7 Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge SpeedClean mousseur adjustable flow rate limiter swivel cast spout swivel area 140° metal lever flexible connection hoses rapid installation system</p>			
	32 176 000	4005176860256	Chrome supersteel	599.00
	32 176 DC0	4005176860263		849.00
	<p>K7 Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray control - switches between regular flow and spray diverter: mousseur/shower jet swivel area 140° metal lever protected against backflow flexible connection hoses rapid installation system</p>			


GROHE FOOT CONTROL



GROHE FOOT CONTROL


Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

30 312 000	4005176351273	Chrome	849.00
30 312 DC0	4005176351280	supersteel	1,059.00





K7 Foot Control
Electronic single-lever sink mixer 1/2"
 medium spout
 Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery,
 type CR-P2
 CE approved
 solenoid valve
 fixed value mixing valve
 automatically stops after 60 sec. (factory set)
 type of protection IP 44
GROHE SilkMove 35 mm ceramic cartridge
 professional spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system

30 311 000	4005176351259	Chrome	579.00
30 311 DC0	4005176351266	supersteel	689.00



Essence Foot Control
Electronic single-lever sink mixer 1/2"
 L-spout
 Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery,
 type CR-P2
 CE approved
 solenoid valve
 fixed value mixing valve
 automatically stops after 60 sec. (factory set)
 type of protection IP 44
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 flow strainer
 pull-out dual spray control - switches between regular flow and spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system

30 309 000	4005176351235		319.00
------------	---------------	--	--------




Foot Control
Dual flush valve set
 Foot control: activation of water via contact with sensor
battery supply 6 V lithium-battery,
 type CR-P2
 CE approved
 solenoid valve
 fixed value mixing valve
 automatically stops after 60 sec. (factory set)
 type of protection IP 44
 upgrade set for GROHE pull-out kitchen faucets

GROHE MINTA / MINTA TOUCH




GROHE MINTA / MINTA TOUCH

Ref. No.	EAN code	Colour	Retail Guide Price (£)
31 360 001	4005176343025	Chrome	499.00
31 360 DC1	4005176343032	supersteel	649.00




Minta Touch
Electronic single-lever sink mixer 1/2"
 L-spout
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
 type CR-P2
 CE approved
 solenoid valve
 fixed value mixing valve
 automatically stops after 60 sec. (factory set)
 type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system

31 358 001	4005176343001	Chrome	499.00
31 358 DC1	4005176343018	supersteel	649.00




Minta Touch
Electronic single-lever sink mixer 1/2"
 C-spout
Touch: activation of water via skin contact
battery supply 6 V lithium-battery,
 type CR-P2
 CE approved
 solenoid valve
 fixed value mixing valve
 automatically stops after 60 sec. (factory set)
 type of protection IP 44
GROHE SilkMove 46 mm ceramic cartridge
 flow strainer
 pull-out mousseur spray
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 swivel tubular spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system

31 375 000	4005176934155	Chrome	199.00
31 375 DC0	4005176934162	supersteel	259.00











Minta
Single-lever sink mixer 1/2"
 L-spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
 adjustable flow rate limiter
 swivel tubular spout
 swivel range 0°/150°/360°
 flexible connection hoses
 rapid installation system

32 168 000	4005176824425	Chrome	199.00
32 168 DC0	4005176824432	supersteel	259.00









Minta
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 46 mm ceramic cartridge
pull out mousseur spout
 adjustable flow rate limiter
 swivel tubular spout
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system

GROHE MINTA / MINTA TOUCH

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	30 274 000	4005176314988	Chrome	249.00
	30 274 DC0	4005176314995	supersteel	299.00
	<p>Minta Single-lever sink mixer 1/2" L-spout monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge flow strainer pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p>			
	32 917 000	4005176230950	Chrome	159.00
	32 917 DC0	4005176804946	supersteel	199.00
	<p>Minta Single-lever sink mixer 1/2" C-spout monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses with compression nut rapid installation system optional temperature limiter (46 308 000)</p>			
	32 918 000	4005176230967	Chrome	199.00
	32 918 DC0	4005176804953	supersteel	259.00
	<p>Minta Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system optional temperature limiter (46 308 000)</p>			
	32 321 000	4005176830228	Chrome	199.00
	32 321 DC0	4005176830235	supersteel	259.00
	<p>Minta Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge flow strainer pull-out laminar spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p>			









GROHE MINTA / MINTA TOUCH

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 488 000	4005176289552	Chrome	159.00
	32 488 DC0	4005176804939	supersteel	199.00
	<p>Minta Single-lever sink mixer 1/2" U spout, monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter selectable swivel area : 0° / 150° / 360° swivel tubular spout flexible connection hoses rapid installation system optional temperature limiter (46 308 000)</p>			
	32 067 000	4005176811142	Chrome	199.00
	32 067 DC0	4005176811166	supersteel	259.00
	<p>Minta Single-lever sink mixer 1/2" U spout monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p>			
	32 322 000	4005176830242	Chrome	199.00
	32 322 DC0	4005176830259	supersteel	259.00
	<p>Minta Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge flow strainer pull-out laminar spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel tubular spout, integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p>			

GROHE ZEDRA / ZEDRA TOUCH



GROHE ZEDRA / ZEDRA TOUCH


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	30 219 001	4005176343063	Chrome	629.00
	30 219 DC1	4005176343070	supersteel	849.00
	<p>Zedra Touch Electronic single-lever sink mixer 1/2" Touch: activation of water via skin contact battery supply 6 V lithium-battery, type CR-P2 CE approved solenoid valve automatically stops after 60 sec. (factory set) type of protection IP 44 GROHE SilkMove 46 mm ceramic cartridge pull-out dual spray control - switches between regular flow and spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>			
	32 294 001	4005176932380	Chrome	339.00
	32 294 SD1	4005176932397	stainless steel	509.00
	<p>Zedra Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge pull-out dual spray control - switches between regular flow and spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel tubular spout swivel area 360° integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p>			
	32 553 000	4005176864506	Chrome	349.00
	32 553 SD0	4005176864520	stainless steel	479.00
	<p>Zedra Single-lever sink mixer 1/2" monobloc installation, GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge pull-out dual spray control - switches between regular flow and spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter, swivel tubular spout integrated non-return valve protected against backflow flexible connection hoses rapid installation system</p>			
	32 296 000	4005176864599	Chrome	299.00
	32 296 SD0	4005176864612	stainless steel	449.00
	<p>Zedra Single-lever sink mixer 1/2" monobloc installation, GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge flow strainer pull-out laminar spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel tubular spout protected against backflow flexible connection hoses</p>			

GROHE ESSENCE



GROHE ESSENCE

new




Ref. No.	EAN code	Colour	Retail Guide Price (£)
30 294 000	4005176341472	Chrome	379.00
30 294 DC0	4005176341489	supersteel	489.00

Essence
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 flow strainer
 with integrated temperature limiter
 professional spray
 with flexible, hygienic GROHFlexx kitchen santoprene hose
 diverter: laminar spray/SpeedClean shower jet
 automatic return to laminar spray
 metal spray
 GROHE EasyDock M integrated magnet for
 seamless docking of the spray head
 swivel spout
 swivel area 360°
 protected against backflow
 flexible connection hoses
 rapid installation system



30 321 GE0	4005176438271	green	89.00
30 321 XC0	4005176385735	Dark Grey	89.00
30 321 MW0	4005176385728	Sheer Marble	89.00
30 321 HG0	4005176385742	Dark Brown	89.00
30 321 DG0	4005176438219	red	89.00
30 321 DP0	4005176438264	pink	89.00
30 321 DU0	4005176438257	purple	89.00
30 321 TY0	4005176438240	blue	89.00
30 321 YF0	4005176438233	yellow	89.00
30 321 YR0	4005176438226	orange	89.00


Essence GROHFlexx kitchen hose
 Spout hose for Essence kitchen tap
 for 30 294 000/ 30 294 DC0
 flexible, hygienic **GROHFlexx kitchen** santoprene hose
 including fixing parts



30 269 000	4005176314902	Chrome	239.00
30 269 DC0	4005176314919	supersteel	299.00
30 269 BE0	4005176428678	polished nickel	309.00
30 269 EN0	4005176428685	brushed nickel	309.00
30 269 GL0	4005176428616	cool sunrise	309.00
30 269 GN0	4005176428623	brushed cool sunrise	309.00
30 269 DA0	4005176428630	warm sunset	309.00
30 269 DL0	4005176428647	brushed warm sunset	309.00
30 269 A00	4005176428661	hard graphite	309.00
30 269 AL0	4005176428654	brushed hard graphite	309.00

Essence
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight chrome finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 mousseur
 swivel tubular spout
 adjustable swivel area 0° / 150° / 360°
 flexible connection hoses
 rapid installation system
 integrated temperature limiter

GROHE ESSENCE



Ref. No.	EAN code	Colour	Retail Guide Price (£)
30 270 000	4005176314926	Chrome	299.00
30 270 DC0	4005176314933	supersteel	349.00
30 270 BE0	4005176427480	polished nickel	399.00
30 270 EN0	4005176427497	brushed nickel	399.00
30 270 GL0	4005176427428	cool sunrise	399.00
30 270 GN0	4005176427435	brushed cool sunrise	399.00
30 270 DA0	4005176427442	warm sunset	399.00
30 270 DL0	4005176427459	brushed warm sunset	399.00
30 270 A00	4005176427473	hard graphite	399.00
30 270 AL0	4005176427466	brushed hard graphite	399.00

Essence

Single-lever sink mixer 1/2"

high spout

monobloc installation

GROHE StarLight chrome finish

28 mm ceramic cartridge

with **GROHE SilkMove**

flow strainer

pull-out dual spray control - switches between regular flow and spray

diverter: laminar spray/SpeedClean shower jet

automatic return to laminar spray

swivel tubular spout

swivel area 360°

integrated non-return valve

protected against backflow

flexible connection hoses

rapid installation system


integrated temperature limiter

GROHE EUROCUBE




GROHE EUROCUBE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



31 395 000	4005176304774	Chrome	519.00
31 395 DC0	4005176304767	supersteel	669.00

Eurocube
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 diverter: mousseur/shower jet
 swivel spout
 swivel area 140°
 360° maneuverable spring arm
 protected against backflow
 flexible connection hoses
 applicable for under cupboard installation
 rapid installation system







31 255 000	4005176901416	Chrome	179.00
------------	---------------	--------	--------

Eurocube
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight finish
 28 mm ceramic cartridge
 with **GROHE SilkMove**
 mousseur
 swivel cast spout
 swivel area 360°
 flexible connection hoses
 rapid installation system

GROHE AMBI



GROHE AMBI


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	30 189 000	4005176914102	Chrome	149.00
	<p>Ambi Two handle sink mixer 1/2" monobloc installation GROHE StarLight finish ceramic headparts 1/2", 90° mousseur swivel tubular spout selectable swivel area : 0° / 150° / 360° with lever handles lever opens to the front, protecting the backsplash flexible connection hoses rapid installation system min. recommended pressure 0.4 bar</p>			
	30 190 000	4005176914119	Chrome	159.00
	<p>Ambi Two handle sink mixer 1/2" monobloc installation GROHE StarLight finish ceramic headpart mousseur swivel tubular spout selectable swivel area : 0° / 150° / 360° with lever handles flexible connection hoses lever opens to the front, protecting the backsplash rapid installation system min. recommended pressure 0.4 bar</p>			

GROHE PARKFIELD



GROHE PARKFIELD

Ref. No.	EAN code	Colour	Retail Guide Price (£)
30 215 001	4005176409066	Chrome	318.00
30 215 DC1	4005176409073	supersteel	413.00











Parkfield
Single-lever sink mixer 1/2"
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 with integrated temperature limiter
 pull-out dual spray control - switches between regular flow and spray
 diverter: mousseur/shower jet
 automatic return to mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 360°
 integrated non-return valve
 protected against backflow
 flexible connection hoses
 rapid installation system

GROHE EURODISC COSMOPOLITAN



GROHE EURODISC COSMOPOLITAN


		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		32 259 002	4005176888182	Chrome	199.00
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>					
		31 122 002	4005176888199	Chrome	239.00
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout swivel tubular spout adjustable flow rate limiter swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>					
		33 770 002	4005176888137	Chrome	199.00
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>					
		32 257 002	4005176886591	Chrome	239.00
<p>Eurodisc Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull-out dual spray diverter: mousseur/shower jet automatic return to mousseur adjustable flow rate limiter swivel cast spout, swivel area 100° protected against backflow flexible connection hoses rapid installation system</p>					

GROHE EURODISC




GROHE EURODISC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



33 770 001	4005176828959	Chrome	179.00
-------------------	----------------------	---------------	---------------

Eurodisc
Single-lever sink mixer 1/2"
 low spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 140°
 with stop restriction
 flexible connection hoses
 rapid installation system















32 257 001	4005176834165	Chrome	189.00
-------------------	----------------------	---------------	---------------

Eurodisc
Single-lever sink mixer 1/2"
 low spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 pull-out dual spray
 diverter: mousseur/shower jet
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 flexible connection hoses
 rapid installation system







GROHE CONCETTO



GROHE CONCETTO

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	31 491 000	4005176343308	Chrome	319.00
	31 491 DC0	4005176343315	supersteel	419.00
		<p>Concetto Single-lever sink mixer 1/2" monobloc installation GROHE StarLight chrome finish 28 mm ceramic cartridge with GROHE SilkMove flow strainer with integrated temperature limiter professional spray with flexible, hygienic GROHFlexx kitchen santoprene hose diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray GROHE EasyDock M integrated magnet for seamless docking of the spray head swivel spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>		
	32 661 001	4005176886751	Chrome	179.00
	32 661 DC1	4005176890987	supersteel	219.00
		<p>Concetto Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° mousseur flexible connection hoses rapid installation system</p>		
	32 663 001	4005176886768	Chrome	199.00
	32 663 DC1	4005176890994	supersteel	279.00
		<p>Concetto Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>		
	31 483 001	4005176341038	Chrome	229.00
	31 483 DC1	4005176341076	supersteel	299.00
		<p>Concetto Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge flow strainer pull-out laminar spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>		

GROHE CONCETTO











		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		31 128 001	4005176886737	Chrome	179.00
		31 128 DC1	4005176891007	supersteel	229.00
<p>Concetto Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>					
		31 129 001	4005176886744	Chrome	219.00
		31 129 DC1	4005176891021	supersteel	279.00
<p>Concetto Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel cast spout swivel area 100° protected against backflow flexible connection hoses rapid installation system</p>					
		32 659 001	4005176886713	Chrome	159.00
		32 659 DC1	4005176890772	supersteel	209.00
<p>Concetto Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel cast spout swivel area 140° flexible connection hoses rapid installation system</p>					

KITCHEN
FITTINGS

GROHE EUROSTYLE COSMOPOLITAN




GROHE EUROSTYLE COSMOPOLITAN

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		33 975 002	4005176886638	Chrome	169.00
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>					
		31 126 002	4005176886645	Chrome	189.00
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge pull out mousseur spout adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>					
		31 482 002	4005176341021	Chrome	219.00
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" monobloc installation high spout GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge flow strainer pull-out laminar spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>					
		30 221 002	4005176984235	Chrome	119.00
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system integrated temperature limiter</p>					
		31 124 002	4005176886614	Chrome	149.00
<p>Eurostyle Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>					

GROHE EUROSTYLE COSMOPOLITAN

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

33 977 002	4005176886560	Chrome	129.00
------------	---------------	--------	--------










Eurostyle Cosmopolitan
Single-lever sink mixer 1/2"
 low spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove 35 mm ceramic cartridge
 mousseur
 adjustable flow rate limiter
 swivel tubular spout
 swivel area 140°
 flexible connection hoses
 rapid installation system

KITCHEN
FITTINGS

GROHE EUROSMART COSMOPOLITAN











GROHE EUROSMART COSMOPOLITAN

		Ref. No.	EAN code	Colour	Retail Guide Price (£)
		32 843 000	4005176874840	Chrome	119.00
<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout selectable swivel area : 0° / 150° / 360° flexible connection hoses rapid installation system</p>					
		31 481 000	4005176341014	Chrome	209.00
<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge flow strainer pull-out laminar spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel tubular spout swivel area 360° protected against backflow flexible connection hoses rapid installation system</p>					
		30 193 000	4005176919459	Chrome	119.00
<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" medium spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>					
		32 842 000	4005176874833	Chrome	99.00
<p>Eurosmart Cosmopolitan Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° flexible connection hoses rapid installation system</p>					


GROHE EUROSMART



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	33 202 002	4005176861956	Chrome	119.00
	Eurosmart Single-lever sink mixer 1/2" high spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter mousseur adjustable flow rate limiter swivel tubular spout adjustable swivel area 0° / 150° / 360° flexible connection hoses rapid installation system			
	30 305 000 30 305 DC0	4005176343285 4005176359811	Chrome supersteel	149.00 189.00
	Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge flow strainer with integrated temperature limiter pull-out dual spray control - switches between regular flow and spray diverter: laminar spray/SpeedClean shower jet automatic return to laminar spray adjustable flow rate limiter swivel cast spout 88° swivel radius separate inner water ways – lead and nickel free flexible connection hoses rapid installation system protected against backflow			
	33 281 002	4005176861932	Chrome	99.00
	Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge integrated temperature limiter adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system			
	30 260 002	4005176310386	Chrome	99.00
	Eurosmart Single-lever sink mixer 1/2" low spout monobloc installation GROHE StarLight finish GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start adjustable flow rate limiter swivel cast spout swivel area 140° separate inner water ways – lead and nickel free mousseur with coin slot for tool free replacement flexible connection hoses rapid installation system			

GROHE EUROSMART

Ref. No.	EAN code	Colour	Retail Guide Price (£)
32 221 002	4005176861949	Chrome	89.00







Eurosmart
Single-lever sink mixer 1/2"
 low spout
 monobloc installation
GROHE StarLight finish
GROHE SilkMove ES 35 mm ceramic cartridge with energy saving function via cold start and Eco-click
 adjustable flow rate limiter
 swivel cast spout
 swivel area 140°
 separate inner water ways – lead and nickel free
 mousseur with coin slot for tool free replacement
 flexible connection hoses
 rapid installation system
 Qualitel E1C2A2U3 applied for

GROHE EUROECO / EUROECO SPECIAL



GROHE EUROECO / EUROECO SPECIAL


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 750 000	4005176868238	Chrome	79.00
	<p>Euroeco Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 35 mm ceramic cartridge mousseur adjustable flow rate limiter swivel tubular spout swivel area 140° metal lever flexible connection hoses rapid installation system</p>			
	32 786 000	4005176871863	Chrome	119.00
	<p>Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min. swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever, lever length 120 mm flexible connection hoses</p>			

GROHE COSTA



GROHE COSTA

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



31 819 001	4005176843471	Chrome	89.00
------------	---------------	--------	-------


Costa S
Sink mixer 1/2"
 metal handles
 heat-insulated
 screwable
GROHE StarLight finish
 Carbodur headparts
 mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses

GROHE BAU LINES




GROHE BAU LINES

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



31 367 000	4005176934346	Chrome	99.00
------------	---------------	--------	-------

BauEdge
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight chrome finish
 GROHE Longlife 28 mm ceramic cartridge
 spout with mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
 rapid installation system



31 368 000	4005176934483	Chrome	99.00
------------	---------------	--------	-------

BauLoop
Single-lever sink mixer 1/2"
 high spout
 monobloc installation
GROHE StarLight finish
 GROHE Longlife 28 mm ceramic cartridge
 spout with mousseur
 swivel tubular spout
 swivel area 360°
 flexible connection hoses
 rapid installation system
Min. recommended pressure 1.0 bar

GROHE SOAP DISPENSERS



GROHE SOAP DISPENSERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 535 000	4005176905490	Chrome	59.00
	40 535 DC0	4005176905520	supersteel	69.00
<p>Cosmopolitan Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish</p> 				
	40 536 000	4005176905506	Chrome	49.00
	40 536 DC0	4005176905537	supersteel	69.00
<p>Contemporary Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish</p> 				
	40 553 000	4005176911422	Chrome	69.00
	40 553 DC0	4005176911439	supersteel	89.00
<p>Zedra Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish</p> 				
	40 537 000	4005176905513	Chrome	59.00
<p>Authentic Soap Dispenser for liquid soaps, storage bin 500 ml GROHE StarLight finish</p> 				

GROHE
COMMERCIAL FITTINGS





CONTENTS

Electronic Fittings	Essence E	545
	Eurocube E	549
	Bluetooth monitoring	553
	Europlus E	563
	Eurosmart Cosmopolitan E	567
Special Thermostats	Euroeco Cosmopolitan E	573
	Grohtherm Ergomix	577
	Grohtherm Micro	579
	Grohtherm Special	581
	Grohtherm 2000 Special	587
	Automatic 2000	591
Single-Lever Mixers	Grohtherm XL	593
	Commercial Showers	595
	Euroeco Special	599
	Hospita	603
Self-closing Fittings	Euroeco Single Sequential	605
	Eurodisc SE	609
	Eurosmart Cosmopolitan T	613
	Euroeco Cosmopolitan T	615

MAXIMUM HYGIENE, SIMPLE SETTING AND EXCELLENT EFFICIENCY

A key innovation in GROHE infrared products is the improved control of all functions: In addition to simple setting by hand via sensors as we know it, our one eye infrared models now also offer the option of changing settings using the remote control or an app on a smartphone or tablet. That makes it easier to set or adjust functions such as running time and regular, automatic flushes. Even changing or activating functions such as thermal disinfection or automatic flushing (stagnation flush) is now comprehensive, simple and intuitive.

Setting options by hand via sensors

7 preset standard programs for the key functions

Automatic flushing frequency
(off, 24 or 72 hours, to prevent water stagnation)

Automatic flushing duration (60, 300 or 600 sec)

Thermal disinfection (3.5 or 11 min. or continuous operation);
Sensor monitored: Automatic stop when a hand approaches (reflection)

Cleaning stop function (off or 180 sec, easy for cleaning staff to operate)

Setting flush volume for the WC and urinal (WC 4 – 9 l, urinal 1 – 7 l)


Battery charge indicator: Blinking LED = low battery charge;
displays 4 charge levels: > 60 %, > 40 %, > 20 %, < 20 %

Meeting the most exacting hygiene standards. The preset programs in our infrared products are designed to deliver just the right amount of water and make it easier to meet any building's specific hygiene standards. By flushing regularly (according to users' settings) it prevents germs from growing in pipes (biofilm). Not only that, they also prevent unpleasant odours that can be caused by stagnation water, especially in WCs and urinals.

Additional setting options via remote control or app. The remote control or app lets you fine-tune all functions even more accurately and read out consumption data reliably and simple. Another benefit of the new GROHE technology is being able to set not only individual draw-off points but also entire rows to the desired parameters with predefined profiles at the touch of a button.

Infrared = sustainability. GROHE electronics significantly reduce water consumption by starting and stopping the flow of water precisely as needed. They can slash water use by up to 70 % compared with conventional single-lever mixers. And GROHE electronics are also sustainable in terms of their maintenance requirements and long life. Our batteries use very little energy, so they last a long time: up to seven years at 150 actuations per day. Alternatively, all our infrared mixers can run on a mains connection (230 V) or via the GROHE power box.

MAXIMUM HYGIENE



SIMPLE TO SET



EXCELLENT EFFICIENCY



THE NEW **REMOTE CONTROL:** SMART, STRAIGHTFORWARD, INTUITIVE

Many additional settings can be operated with the new GROHE remote control. It is intuitive and straightforward to operate and gives plumbers, caretakers or facility managers access to the products. The integrated screen clearly displays all the setting options featured in each infrared product. It enables the settings for use and total running times to be adjusted to changing needs in an instant. The menu feature a logical structure that simplifies operation – so even thermal disinfection can easily be activated just by pressing a button.

Save time and money. Another special feature of the new GROHE Professional remote control is the ability to access a wide range of data on the infrared products and display them on screen. This is especially important for those in charge of sanitary facility maintenance, as it gives them all the product and consumption information they need to ensure optimum long-term operation. The consumption profile can be stored in the remote control and transferred to other infrared products. Particularly in facilities fitted with numerous infrared-controlled sanitary products, this option is the ideal way to save time and optimise costs. Data readout rapidly indicates any irregularities, which simplifies maintenance. Operating costs can be calculated and reduced at each draw-off point.

Configuration: Simply navigate to the desired function.

The new GROHE infrared products' functions are as diverse as their operation is simple. Any user can readily deploy the full range of program options that allow the electronic faucets and flush systems to meet specific needs while operating with maximum efficiency. This includes, for example, adjusting detection zones: Whether hand or body detection (thermostat function) which is required by surgeons in operating rooms the detection option can be (individually) defined.

Complex processes made easy. Setting automatic flushes in order to prevent water stagnation and the odours it causes is now much simpler: Activation can be set flexibly at four-hour intervals, and the duration of each flush can also be set in 30-second intervals as desired.



THE NEW REMOTE CONTROL AT A GLANCE

Settings via remote control (configuration)

Setting the detection zone in 1 – 19 steps (7–20 cm)

Automatic flush

Time: According to time or use in four-hour increments (4–80 hours)

Flush duration: Flexible, in 30-second increments (30–600 sec.)

Thermal disinfection in one-minute increments (4–23 min.)

Activating thermal disinfection with one press of a button

Cleaning stop function with three different time settings (180, 320, 560 sec.)

Total running time of waterflow per activation (6–420 sec.)

Run-on time after leaving detection zone is individually adjustable in one-second increments (0–19 sec.)

Service via remote control

Read out, save and load of product profile (depending on product category)

Battery charge indicator

Restore factory or user settings

Read out infrared product's software version, serial number and manufacturing date

Number of power interruptions

Switch product off / on

Consumption data via remote control (monitoring)

Monitoring consumption and flow data

Number of thermal disinfections

Total running time

Number of times solenoid valve is opened and closed

Number of automatic flushes

Reset solenoid valve counter for maintenance



GROHE ESSENCE E




GROHE ESSENCE E

Ref. No. EAN code Colour Retail Guide Price (£)

new


36 444 000 4005176415661 Chrome 589.00



Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight chrome finish
 adjustable swivel area 0° / 150° / 360°
 laminar spray regulator 5.0 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

new


36 445 000 4005176415678 Chrome 569.00



Essence E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium-battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
 adjustable swivel area 0° / 150° / 360°
 laminar spray regulator 5.0 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

new

36 446 000 4005176415685 Chrome 529.00




Essence E
Infra-red electronic basin tap 1/2"
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 for cold or premixed water
 6V lithium-battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
 adjustable swivel area 0° / 150° / 360°
 laminar spray regulator 5.0 l/min
 flexible connection hose
 dirt strainer
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

GROHE ESSENCE E

Ref. No. EAN code Colour Retail Guide Price (£)


new



36 447 000 4005176416293 Chrome 749.00

Essence E
Infra-red electronic wall basin tap without mixing device
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar spray regulator 5.0 l/min 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for use with Rapid SL 38 748 002 or roughing-in set 36 264 001 CE approved noise classification 1 in accordance with DIN4109


new



36 264 001 4005176416279 199.00

Concealed mounting box
 wall installation for installation with pre-mixed or cold water suitable for IR-sets for final installation connection housing for power supply suitable for 36 447 000, 36 442 000


new



38 748 002 4005176416323 Chrome 469.00

Rapid SL for basin
 for wall mounted fittings with roughing-in set for infra-red electronic Europlus E 36 042 SD0, Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m finished installation height
 for on-the-wall installations or studded walls
Includes
 wash basin fixing bolts with fixing device for ceramic variable distance of fixing bolts PE-outlet bend 50 mm dia seal Ø 32 mm pre-mounted roughing-in set with protecting block fire-proof pipe for laying electronic cables installation box with water group, stop valve and flush elbow connection with noise protected fitting holder 1/2" connecting box for mains supply 230 V CE approved for installation with pre-mixed or cold water **wall brackets 38 558 00M (pair)** not included and must be ordered separately

new








36 407 001 4005176368974 249.00

Remote control
 for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home
monitoring
 consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)
configuration
 cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)
service
 send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home)
 3 x 1.5 V DC (AAA) battery supply

COMMERCIAL FITTINGS

GROHE ESSENCE E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 340 000	4005176911385		49.00
	Power extension cable length 3.00 m			
	36 341 000	4005176911392		88.10
	ditto, length 10m			
	42 393 000	4005176905872		65.05
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
	36 338 000	4005176896743		79.00
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			
				

GROHE EUROCUBE E




GROHE EUROCUBE E

Ref. No. EAN code Colour Retail Guide Price (£)

new


36 440 000 4005176415623 Chrome 729.00



Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight chrome finish
 laminar spray regulator 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

new


36 441 000 4005176415630 Chrome 699.00



Eurocube E
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium-battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
 laminar spray regulator 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

new

36 442 000 4005176415647 Chrome 789.00




Eurocube E
Infra-red electronic wall basin tap without mixing device
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 for cold or premixed water
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC
 laminar spray regulator 5.7 l/min
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 set for final installation
 for use with Rapid SL 38 748 002 or roughing-in set 36 264 001
 CE approved
 noise classification 1 in accordance with DIN4109

GROHE EUROCUBE E

Ref. No. EAN code Colour Retail Guide Price (£)


new



36 264 001 4005176416279 199.00

Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
connection housing for power supply
suitable for 36 447 000, 36 442 000

new




38 748 002 4005176416323 Chrome 469.00

Rapid SL for basin
for wall mounted fittings
with roughing-in set for infra-red electronic Europlus E 36 042 SD0,
Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls

Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
PE-outlet bend 50 mm dia
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic
cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
wall brackets 38 558 00M (pair) not included and
must be ordered separately

COMMERCIAL
FITTINGS

new



36 407 001 4005176368974 249.00

Remote control
for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home
monitoring
consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)
configuration
cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)
service
send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply

new



36 340 000 4005176911385 49.00

Power extension cable
length 3.00 m

36 341 000 4005176911392 88.10
ditto, length 10m


GROHE EUROCUBE E

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



42 393 000	4005176905872		65.05
------------	---------------	--	-------

Battery Housing
including 6 V lithium-battery, type CR-P2
to replace transformer



36 338 000	4005176896743		79.00
------------	---------------	--	-------

Switch mode power supply
for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000,
36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,
36 015 001, 36 016 001, 36 421 000

GROHE BLUETOOTH MONITORING



GROHE BLUETOOTH MONITORING

BLUETOOTH* MONITORING - SYSTEM REQUIREMENTS



System requirements

Apple

iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini/2/3
Apple operating system: iOS 8.0 and above (32/64 bit)

Android

min 4" display with OS Version 4.3 – 5.x

Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.


* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.

** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards

*** Available for free via iTunes app or Google Play store.


GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 411 000	4005176320552	Chrome	635.00



Europlus E Bluetooth
Infra-red electronic basin tap 1/2" with mixing device
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
 rapid installation system
 mixing device with adjustable hot water limiter
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
 with integrated solenoid valve
 integrated non-return valves
 and dirt strainers
 with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance
 with DIN4109
 type of protection faucet IP 59K


36 413 000	4005176320576	Chrome	516.00
------------	---------------	--------	--------



Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2" with mixing device
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
 rapid installation system
 mixing device with adjustable hot water limiter
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
 with integrated solenoid valve
 integrated non-return valves
 and dirt strainers
 with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance
 with DIN4109
 type of protection faucet IP 59K


GROHE BLUETOOTH MONITORING

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 409 000	4005176320538	Chrome	425.00



Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap 1/2"
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
without power supply 36 338 000 (required)
 rapid installation system
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
 solenoid valve
 dirt strainer
 with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush usage per day over 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 detection range and shut off delay
 thermal disinfection
 auto flush
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

36 414 000	4005176320583	Chrome	700.00
------------	---------------	--------	--------




Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic thermostatic basin mixer, wall mounted
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
GROHE StarLight finish
GROHE CoolTouch
GROHE EcoJoy technology for less water and perfect flow
GROHE SafeStop safety button at 38°C
(calibration required)
 swivel cast spout 219 mm
 with swivel stop at 130° or fixed
 projection 287 mm
 laminar mousseur 9 l/min
 S-unions
 escutcheon covers for S-unions
 non-return valve
 dirt strainers
 power connection cable 3.0 m
 for use with connection set
 39 383 000
 with Bluetooth 4.0* for wireless data communication for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush usage per day over 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

GROHE BLUETOOTH MONITORING


Ref. No. EAN code Colour Retail Guide Price (£)

39 383 000 4005176356926 49.00



**Eurosmart Cosmopolitan E
Thermostatic 230 V connection set**
fitting support
2 fitting connections DN 15
power supply connector
wall installation
for use with Eurosmart Cosmopolitan E thermostat 230 V


36 410 000 4005176320545 Chrome 488.00



**Euroeco Cosmopolitan E Bluetooth
Infra-red electronic basin tap**
with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
set for final installation for concealed fitting box
36 336 000/36 337 000
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
laminar flow straightener 9 l/min.
chrome escutcheon and spout
projection 172 mm
with Bluetooth 4.0* for wireless data communication
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
thermal disinfection cycles and timings last disinfection
configuration
detection range and shut off delay
auto flush
thermal disinfection
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved
noise classification 1 in accordance
with DIN4109


COMMERCIAL
FITTINGS

36 337 000 4005176896736 99.00



**Euroeco Cosmopolitan E
Concealed mounting box**
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000

36 336 000 4005176896729 261.55




**Eurosmart Cosmopolitan E
Concealed mounting box**
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000

GROHE BLUETOOTH MONITORING


Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

36 412 000	4005176320569	Chrome	550.00
------------	---------------	--------	--------



Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
 set for final installation for concealed fitting box 36 339 000
GROHE StarLight finish
GROHE EcoJoy technology for less water and perfect flow
 laminar flow straightener 9 l/min.
 chrome escutcheon and spout
 projection 172 mm
 with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 detection range and shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved
 noise classification 1 in accordance
 with DIN4109


36 339 000	4005176896842		170.00
------------	---------------	--	--------



Eurosmart Cosmopolitan E
Concealed mounting box
with mixture
 wall installation
 suitable for IR-sets for final installation
 2 stop valves
 housing with mixing device
 non-return valve
 connection housing for power supply
 suitable for
 36 315 000, 36 412 000, 36 376 000

new


36 415 000	4005176320590	Chrome	462.55
------------	---------------	--------	--------



Eurosmart Cosmopolitan E Bluetooth
Infra-red electronic for concealed thermostatic shower
 with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
 with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
 for concealed installation box 36 416 000
GROHE StarLight finish
 chrome escutcheon
 with Bluetooth 4.0* for wireless data communication
 for Apple** and Android devices
 Bluetooth range (max. 10 m) varies depending on materials used and walls
 between transmitter and receiver
monitoring
 password protected products
 app detects all Bluetooth products in range
 auto flush cycles and timing last auto flush
 usage per day over 30 days
 thermal disinfection cycles and timings last disinfection
configuration
 shut off delay
 auto flush
 thermal disinfection
 cleaning mode
 2 on/off timers
 identification by name
service
 send and save 3 profiles
 reset to factory or user settings
 hard and software version
 CE approved

GROHE BLUETOOTH MONITORING


Ref. No. EAN code Colour Retail Guide Price (£)



36 416 000 4005176321009

444.80

Eurosmart Cosmopolitan E
Concealed control unit
for shower
with integrated pre-adjustable
thermostatic mixer
suitable for IR-set 36 415 000
2 stop valves
Grotherm Micro integrated
non-return valves with filters
connection housing for power supply



37 503 000 4005176320507

Chrome

599.00


Tectron Skate Bluetooth
Infra-red electronic for Urinal
for Rapido U 37 338 000
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
with infrared sensor and Bluetooth module for bi-directional communication for
monitoring, configuration and service purpose
GROHE StarLight finish
flow pressure min 0.5 bar
operating pressure max 10 bar

with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
for Apple** and Android devices
Bluetooth range (max. 10 m) varies depending on materials used and walls
between transmitter and receiver

monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days

configuration
detection range and shut off delay
auto flush
cleaning mode
2 on/off timers
identification by name

service
send and save 3 profiles
reset to factory or user settings
CE approved
hard and software version









37 338 000 4005176837920

119.00

GROHE Rapido U
roughing-in set for urinal
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply
installation box with gasket
fixing points for dry cladding and masonry-in
inspection shaft incl. protection


COMMERCIAL
FITTINGS

GROHE BLUETOOTH MONITORING

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 505 SD0	4005176321016	stainless steel	599.00
	<p>Tectron Skate Bluetooth Infra-red electronic for WC for flushing cistern GD 2 / Rapid SL 1.13m only with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose front plate 156 x 197 mm servo motor</p> <p>with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver</p> <p>monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days</p> <p>configuration detection range and shut off delay auto flush cleaning mode 2 on/off timers identification by name</p> <p>service send and save 3 profiles reset to factory or user settings hard and software version CE approved</p>			
 	37 504 000	4005176320521	Chrome	749.00
	<p>Tectron Skate Bluetooth Infra-red electronic for WC for flushing cistern GD 2 / Rapid SL 1.13m only with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC with infrared sensor and Bluetooth module for bi-directional communication for monitoring, configuration and service purpose with additional manual actuation GROHE StarLight finish front plate 156 x 197 mm servo motor</p> <p>with Bluetooth 4.0* for wireless data communication for Apple** and Android devices Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver</p> <p>monitoring password protected products app detects all Bluetooth products in range auto flush cycles and timing last auto flush usage per day over 30 days</p> <p>configuration detection range and shut off delay auto flush cleaning mode 2 on/off timers identification by name</p> <p>service send and save 3 profiles reset to factory or user settings hard and software version CE approved</p>			
 	36 340 000	4005176911385		49.00
	<p>Power extension cable length 3.00 m</p>			
	36 341 000	4005176911392		88.10
	<p>ditto, length 10m</p>			

GROHE BLUETOOTH MONITORING


Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



36 338 000	4005176896743		79.00
------------	---------------	--	-------

Switch mode power supply

for one eye infra-red wash basin mixer
switch mode power supply with operating voltage
100-230 V AC, 50 - 60 Hz
for concealed socket with cover and strain relief
suitable for the following products: 36 444 000, 36 440 000,
36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000,
36 015 001, 36 016 001, 36 421 000



36 407 001	4005176368974		249.00
------------	---------------	--	--------

Remote control

for all GROHE one eye infra-red products
as of 06/2015 and GROHE Blue Home

monitoring

consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service







send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply

GROHE EUROPLUS E




GROHE EUROPLUS E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 207 001	4005176929373	Chrome	529.00
	<p>Europlus E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min non-return valve dirt strainers solenoid valve rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 208 001	4005176929380	Chrome	449.00
	ditto, without mixing device			
	36 236 001	4005176929403	Chrome	402.19
	<p>Europlus E Infra-red electronic basin mixer 1/2" with mixing device, adjustable temperature limiter and waste set with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min non-return valve dirt strainers solenoid valve rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 015 001	4005176929359	Chrome	459.00
	<p>Europlus E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36338000 (required) GROHE EcoJoy mousseur 5.7 l/min non-return valve dirt strainers solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 016 001	4005176929366	Chrome	395.88
	ditto, without mixing device			


GROHE EUROPLUS E

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 387 000	4005176983207	Chrome	834.90



Europlus E Powerbox
with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system monobloc installation
GROHE EcoJoy 6.0 l/min mousseur including all flexible connection hoses non-return valve dirt strainer rapid installation system
Powerbox
power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407


36 239 001	4005176929410	Chrome	1,080.45
------------	---------------	--------	----------



Europlus E Infrared electronic wash basin thermostat, 1/2"
with infrared sensor for bi-directional communication for monitoring, configuration and servicing wall or deck mounted 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) 3 modes to start mixer: hand-hand, hand-body or body-body reflection temperature scale handle with safety stop between 35°C and 45°C laminar flow straightener 9 l/min. non-return valve dirt strainers swivel cast spout, 192 mm projection 264 mm swivel range stop at 130°, lockable multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection IP 69K (planned)







36 240 001	4005176929427	Chrome	1,006.80
ditto, swivel cast spout 160 mm, projection 232 mm			

36 407 001	4005176368974		249.00
------------	---------------	--	--------



Remote control
for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home
monitoring
consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)
configuration
cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)
service
send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home)
3 x 1.5 V DC (AAA) battery supply







GROHE EUROPLUS E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 340 000	4005176911385		49.00
	Power extension cable length 3.00 m			
	36 341 000	4005176911392		88.10
	ditto, length 10m			
	42 393 000	4005176905872		65.05
	Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer			
 	36 338 000	4005176896743		79.00
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			
	36 209 000	4005176207105	Chrome	68.65
	Security cover cap vandal-proof, covered and pre-adjustable suitable for single hole mixers Essence E, Allure E, Europlus E and Eurodisc SE Consisting of: special mixing device for actuation by screwdriver metallic cap GROHE StarLight chrome finish			

GROHE EUROSMART COSMOPOLITAN E




GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 327 001	4005176305771	Chrome	299.00
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 331 001	4005176305795	Chrome	262.00
	ditto, with pop-up waste set 1 1/4"			
	36 422 000	4005176368530	Chrome	317.57
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" L-Size with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE StarLight finish GROHE EcoJoy mousseur 5.7 l/min flexible connection hoses non-return valve dirt strainers with integrated solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			
	36 325 001	4005176305764	Chrome	339.00
	<p>Eurosmart Cosmopolitan E Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing without power supply 36338000 (required) GROHE EcoJoy mousseur 5.7 l/min non-return valve dirt strainers with integrated solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			


GROHE EUROSMART COSMOPOLITAN E

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 421 000	4005176368523	Chrome	315.60




Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2" L-Size
with mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
without power supply 36338000 (required)
GROHE StarLight finish
GROHE EcoJoy mousseur 5.7 l/min
 flexible connection hoses
 non-return valve
 dirt strainers
 with integrated solenoid valve
 rapid installation system
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

36 439 000	4005176389740	Chrome	246.56
------------	---------------	--------	--------










Eurosmart Cosmopolitan E
Infra-red electronic basin tap 1/2"
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water
 6V lithium-battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE StarLight chrome finish
GROHE EcoJoy mousseur 5.7 l/min
 flexible connection hose
 dirt strainer
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

36 330 001	4005176305788	Chrome	319.00
------------	---------------	--------	--------




Eurosmart Cosmopolitan E
Infra-red electronic basin mixer 1/2"
with hidden mixing device and adjustable temperature limiter
 with infrared sensor for bi-directional communication for monitoring, configuration and servicing
 6V lithium-battery, type CR-P2
 battery lifetime approx. 7 years (150 actuations a day)
GROHE EcoJoy mousseur 5.7 l/min
 non-return valve
 dirt strainers
 with integrated solenoid valve
 external battery
 rapid installation system
 multistage battery status display
 7 pre-set programs
 CE approved
 noise classification 1 in accordance with DIN4109
 type of protection faucet IP 59K

GROHE EUROSMART COSMOPOLITAN E

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 386 001	4005176311673	Chrome	581.49
	<p>Eurosmart Cosmopolitan E Powerbox Infra-red electronic basin mixer 1/2" with mixing device and adjustable temperature limiter with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system GROHE EcoJoy 6.0 l/min mousseur including all flexible connection hoses non-return valve dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407</p>			
	36 332 000	4005176896682	Chrome	704.75
	<p>Eurosmart Cosmopolitan E Infra-red electronic wall basin mixer with thermostatic temperature control with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) 3 modes to start mixer: hand-hand, hand-body or body-body reflection laminar mousseur 9 l/min non-return valve dirt strainers temperature scale handle with GROHE SafeStop safety stop at 38°C (calibration required) swivel cast spout, 219 mm projection 287 mm swivel range stop at 130°, lockable multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109</p>			
	36 333 000	4005176896699	Chrome	692.20
<p>ditto, projection 255 mm</p>				
	36 334 SD0	4005176896705	stainless steel	389.00
	<p>Eurosmart Cosmopolitan E Infra-red electronic wall basin tap without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water with transformer 100-230 V AC, 50-60 Hz, 6 V DC laminar mousseur 9 l/min stainless steel escutcheon SuperSteel spout projection 232 mm 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 set for final installation for concealed fitting box 36 336 000/36 337 000 CE approved noise classification 1 in accordance with DIN4109</p>			
	36 335 SD0	4005176896712	stainless steel	369.00
<p>ditto, spout 170 mm</p>				


GROHE EUROSMART COSMOPOLITAN E

Ref. No. EAN code Colour Retail Guide Price (£)




36 337 000 4005176896736 99.00

Euroeco Cosmopolitan E
Concealed mounting box
wall installation
for installation with pre-mixed or cold water
suitable for IR-sets for final installation
stop valve
connection housing for power supply
suitable for
36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000



36 336 000 4005176896729 261.55


Eurosmart Cosmopolitan E
Concealed mounting box
with integrated pre-adjustable
thermostatic mixer
wall installation
suitable for IR-sets for final installation
2 stop valves
non-return valve
suitable for
36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000



36 376 000 4005176932243 Chrome 499.00

Eurosmart Cosmopolitan E
Infra-red electronic basin mixer with mixing device and adjustable temperature limiter
with infrared sensor for bi-directional communication
for monitoring, configuration and servicing
with transformer 100-230 V AC, 50-60 Hz, 6 V DC
laminar flow straightener 9 l/min.
chrome escutcheon
chrome spout
projection 232 mm
7 pre-set programs
auto flush
thermal disinfection
cleaning mode
additional functions and precise settings
by remote control 36 407
set for final installation for concealed fitting box
36 339 000
CE approved
noise classification 1 in accordance
with DIN4109

36 315 000 4005176896590 Chrome 419.00
ditto, projection 170 mm











36 339 000 4005176896842 170.00

Eurosmart Cosmopolitan E
Concealed mounting box with mixture
wall installation
suitable for IR-sets for final installation
2 stop valves
housing with mixing device
non-return valve
connection housing for power supply
suitable for
36 315 000, 36 412 000, 36 376 000

COMMERCIAL
FITTINGS



GROHE EUROSMART COSMOPOLITAN E



	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 407 001	4005176368974		249.00
	<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home</p> <p>monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)</p> <p>configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p>service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V DC (AAA) battery supply</p>			
 	36 340 000	4005176911385		49.00
	<p>Power extension cable length 3.00 m</p>			
	36 341 000	4005176911392		88.10
	<p>ditto, length 10m</p>			
	42 393 000	4005176905872		65.05
	<p>Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer</p>			
 	36 338 000	4005176896743		79.00
	<p>Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000</p>			
	34 507 000	4005176940767	Chrome	154.00
	<p>Grotherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature GROHE TurboStat thermoelement built-in non return valves dirt strainers with connection set and T piece GROHE StarLight chrome finish max. pressure differential 5:1</p>			



GROHE EUROECO COSMOPOLITAN E



GROHE EUROECO COSMOPOLITAN E

Ref. No.	EAN code	Colour	Retail Guide Price (£)
36 271 000	4005176893193	Chrome	249.00
  <p>Euroeco Cosmopolitan E Infra-red electronic basin tap with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) GROHE EcoJoy mousseur 5.7 l/min dirt strainers solenoid valve external battery rapid installation system multistage battery status display 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			


36 269 000	4005176893179	Chrome	269.00
  <p>Euroeco Cosmopolitan E Infra-red electronic basin tap 1/2" with infrared sensor for bi-directional communication for monitoring, configuration and servicing for cold or premixed water without power supply 36338000 (required) GROHE EcoJoy mousseur 5.7 l/min dirt strainers solenoid valve rapid installation system 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407 CE approved noise classification 1 in accordance with DIN4109 type of protection faucet IP 59K</p>			

36 384 000	4005176982774	Chrome	549.00
  <p>Euroeco Cosmopolitan E Powerbox infra-red electronic basin tap 1/2" without mixing device with infrared sensor for bi-directional communication for monitoring, configuration and servicing including Powerbox self-generating power system GROHE EcoJoy 6.0 l/min mousseur flexible connection hose dirt strainer rapid installation system Powerbox power generator with water turbine internal energy saving unit with use of 60 s/24 h stand-by, 260 s/100 h stand-by with additional backup power 7 pre-set programs auto flush thermal disinfection cleaning mode additional functions and precise settings by remote control 36 407</p>			


GROHE EUROECO COSMOPOLITAN E

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

36 273 000	4005176893216	Chrome	326.90
------------	---------------	--------	--------




Euroeco Cosmopolitan E
Infra-red electronic wall basin tap without mixing device
 with infrared sensor for bi-directional communication
 for monitoring, configuration and servicing
 for cold or premixed water
 with transformer 100-230 V AC, 50-60 Hz, 6 V DC
 chrome escutcheon
 chrome spout
 projection 172 mm
 7 pre-set programs
 auto flush
 thermal disinfection
 cleaning mode
 additional functions and precise settings
 by remote control 36 407
 set for final installation for concealed fitting box
 36 336 000/36 337 000
 CE approved
 noise classification 1 in accordance
 with DIN4109




36 337 000	4005176896736		99.00
------------	---------------	--	-------

Euroeco Cosmopolitan E
Concealed mounting box
 wall installation
 for installation with pre-mixed or cold water
 suitable for IR-sets for final installation
 stop valve
 connection housing for power supply
 suitable for
 36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000



36 336 000	4005176896729		261.55
------------	---------------	--	--------

Eurosmart Cosmopolitan E
Concealed mounting box
 with integrated pre-adjustable
 thermostatic mixer
 wall installation
 suitable for IR-sets for final installation
 2 stop valves
 non-return valve
 suitable for
 36 335 SD0, 36 273 000, 36 334 SD0, 36 411 000, 36 410 000









36 407 001	4005176368974		249.00
------------	---------------	--	--------

Remote control
 for all GROHE one eye infra-red products
 as of 06/2015 and GROHE Blue Home
monitoring
 consumption and usage data
 thermal disinfection cycles (infrared mixers)
 auto flush cycles (infrared mixers)
 cleaning mode cycles (GROHE Blue Home)
 filter and CO₂ capacity (GROHE Blue Home)
configuration
 cleaning mode activation
 thermal disinfection (infrared mixers)
 detection range (infrared mixers)
 shut off delay (infrared mixers)
 auto flush (infrared mixers)
 filter capacity (GROHE Blue Home)
service
 send and save profile
 reset to factory or user settings
 service details
 demo mode
 error codes (GROHE Blue Home)
 3 x 1.5 V DC (AAA) battery supply

COMMERCIAL
FITTINGS

GROHE EUROECO COSMOPOLITAN E


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 340 000	4005176911385		49.00
	Power extension cable length 3.00 m			
	36 341 000	4005176911392		88.10
ditto, length 10m				
	42 393 000	4005176905872		65.05
Battery Housing including 6 V lithium-battery, type CR-P2 to replace transformer				
 	36 338 000	4005176896743		79.00
	Switch mode power supply for one eye infra-red wash basin mixer switch mode power supply with operating voltage 100-230 V AC, 50 - 60 Hz for concealed socket with cover and strain relief suitable for the following products: 36 444 000, 36 440 000, 36 411 000, 36 413 000, 36 409 000, 36 325 001, 36 269 000, 36 015 001, 36 016 001, 36 421 000			
	34 507 000	4005176940767	Chrome	154.00
	Grotherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature GROHE TurboStat thermoelement built-in non return valves dirt strainers with connection set and T piece GROHE StarLight chrome finish max. pressure differential 5:1			

GROHE GROHTHERM ERGOMIX




GROHE GROHTHERM ERGOMIX

Ref. No.	EAN code	Colour	Retail Guide Price (£)
34 020 000	4005176201295	Chrome	909.75



**Grotherm Ergomix
Thermostat basin mixer 1/2"**
for elbow lever action
wall or deck mounted
metal lever 250 mm
swivel area 100°
metal stop
ceramic headpart 1/2"
wax thermoelement
temperature scale handle
with pre-adjustable
safety stop between 35°C and 45°C
arrangement to make the thermal
disinfection easier
swivel cast spout
laminar flow straightener 9 l/min.
lockable stop ring
built-in non return valves
dirt strainers
projection 255 mm
covered S-unions
lockable
GROHE StarLight chrome finish

34 021 000	4005176201301	Chrome	895.80
------------	---------------	--------	--------








**Grotherm Ergomix
Thermostat basin mixer 1/2"**
for elbow lever action
wall or deck mounted
metal lever 170 mm
swivel area 100°
metal stop
ceramic headpart 1/2"
wax thermoelement
temperature scale handle
with pre-adjustable
safety stop between 35°C and 45°C
arrangement to make the thermal
disinfection easier
swivel cast spout
laminar flow straightener 9 l/min.
lockable stop ring
built-in non return valves
dirt strainers
projection 195 mm
covered S-unions
lockable
GROHE StarLight chrome finish

GROHE GROHTHERM MICRO



GROHE GROHTHERM MICRO







	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 487 000	4005176936234	Chrome	119.00
	<p>Grotherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread GROHE TurboStat thermoelement GROHE StarLight chrome finish built-in non return valves dirt strainer without connection set</p>			
	34 507 000	4005176940767	Chrome	154.00
	<p>Grotherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature GROHE TurboStat thermoelement built-in non return valves dirt strainers with connection set and T piece GROHE StarLight chrome finish max. pressure differential 5:1</p>			
 	47 533 000	4005176207181	Chrome	29.00
	<p>Grotherm Micro Connection set for Grotherm Micro (34 487 000) Consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose GROHE StarLight chrome finish</p>			

GROHE GROHTHERM SPECIAL











COMMERCIAL
FITTINGS

GROHE GROHTHERM SPECIAL










	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 667 000	4005176351570	Chrome	250.51
	<p>Grotherm Special Thermostatic shower mixer 1/2" wall or deck mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers GROHE Quickfix for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish</p>			
new	34 725 000	4005176457081	Chrome	328.00
	34 725 000	4005176457081	Chrome	328.00
	<p>Grotherm Special Thermostatic shower mixer 1/2" wall or deck mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) Thermostatic cartridge max.temperature 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers with S-unions, chrome nuts and covers GROHE Quickfix for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE StarLight chrome finish Available from Q2 2018</p>			
	34 665 000	4005176351556	Chrome	313.63
	<p>Grotherm Special Thermostatic bath/shower mixer 1/2" wall or deck mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers GROHE Quickfix for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish</p>			

GROHE GROHTHERM SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 681 000	4005176354090	Chrome	299.00
<p>Grotherm Special Thermostatic shower mixer 1/2" wall or deck mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop dirt strainers without S-unions and covers GROHE Quickfix for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE StarLight chrome finish</p>				
 	34 671 000	4005176351587	Chrome	319.54
<p>Grotherm Special Thermostatic bath/shower mixer 1/2" wall or deck mounted ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) shower bottom outlet 1/2" with integrated non return-valve metal temperature safety stop laminar mousseur dirt strainers without S-unions and covers GROHE Quickfix for fast exchange of non return valves in connections GROHE CoolTouch safety housing GROHE StarLight chrome finish</p>				
 	34 666 000	4005176351563	Chrome	278.12
<p>Grotherm Special Thermostat basin mixer 1/2" wall or deck mounted ergonomic metal wing handles ceramic headparts 1/2", 90° GROHE TurboStat compact cartridge with wax thermoelement temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off bottom outlet for spouts 13 378 or 13 380 metal temperature safety stop dirt strainers GROHE Quickfix for fast exchange of non return valves in connections 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE StarLight chrome finish</p>				
 	13 378 000	4005176351532	Chrome	74.95
<p>Cast swivel spout length 115 mm swivelling (180 or 90°) and lockable laminar flow straightener 9 l/min. GROHE StarLight finish</p>				
	13 380 000	4005176351549	Chrome	82.84
<p>ditto, length 175 mm</p>				

COMMERCIAL FITTINGS



GROHE GROHTHERM SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	29 094 000	4005176354106	Chrome	191.33
<p>Grotherm Special Thermostatic shower mixer set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handles temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off metal temperature safety stop GROHE StarLight chrome finish TMV2 compliant when used with 35 050 000</p>				
 	29 095 000	4005176354113	Chrome	195.28
<p>Grotherm Special Thermostatic bath/shower mixer trim set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handles Aquadimmer handle with multiple function flow control integrated mixed water shut off diverter bath/shower temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) integrated mixed water shut off metal temperature safety stop GROHE StarLight chrome finish TMV2 compliant when used with 35 050 000</p>				
 	29 096 000	4005176354120	Chrome	157.80
<p>Grotherm Special Trim for thermostatic shower valve set for final installation for 35 050 000 without concealed body escutcheon- and shaft-sealing covered connections ergonomic metal wing handle temperature scale handle with pre-adjustable safety stop between 35°C and 41°C (calibration required) metal temperature safety stop GROHE StarLight chrome finish TMV2 compliant when used with 35 050 000</p>				
	47 994 000	4005176364723	Chrome	1.97
<p>Grotherm Special Temperature unlocking handle unlocking of temperature handle for thermal disinfection</p>				
 	12 051 000	4005176213588	Chrome	39.00
<p>S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish</p>				

GROHE GROHTHERM SPECIAL

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

47 781 000	4005176836558		149.00
------------	---------------	--	--------









Extension set 27.5 mm
for Rapido T 35 500 000/35 050 000
for use with bath-thermostats with aquadimmer

COMMERCIAL
FITTINGS










GROHE GROHTHERM 2000 SPECIAL









GROHE GROHTHERM 2000 SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 205 000	4005176809996	Chrome	359.00
	<p>Grohtherm 2000 Special Thermostatic shower mixer 1/2" wall or deck mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off ceramic headpart 1/2", 180° volume handle with individually adjustable economy stop temperature scale handle with pre-adjustable metal safety stop between 35°C and 43°C (calibration required) easy thermal disinfection with accessory handle 47 764 000 shower bottom outlet 1/2" built-in non return valves covered S-unions protected against backflow GROHE StarLight chrome finish</p>			
 	34 255 000	4005176837722	Chrome	349.00
	<p>Grohtherm 2000 Special Thermostatic shower mixer 1/2" wall or deck mounted GROHE CoolTouch safety housing GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off ceramic headpart 1/2", 180° volume handle with individually adjustable economy stop temperature scale handle with pre-adjustable metal safety stop between 35°C and 43°C (calibration required) easy thermal disinfection with accessory handle 47 764 000 shower bottom outlet 1/2" built-in non return valves without connection unions without escutcheons protected against backflow GROHE StarLight chrome finish</p>			
 	34 202 000	4005176808661	Chrome	409.00
	<p>Grohtherm 2000 Special Thermostatic bath/shower mixer 1/2" wall or deck mounted 100% GROHE CoolTouch consisting of safety housing + S-unions with CoolTouch escutcheons metal wing handles GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off ceramic headpart 1/2", 180° Aquadimmer handle with multiple function - flow control - diverter: bath/shower temperature scale handle with pre-adjustable safety stop between 35°C and 43°C easy thermal disinfection with accessory handle 47 764 000 shower bottom outlet 1/2" built-in non return valves covered S-unions protected against backflow GROHE StarLight chrome finish</p>			


GROHE GROHTHERM 2000 SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	34 254 000	4005176837715	Chrome	389.00
	<p>Grotherm 2000 Special Thermostatic bath/shower mixer 1/2" wall or deck mounted GROHE CoolTouch safety housing metal wing handles GROHE TurboStat compact cartridge with wax thermoelement integrated mixed water shut off ceramic headpart 1/2", 180° Aquadimmer handle with multiple function - flow control - diverter: bath/shower temperature scale handle with pre-adjustable safety stop between 35°C and 43°C easy thermal disinfection with accessory handle 47 764 000 shower bottom outlet 1/2" mousseur built-in non return valves without connection unions without escutcheons protected against backflow dirt strainers GROHE StarLight chrome finish</p>			
	47 781 000	4005176836558		149.00
	<p>Extension set 27.5 mm for Rapido T 35 500 000/35 050 000 for use with bath-thermostats with aquadimmer</p>			
	18 978 000	4005176028809	Chrome	169.00
	<p>Pillar union, 3/4", pair GROHE StarLight chrome finish</p>			
	18 370 000	4005176885228	Chrome	79.00
<p>Wall Mounted Brackets 1 pair for exposed 1/2" mixers includes: wall plate, brass olive, fixing nipple, chrome shroud</p>				
	12 051 000	4005176213588	Chrome	39.00
	<p>S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish</p>			

GROHE GROHTHERM 2000 SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	47 763 000	4005176824166	Chrome	69.00
	Metal handle temperature control vandalism hampering individual fixing of a temperature			
	47 733 000	4005176810060	Chrome	59.00
	Temperature knob with metal end stop			
	47 779 000	4005176838088	Chrome	43.00
	Aquadimmer handle			
	47 732 000	4005176810053	Chrome	43.15
	Handle for shut-off valve			
	07 749 000	4005176018695	Chrome	89.00
	Handle for shut-off valve, metallic for Automatic 2000 vandal-proof GROHE StarLight chrome finish			
	47 735 000	4005176810084		9.00
	Handle for disabled use antibacterial equipped material to be mounted on the volume handle			

GROHE AUTOMATIC 2000








GROHE AUTOMATIC 2000

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	34 309 000	4005176199486	Chrome	329.00
<p>Automatic 2000 Special In-line thermostat, 1/2" without flow control wax thermoelement nickel-plated lockable temperature stop between 35 and 41°C (calibration required) integrated non-return valve accessible strainers GROHE StarLight chrome finish max. pressure differential 5:1 TMV3 approved product</p>				
 	12 400 000	4005176004582	Chrome	39.00
<p>S-union 1/2" x 3/4" adjustment range 10 mm GROHE StarLight chrome finish</p>				
 	12 407 000	4005176004629	Chrome	107.70
<p>Wall union, male 1/2" connection pipe Ø 18 mm connector set 3/4" male thread 1/2" escutcheon GROHE StarLight chrome finish</p>				
	47 095 000	4005176128646	Chrome	69.00
<p>Handle for shut-off valve pre-adjustable flow volume</p>				

GROHE GROHTHERM XL



GROHE GROHTHERM XL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	35 085 000	4005176207068	Chrome	1,742.45
 	35 087 000	4005176207082	Chrome	2,139.00
	47 569 000	4005176214189	Chrome	365.70

Grotherm XL
Thermostat mixer 1"
 wall or deck mounted
 range of use 9l/min to 140l/min
 wax thermoelement
 temperature scale handles with pre-adjustable
 safety stop between 33°C and 43°C
 arrangement to make the thermal
 disinfection easier
 built-in non return valves and dirt strainers as compact service units
 connecting thread 1 1/4"
 outlet thread 1 1/2"
 changeable top/bottom outlet
 without connection unions for wall mounting
GROHE StarLight chrome finish

Grotherm XL
Thermostat mixer 1 1/4"
 wall or deck mounted
 range of use 9l/min to 140l/min
 wax thermoelement
 temperature scale handles with pre-adjustable
 safety stop between 33°C and 43°C
 arrangement to make the thermal
 disinfection easier
 built-in non return valves and dirt strainers as compact service units
 connecting thread 1 1/2"
 outlet thread 2"
 changeable top/bottom outlet
 without connection unions for wall mounting
GROHE StarLight chrome finish

Loose key and shield

GROHE COMMERCIAL SHOWERS



COMMERCIAL
FITTINGS


GROHE COMMERCIAL SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 587 000	4005176282966	Chrome	179.00
<p>Relexa Shower rail, 900 mm with handle handle can be mounted right or left handed with wall brackets (3 pieces) gliding element with metal sleeve angle of inclination adjustable by click stop device height adjustment via locking nut GROHE StarLight chrome finish</p>				
 	28 671 000	4005176103070	Chrome	29.00
<p>Relexa Shower outlet elbow, 1/2" male thread GROHE StarLight chrome finish</p>				
 	28 405 000	4005176264559	Chrome	49.00
<p>Movario Shower outlet elbow, 1/2" protected against backflow GROHE StarLight chrome finish</p>				
 	28 406 000	4005176264566	Chrome	49.00
<p>Movario Shower outlet elbow, 1/2" with shower holder protected against backflow GROHE StarLight chrome finish</p>				
<div style="background-color: #0070C0; color: white; padding: 2px 5px; font-weight: bold;">new</div>  	28 161 001	4005176935107	Chrome	15.41
<p>Silverflex Shower hose 1500 for low pressure 12mm bore 1500 mm smooth surface for easy cleaning tensile strength 350 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" Rotation cone for Twistfree function GROHE StarLight chrome finish blister packaging</p>				

GROHE COMMERCIAL SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 142 000	4005176601330	Chrome	18.33
	Relexaflex Metal Longlife Metal shower hose 1250 1250 mm metal Longlife, 7mm bore strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging			
	28 143 000	4005176601347	Chrome	19.99
	28 143 KS0	4005176842252	velvet black	26.24
	28 143 LS0	4005176842269	moon white	26.24
	ditto, 1500mm hose			
 	28 145 000	4005176601354	Chrome	23.74
	Relexaflex Metal Longlife Metal shower hose 2000 2000 mm metal Longlife, 7mm bore strengthened model tensile strength 750 N pressure resistance up to 16 bar heat resistance 75°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging			
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div>  	28 150 001	4005176933196	Chrome	13.00
	Relexaflex Shower hose 1250 1250 mm smooth surface for easy cleaning tensile strength 500 N pressure resistance up to 5 bar heat resistance 70°C AntiFold bendproof universal connection G 1/2" x 1/2" GROHE StarLight chrome finish blister packaging			
	28 151 001	4005176933202	Chrome	9.58
	ditto, 1500 mm			
	28 154 001	4005176933219	Chrome	11.24
ditto, 1750 mm				
	28 155 001	4005176933226	Chrome	12.49
 	28 189 000	4005176075650	Chrome	129.00
	Relexa Plus 80 Dual Head shower 2 sprays Turbo Jet (normal spray hard)/Normal (full shower spray) with ball joint connection thread with pre-assembled sealing GROHE StarLight chrome finish SpeedClean anti-limescale system			









GROHE COMMERCIAL SHOWERS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 002 000	4005176858796	Chrome	169.00
<p>Relexa 70 Sports head shower 1 spray low aerosol emission heavy, cast model theft proof connection thread 1/2" projection 57 mm flow limiter 9 l/min. and 12 l/min. GROHE DreamSpray perfect spray pattern GROHE StarLight chrome finish SpeedClean anti-limescale system Inner WaterGuide for a longer life suicide resistant design pipe union plug-in for wall connection</p>				
 	28 948 000	4005176209871	Chrome	129.00
<p>Relexa Plus 60 Sports head shower 1 spray heavy, cast model connection thread 1/2" projection 148 mm GROHE StarLight chrome finish SpeedClean anti-limescale system</p>				
 	28 094 000	4005176601132	Chrome	49.00
<p>Relexa Plus 50 Head shower 1 spray with ball joint 1/2" connection GROHE StarLight chrome finish adjustable flow rate without shower arm</p>				
 	28 429 000	4005176601910	Chrome	49.00
<p>Relexa Shower arm 55 mm connection thread 1/2" GROHE StarLight chrome finish</p>				
 	28 541 000	4005176040528	Chrome	39.00
<p>Relexa Shower arm 147 mm connection thread 1/2" escutcheon GROHE StarLight chrome finish</p>				









GROHE EUROECO SPECIAL



GROHE EUROECO SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	32 762 000	4005176871023	Chrome	99.00	
	<p>Euroeco Special Basin mixer 1/2" monobloc installation smooth body GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system, flexible connection hoses</p>	32 763 000	4005176871030	Chrome	99.00
			Ditto, with pop up waste set		
	32 765 000	4005176871054	Chrome	209.00	
	<p>Euroeco Special Single-lever basin mixer 1/2" monobloc installation smooth body, high version GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses</p>	32 766 000	4005176871061	Chrome	219.00
			Ditto, with pop up waste set		
	30 208 000	4005176927836	Chrome	229.00	
	<p>Euroeco Special Basin mixer 1/2" monobloc installation high spout 302 mm smooth body GROHE StarLight chrome finish GROHE SilkMove 35 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 5.7 l/min. swivel tubular spout swivel area 140° metal lever lever length 170 mm rapid installation system flexible connection hoses</p>	32 778 000	4005176871788	Chrome	229.00
	32 778 000	4005176871788	Chrome	229.00	
	<p>Euroeco Special Basin mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. cast spout projection 205 mm metal lever, lever length 170 mm S-unions</p>	32 779 000	4005176871795	Chrome	259.00
			ditto, with lockable S unions, projection 221 mm		

GROHE EUROECO SPECIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)	
	32 767 000	4005176871078	Chrome	249.00	
	Euroeco Special Basin mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. cast swivel spout, lockable projection 197 mm metal lever, lever length 120 mm S-unions	32 771 000	4005176871719	Chrome	269.00
	32 773 000	4005176871733	Chrome	242.65	
	Euroeco Special Basin mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min cast swivel spout, lockable laminar flow straightener 9 l/min. projection 257 mm metal lever, lever length 170 mm S-unions	32 775 000	4005176871757	Chrome	281.70
	32 774 000	4005176871740	Chrome	270.55	
	Euroeco Special Basin mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE SilkMove 46 mm ceramic cartridge GROHE EcoJoy technology for less water and perfect flow adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 2.5 l/min laminar flow straightener 9 l/min. cast swivel spout, lockable projection 274 mm metal lever, lever length 170 mm with lockable S-unions	32 784 000	4005176871849	Chrome	119.00
	35 501 000	4005176833847		84.00	
	Euroeco Special Single-lever shower mixer trim set for final installation for 35 501 000 without concealed body GROHE StarLight chrome finish metal lever lever length 120 mm escutcheon- and shaft-sealing metal escutcheon screwed temperature limiter	GROHE Rapido E Universal single-lever mixer for concealed installation			

COMMERCIAL
FITTINGS

GROHE EUROECO SPECIAL









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	32 786 000	4005176871863	Chrome	119.00
	Euroeco Special Single-lever sink mixer 1/2" monobloc installation GROHE StarLight finish GROHE SilkMove 46 mm ceramic cartridge adjustable flow rate limiter adjustable temperature limiter laminar flow straightener 9 l/min. swivel tubular spout selectable swivel area : 0° / 150° / 360° metal lever, lever length 120 mm flexible connection hoses			
	32 870 000	4005176876523	Chrome	90.00
	Euroeco Special Lever 115 mm for Euroeco special single-lever mixer GROHE StarLight chrome finish			
	32 871 000	4005176876530	Chrome	105.50
	ditto, length 160 mm			
 	12 051 000	4005176213588	Chrome	39.00
	S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish			
 	34 487 000	4005176936234	Chrome	119.00
	Grohtherm Micro Thermostatic scalding protection temperature adjustment 15-43° C (± 2° C) thermal disinfection without re-adjustment of temperature connection 3/8" below with cap nut above 3/8" male thread GROHE TurboStat thermoelement GROHE StarLight chrome finish built-in non return valves dirt strainer without connection set			
 	47 533 000	4005176207181	Chrome	29.00
	Grohtherm Micro Connection set for Grohtherm Micro (34 487 000) Consisting of: union nut 3/8" T-unit 2 outlets 3/8" male thread flexible connection hose GROHE StarLight chrome finish			

GROHE HOSPITA



COMMERCIAL
FITTINGS









GROHE HOSPITA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	30 978 000	4005176098918	Chrome	189.00
<p>Hospita Sink pillar tap, 1/2", marking:red/blue GROHE StarLight chrome finish</p>				
 	20 025 000	4005176099403	Chrome	119.00
<p>Hospita Pillar tap 1/2" red/blue markers GROHE StarLight chrome finish</p>				
 	45 316 000	4005176099267	Chrome	69.00
<p>Lever marking: blue/red projection 100 mm for use with ceramic headparts GROHE StarLight chrome finish</p>				
 	45 314 000	4005176099250	Chrome	79.00
<p>Lever projection 150 mm marking: blue/red for use with ceramic headparts GROHE StarLight chrome finish</p>				




GROHE EUROECO SINGLE SEQUENTIAL



GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	32 789 000	4005176871894	Chrome	189.00
	<p>Euroeco Single Sequential Single-lever basin mixer 1/2" monobloc installation smooth body GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min. metal lever, lever length 120 mm rapid installation system flexible connection hoses,</p>			
	32 788 000	4005176871887	Chrome	209.00
	Ditto, with pop up waste set			
	32 790 000	4005176871900	Chrome	251.05
	<p>Euroeco Single Sequential Single-lever basin mixer 1/2" monobloc installation smooth body high version GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. laminar flow straightener 9 l/min. metal lever lever length 120 mm rapid installation system flexible connection hoses</p>			
	32 795 000	4005176871955	Chrome	329.00
	<p>Euroeco Single Sequential Single-lever basin mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast spout with flow straightener 9 l/min. projection 204 mm metal lever, lever length 170 mm S-unions</p>			
	32 792 000	4005176871924	Chrome	331.90
	<p>Euroeco Single Sequential Single-lever basin mixer 1/2" wall or deck mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow ceramic cartridge adjustable flow rate limiter adjustable temperature limiter adjustable minimum flow rate 6 l/min. cast swivel spout, lockable with flow straightener 9 l/min. projection 197 mm metal lever, lever length 120 mm S-unions</p>			
	32 793 000	4005176871931	Chrome	345.85
	ditto, projection 256 mm			

GROHE EUROECO SINGLE SEQUENTIAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	46 277 000	4005176131851		39.00
	Temperature limiter for cartridge 46 278 for Euroeco special mixer			
	46 278 000	4005176131868		99.00
	Ceramic cartridge for Euroeco special mixer			
	46 686 000	4005176883088	Chrome	25.80
	Lever 120 mm for Euroeco Special single sequential basin mixer metal, 120 mm GROHE StarLight chrome finish			


COMMERCIAL
FITTINGS

GROHE EURODISC SE




GROHE EURODISC SE

Ref. No. EAN code Colour Retail Guide Price (£)




36 233 000 4005176283338 Chrome 499.00

Eurodisc SE
Self-closing basin mixer with mixing device and adjustable temperature limiter
 6V lithium-battery, type CR-P2
GROHE StarLight chrome finish
 flexible connection hoses
 start-stop function
 self-closing electronic
 safety stop after 180 sec.
 Flow time infinitely adjustable from 2-180 sec.
 Automatic flushing: 5 min after 3 days without use
 thermal disinfection for 3,5 or 11 min
 CE approved
 type of protection faucet IP 59K




36 244 000 4005176252624 Chrome 759.00

Eurodisc SE
Self-closing shower thermostat , 1/2"
 6V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
 temperature scale handle with safety stop between 35°C and 45°C
 non-return valve, dirt strainers, top outlet 3/4"
 start-stop function
 self-closing electronic
 external access to flow time adjustment
 activation of permanent run for thermal disinfection for 3.5 min
 CE approved




36 247 000 4005176252655 Chrome 869.00

Eurodisc SE
Self-closing shower thermostat , 1/2"
 6V lithium-battery, type CR-P2
GROHE StarLight chrome finish
GROHE TurboStat compact cartridge with wax thermoelement
 temperature scale handle with safety stop between 35°C and 45°C
 non-return valve, dirt strainers
 start-stop function
 self-closing electronic
 activation of permanent run for thermal disinfection for 3.5 min
 Automatic flushing: 5 min after 3 days without use
 thermal disinfection for 3,5 or 11 min
 CE approved



36 014 000 4005176286889 190.90

Eurodisc SE
Concealed mounting box 1/2"
 wall installation
 suitable for final installation set 36 247 000
 2 stop valves



36 210 000 4005176207112 Chrome 50.10

Socket for spout elevation
 for extension of the outlet height
 Essence E, Allure E, Europlus E and Eurodisc SE
 suitable for single hole mixers
 Consisting of:
 metal socket 25 mm
 mounting-set
GROHE StarLight chrome finish


GROHE EURODISC SE

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

36 209 000	4005176207105	Chrome	68.65
------------	---------------	--------	-------



Security cover cap
vandal-proof, covered and pre-adjustable
suitable for single hole mixers
Essence E, Allure E, Europlus E and Eurodisc SE
Consisting of:
special mixing device for actuation by
screwdriver
metallic cap
GROHE StarLight chrome finish















12 407 000	4005176004629	Chrome	107.70
------------	---------------	--------	--------

Wall union, male 1/2"
connection pipe Ø 18 mm
connector set 3/4"
male thread 1/2"
escutcheon
GROHE StarLight chrome finish

GROHE EUROSMART COSMOPOLITAN T











GROHE EUROSMART COSMOPOLITAN T

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	36 317 000	4005176896514	Chrome	249.00
	<p>Eurosmart Cosmopolitan T Self-closing basin mixer with mixing device and adjustable temperature limiter GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) 2 flexible hoses, non-return valve dirt strainers</p>			
	36 318 000	4005176896521	Chrome	269.00
	<p>Eurosmart Cosmopolitan T Self-closing basin mixer with mixing device and adjustable temperature limiter wall or deck mounted GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow laminar flow straightener 9 l/min. swivel cast spout 200 mm swivel range stop at 130°, lockable 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) S-unions, non-return valve dirt strainers</p>			
	36 319 000	4005176896538	Chrome	418.45
	<p>Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter wall or deck mounted GROHE StarLight chrome finish mixing device with hot water stop-valve hose connection G 1/2" 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) S-unions non-return valve dirt strainers</p>			
	36 320 000	4005176896545	Chrome	389.00
	<p>Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) dirt strainers set for final installation for concealed fitting box for use with 36 322 000 without concealed body</p>			
	36 321 000	4005176896552	Chrome	279.00
	<p>Eurosmart Cosmopolitan T Self-closing shower mixer 1/2" with mixing device and adjustable temperature limiter GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: medium), approx. 7, 15, 30 sec (pressure dependent) dirt strainers set for final installation for concealed fitting box for use with 36 322 000 without concealed body</p>			
	36 322 000	4005176896569		104.65
	<p>Eurosmart Cosmopolitan T Concealed mounting box with mixture wall installation with adhesive flange for sealing the wall 2 stop valves non-return valve for use with 36 321 000</p>			


GROHE EUROECO COSMOPOLITAN T



GROHE EUROECO COSMOPOLITAN T

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	36 265 000	4005176893131	Chrome	109.00
<p>Euroeco Cosmopolitan T Self-closing pillar tap 1/2" marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 266 000	4005176893148	Chrome	89.00
<p>Euroeco Cosmopolitan T Self-closing pillar tap 1/2" wall or deck mounted marking: blue/red GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow 5.7 l/min flow rate 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) escutcheon</p>				
 	36 268 000	4005176893162	Chrome	89.00
<p>Euroeco Cosmopolitan T Self-closing shower valve 1/2" for concealed installation marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent)</p>				
 	36 267 000	4005176893155	Chrome	89.00
<p>Euroeco Cosmopolitan T Self-closing shower valve 1/2" exposed body and trim set marking: blue/red GROHE StarLight chrome finish 3 adjustable flow times: short - medium - long (factory setting: short), approx. 7, 15, 30 sec (pressure dependent) escutcheon</p>				

GROHE SENSIA SHOWER TOILETS



THE MOST AWARDED GROHE PRODUCT WITH 14 INTERNATIONAL DESIGN AWARDS





CONTENTS

Shower toilet

Sensia IGS

623

Sensia Arena

625

SHOWER TOILET



GROHE SENSIA ARENA

DESIGN THAT CARES

Good design should be instinctive to use, with form and function marrying perfectly to create objects that make you feel instantly at home. Our design for the new GROHE Sensia Arena is pure and fuss-free. We've designed it with clean lines that leave dirt nowhere to hide, its smooth shape a model of discreet elegance. It includes details that will give you a subtle sense of comfort, from the nightlight that guides you through the bathroom after dark to the automatic open and close feature of the lid, each one carefully thought out to make you feel looked after and secure. For its sleek silhouette to its technologically advanced finish we believe that with the GROHE Sensia Arena we've set the benchmark for the future of personalised, clean comfort.



SHOWER TOILET

Your bathroom and toilet should feel like the cleanest space in the house!

We know that to feel totally clean you need to have confidence, that your shower toilet is pristine and hygienic too. That's why every design detail has been carefully considered to offer new levels of cleanliness at every stage. Special hygienic coatings and powerful flushing mean the toilet effectively cleans itself, while the self-cleaning, anti-bacterial spray arms give you total peace of mind when using the spray function.

Enjoy a wealth of benefits that will fit you like a glove

01 Perfect skin care

With a selection of fully adjustable sprays, anti-bacterial twin shower arms and unlimited warm water for comfortable cleaning we offer perfect skin care: GROHE SkinClean.

02 Ultimate hygiene clean

With leading-edge AquaCeramic technology, germ-resistant HyperClean coating and self-cleaning, anti-bacterial spray arms you can be certain of 100 % hygiene security: GROHE HygieneClean.

03 Personal comfort

With features like odour absorption, air dryer, nightlight and the smartphone app we offer the smartest comfort: Personal Comfort.

GROHE SENSIA IGS




GROHE SENSIA ARENA



GROHE SENSIA ARENA


Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

39 354 SH0	4005176335532	alpine white	2,499.00
------------	---------------	--------------	----------




GROHE Sensia Arena
Shower toilet complete system for concealed flushing cisterns, wall-hung
GROHE Hygiene GROHE antibacterial glazing (SIAA Kokin Japanese standard compliant) and non-stick coating ceramic appliance with Aquaceramics technology
 GROHE power flush: rimless wash down jet WC with GROHE Triple Vortex flushing technology
 GROHE Skin Clean:
 2 dedicated adjustable spray arms (1 for anal area, 1 for lady spray)
 separate water way for lady spray
 oscillating spray (automatic forward and reverse motion of the spray)
 pulsating spray for massage
 adjustable spray intensity
 automatic pre- and post-rinsing of spray nozzle with fresh water
 integrated instant heater provides unlimited warm water
 adjustable temperature
 Additional functions
 warm air dryer with adjustable temperature
 odor extraction with filter
 Duroplast WC seat and lid with automatic opening/close function
 soft close
 infra-red user detection
 seat control operation
 power switch
 inside bowl night light
 hidden water supply and power supply connection
 remote control
 smart phone app for iOS
 includes:
 manual remote controller with wall-mounted holder
 active carbon filter for odour absorption
 water supply connection set for concealed cistern
 nozzle guard
Without Automatic Flushing Kit 46944000 (Only suitable for 1.13 Rapid SL)
 nominal voltage 220-240 V AC
 main frequency 50-60 Hz
 type of protection IPX4
 complies with EN 1717
 CE approved

39 112 001	4005176359262		299.00
------------	---------------	--	--------



Rapid SL for GROHE Sensia IGS & Arena shower WC
 flushing cistern GD 2 with connections for GROHE Sensia shower toilets (GROHE Sensia IGS/GROHE Sensia Arena)
1.13 m finished installation height
 for on-the-wall installations or studded walls
Includes
 Frame/cistern for wall hung pan
 Wall brackets for on-the-wall installation (38 558 00M)
 Fixing bolts for wc and floor
Details:
 200mm height adjustment, lockable when at required height
 distance of fixing bolts 180/230 mm
 PP outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm
 Insulated against condensation
 flushing cistern GD 2, 6 - 3 l
 water supply required from the back
 inspection shaft for vertical or horizontal use
 allows for flush plate to be installed vertically or horizontally.
 universal water connection for shower toilets Sensia Arena and Sensia IGS
 concealed socket for mains supply
 positioning help for electrical connection
 for mounting of small flush plates please order
 revision shaft 40 911 000 (sold separately)

46 944 000	4005176359705		259.00
------------	---------------	--	--------



GROHE Sensia Arena
Installation kit for automatic flush of Sensia Arena shower toilet
 Suitable for Sensia Arena shower toilet on a 1.13m Rapid SL frame
 Consisting of:
 servo motor for GD 2
 actuation rod for flushing valve
 cable and blind cap
 flexible hose
 WC actuation plate not included
 CE approved

GROHE SENSIA ARENA

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	40 899 000	4005176413896		35.00
	Retrofit kit for shower toilets Sensia Arena and IGS retrofit of existing Rapid SL installations to shower toilets Sensia Arena or IGS including: conduit pipe with locking ring and flat seal cable ties WC connecting pipe Ø 45 mm waste sleeve Ø 90 mm			
	46 977 00M	4005176423727	Chrome	47.00
	GROHE Sensia Arena Descaler packaging unit 4 x 80 g bag This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/			
	46 978 000	4005176423734	Chrome	47.00
	GROHE Sensia Arena Care set 80 g bag descaler splash protection bottle adapter			
	46 979 000	4005176423741	Chrome	19.00
	GROHE Sensia Arena Descaler bottle bottle adapter			

GROHE
CERAMICS





CONTENTS

Bau Ceramic
Euro Ceramic
Cube Ceramic

637

645

651

THREE UNIQUE CERAMIC DESIGN LINES

Create pure unison in your bathroom: with GROHE Ceramics. If you choose one of our perfect matches, you can be sure that you are composing a coherent and perfectly designed style.

Whatever your lifestyle, whatever your taste, you'll find the perfect combination of products within GROHE's three new ceramic ranges. Each has its own distinctive qualities and they make creating a visually unified bathroom simple and fun.



BAU CERAMIC
VERSATILITY FOR A MODERN LIFE



EURO CERAMIC
IN TUNE WITH MY LIFESTYLE



CUBE CERAMIC
A CLEAR STYLE STATEMENT

FIVE COMPELLING TECHNOLOGIES

You may not see it at first sight – but our ceramics are equipped with the most advanced technology. At GROHE it is our aspiration to make your time in the bathroom as comfortable as possible without any restrictions. Discover our innovative GROHE technologies.

OUR KEY TECHNOLOGIES



TRIPLE VORTEX FLUSH
THE POWER OF THREE: CLEAN AND SILENT



RIMLESS TECHNOLOGY
LEAVES BACTERIA NOWHERE TO HIDE



PUREGUARD

STAYS SPARKLING WHITE – NO CHANCE FOR BACTERIA AND DIRT



QUICK RELEASE SEAT

EASY REMOVAL FOR EASY CLEANING



SEAT & COVER SOFT CLOSE

GENTLE AND QUIET

WITH OUR PERFECT MATCHES YOU CAN BE SURE **THAT EVERYTHING FITS**

A consistent design language and ergonomic use are essential for making your bathroom a place of true relaxation. With our perfect matches, we created three coordinated collections for a complete bathroom solution.

Each of our matches have been tested to be perfect in design and function. Choose for yourself the line that most perfectly complements your personal style. Do you prefer the versatility of Bau Ceramic, the soft lines of Euro Ceramic or the modern and geometric shapes of Cube Ceramic?

BAU CERAMIC



EURO CERAMIC



CUBE CERAMIC





BAUEDGE



BAULoop



EUROSTYLE
COSMOPOLITAN



EUROSTYLE



EUROSMArt
COSMOPOLITAN



EUROSMArt



EUROcUBE



LINEARE



ALLURE















ALLURE
BRILLIANT













GROHE BAU CERAMIC







GROHE BAU CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	39 420 000	4005176405983	alpine white	64.00
<p>new</p>  	39 421 000	4005176428906	alpine white	59.00
<p>new</p>  	39 440 000	4005176405976	alpine white	54.00
<p>new</p>  	39 422 000	4005176406195	alpine white	99.00
<p>new</p>  	39 423 000	4005176406201	alpine white	99.00
<p>new</p>  	39 424 000	4005176406218	alpine white	54.00













GROHE BAU CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	39 426 000	4005176406232	alpine white	59.00
<p>new</p>  	39 425 000	4005176406225	alpine white	54.00
<p>new</p>  	39 427 000	4005176406249	alpine white	99.00
<p>new</p>  	39 428 000	4005176406256	alpine white	114.00
<p>new</p>  	39 349 000	4005176449659	alpine white	124.00
<p>new</p>  	39 429 000	4005176406263	alpine white	124.00

GROHE BAU CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	39 436 000	4005176406331	alpine white	99.00
<p>new</p>  	39 437 000	4005176406348	alpine white	99.00
<p>new</p>  	39 430 000	4005176406270	alpine white	84.00
<p>new</p>  	39 350 000	4005176449666	alpine white	84.00
<p>new</p>  	39 431 000	4005176406287	alpine white	84.00
<p>new</p>  	39 492 000	4005176450013	alpine white	39.00


GROHE BAU CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	39 493 000	4005176450020	alpine white	79.00
<p>Bau Ceramic WC seat with lid soft close quick release function detachable material: Duroplast including fixation set</p>				
<p>new</p>  	39 433 000	4005176406300	alpine white	169.00
<p>Bau Ceramic Wall hung bidet 1 hole punched with overflow vitreous China</p>				
<p>new</p>  	39 432 000	4005176406294	alpine white	169.00
<p>Bau Ceramic Floor standing bidet 1 hole punched with overflow including fixation set vitreous China</p>				
<p>new</p>  	39 438 000	4005176406355	alpine white	189.00
<p>Bau Ceramic Urinal concealed inlet wall fixings Included flush volume 1 l vitreous China</p>				
<p>new</p>  	39 439 000	4005176406362	alpine white	189.00
<p>Bau Ceramic Urinal top inlet wall fixings Included flush volume 1 l vitreous China</p>				
<p>new</p>  	39 351 000	4005176450006	alpine white	169.00
<p>Bau Ceramic Wall hung WC set WC seat and lid with soft close feature for concealed cistern wall fixings not included wash down rimless horizontal outlet flush volume 6/3 l vitreous China</p>				

GROHE BAU CERAMIC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------


new



39 347 000	4005176449680	alpine white	269.00
------------	---------------	--------------	--------

Bau Ceramic
Bundle close coupled WC
including:
flushing cistern with side inlet
WC seat and lid with soft close feature
wash down
boxed rim
horizontal outlet
flush volume 6/3 l
including fixation set
vitreous China









new



39 346 000	4005176449673	alpine white	279.00
------------	---------------	--------------	--------

Bau Ceramic
Bundle close coupled WC
including:
flushing cistern with side inlet
WC seat and lid with soft close feature
wash down
rimless
vertical outlet
flush volume 6/3 l
including fixation set
vitreous China



















GROHE BAU CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	39 453 000	4005176421099		19.00
	WC connection outlet horizontal 320 mm from wall			
 	39 454 000	4005176421105		19.00
	WC connection outlet horizontal and vertical length adjustable 60 to 105 mm from wall			
 	39 457 000	4005176421112		19.00
	WC connection outlet vertical length adjustable 93.5 to 137 mm from wall			
 	49 532 000	4005176474224	Chrome	9.00
	Escutcheon for 39 457 000			











GROHE EURO CERAMIC













GROHE EURO CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	39 323 000	4005176407116	alpine white	89.00
	39 323 00H	4005176417344	alpine white	134.00
	Euro Ceramic Wash basin 65 wall hung 1 hole punched with overflow 650 x 515 mm wall fixings not included vitreous China optional: PureGuard anti stick coating and anti bacterial glazing (00H)			
 	39 335 000	4005176407239	alpine white	84.00
	39 335 00H	4005176417351	alpine white	124.00
	Euro Ceramic Wash basin 60 wall hung 1 hole punched with overflow 600 x 480 mm wall fixings not included vitreous China optional: PureGuard anti stick coating and anti bacterial glazing (00H)			
 	39 337 000	4005176407253	alpine white	89.00
	39 337 00H	4005176418334	alpine white	134.00
	Euro Ceramic Counter top basin 60 1 hole punched with overflow 600 x 480 mm wall fixings not included including fixation set vitreous China optional: PureGuard anti stick coating and anti bacterial glazing (00H)			
 	39 336 000	4005176407246	alpine white	79.00
	39 336 00H	4005176417368	alpine white	119.00
	Euro Ceramic Wash basin 55 wall hung 1 hole punched with overflow 550 x 450 mm wall fixings not included vitreous China optional: PureGuard anti stick coating and anti bacterial glazing (00H)			
 	39 423 000	4005176406201	alpine white	99.00
	Universal Undercounter wash basin 55 installation from below with overflow 560 x 420 mm fixings included vitreous China			
				
 	39 324 000	4005176407123	alpine white	59.00
	39 324 00H	4005176417375	alpine white	104.00
	Euro Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 450 x 400 mm wall fixings not included vitreous China optional: PureGuard anti stick coating and anti bacterial glazing (00H)			













GROHE EURO CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<div style="background-color: #0070C0; color: white; padding: 2px; font-weight: bold;">new</div> 	39 327 000	4005176390104	alpine white	74.00
	39 327 00H	4005176418341	alpine white	119.00
	<p>Euro Ceramic Compact handrinse basin wall hung 1 hole punched with overflow 370 x 180 mm wall fixings not included vitreous China optional: PureGuard anti stick coating and anti bacterial glazing (00H)</p>			
<div style="background-color: #0070C0; color: white; padding: 2px; font-weight: bold;">new</div> 	39 201 000	4005176344947	alpine white	64.00
		<p>Euro Ceramic Semi pedestal for wash basin 39230,39335 and 39336 invisible fixation set included vitreous China</p>		
<div style="background-color: #0070C0; color: white; padding: 2px; font-weight: bold;">new</div> 	39 325 000	4005176407130	alpine white	64.00
		<p>Euro Ceramic Semi pedestal for handrinse basin 39324000 invisible fixation set included vitreous China</p>		
<div style="background-color: #0070C0; color: white; padding: 2px; font-weight: bold;">new</div> 	39 202 000	4005176344954	alpine white	74.00
		<p>Euro Ceramic Full pedestal for wash basin 39230,39335,39336 and 39324 invisible fixation set included vitreous China</p>		
<div style="background-color: #0070C0; color: white; padding: 2px; font-weight: bold;">new</div> 	39 328 000	4005176407161	alpine white	249.00
	39 328 00H	4005176417382	alpine white	294.00
	<p>Euro Ceramic Wall hung WC for concealed cistern wall fixings not included horizontal outlet Triple Vortex rimless flush volume 6/3 l including fixation set vitreous China fully skirted with invisible fixation optional: PureGuard anti stick coating and anti bacterial glazing (00H)</p>			

GROHE EURO CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p> 	39 206 000	4005176344992	alpine white	229.00
	39 206 00H	4005176418495	alpine white	274.00
	<p>Euro Ceramic Wall hung compact WC horizontal outlet Triple Vortex rimless flush volume 6/3 l 49 cm width including fixation set vitreous China fully skirted with invisible fixation optional: PureGuard anti stick coating and anti bacterial glazing (00H)</p>			
<p>new</p> 	39 338 000	4005176407260	alpine white	194.00
	39 338 00H	4005176418501	alpine white	239.00
	<p>Euro Ceramic Floor standing 2 piece WC close coupled universal trap for horizontal and vertical outlet Triple Vortex rimless flush volume 6/3 l including fixation set cistern to be ordered separately vitreous China fully skirted with invisible fixation optional: PureGuard anti stick coating and anti bacterial glazing (00H)</p>			
<p>new</p> 	39 332 000	4005176407208	alpine white	179.00
	<p>Euro Ceramic Exposed flushing cistern bottom inlet inlet and outlet concealed including flushing set with dual flush including fixation set vitreous China</p>			
<p>new</p> 	39 333 000	4005176407215	alpine white	179.00
	<p>Euro Ceramic Exposed flushing cistern side or back inlet for back inlet please order mounting set 49 522 000 (sold separately) including flushing set with dual flush including fixation set vitreous China</p>			
<p>new</p> 	39 329 000	4005176407178	alpine white	149.00
	39 329 00H	4005176418518	alpine white	194.00
	<p>Euro Ceramic Floor standing WC universal trap for horizontal and vertical outlet wash down rimless flush volume 6/3 l including fixation set vitreous China fully skirted with invisible fixation optional: PureGuard anti stick coating and anti bacterial glazing (00H)</p>			

GROHE EURO CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div> 	39 339 000	4005176407277	alpine white	174.00
	39 339 00H	4005176418525	alpine white	219.00
	<p>Euro Ceramic Floor standing back to wall WC universal trap for horizontal and vertical outlet back to wall Triple Vortex rimless flush volume 6/3 l including fixation set vitreous China fully skirted with invisible fixation optional: PureGuard anti stick coating and anti bacterial glazing (00H)</p>			
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div> 	39 330 000	4005176407185	alpine white	89.00
	<p>Euro Ceramic WC seat with lid soft close quick release function detachable material: Duroplast including fixation set</p>			
				
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div> 	39 331 000	4005176407192	alpine white	59.00
	<p>Euro Ceramic WC seat with lid quick release function detachable material: Duroplast including fixation set</p>			
				
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div> 	39 458 000	4005176418204	alpine white	89.00
	<p>Euro Ceramic Compact WC seat with lid soft close quick release function detachable quick release function material: Duroplast including fixation set</p>			
				
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div> 	39 459 000	4005176418211	alpine white	59.00
	<p>Euro Ceramic Compact WC seat with lid quick release function detachable material: Duroplast including fixation set</p>			
				
<div style="background-color: #0070C0; color: white; padding: 2px; display: inline-block;">new</div> 	39 208 000	4005176345029	alpine white	224.00
	39 208 00H	4005176418532	alpine white	269.00
	<p>Euro Ceramic Wall hung bidet 1 hole punched with overflow including fixation set vitreous China fully skirted with invisible fixation optional: PureGuard anti stick coating and anti bacterial glazing (00H)</p>			













GROHE EURO CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	39 340 000	4005176423697	alpine white	194.00
	39 340 00H	4005176423703	alpine white	239.00
	<p>Euro Ceramic Floor standing bidet 1 hole punched with overflow including fixation set vitreous China fully skirted with invisible fixation optional: PureGuard anti stick coating and anti bacterial glazing (00H)</p>			
	39 453 000	4005176421099		19.00
	<p>WC connection outlet horizontal 320 mm from wall</p>			
				
	39 454 000	4005176421105		19.00
	<p>WC connection outlet horizontal and vertical length adjustable 60 to 105 mm from wall</p>			
				
	39 457 000	4005176421112		19.00
	<p>WC connection outlet vertical length adjustable 93.5 to 137 mm from wall</p>			
				
	49 532 000	4005176474224	Chrome	9.00
	<p>Escutcheon for 39 457 000</p>			
				
	49 522 000	4005176421501		23.00
	<p>Mounting set for Euro Ceramic cistern 39 333 000</p>			













GROHE CUBE CERAMIC













GROHE CUBE CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	39 386 00H	4005176438356	alpine white	479.00
<p>Cube Ceramic Wash basin 100 wall hung 1 hole punched, 2 holes pre-punched with overflow 1010 x 490 mm wall fixings not included fine fire clay With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) available March 2018</p>				
<p>new</p>  	39 469 00H	4005176438363	alpine white	414.00
<p>Cube Ceramic Wash basin 80 wall hung 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm wall fixings not included fine fire clay With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) available March 2018</p>				
<p>new</p>  	39 473 00H	4005176438370	alpine white	224.00
<p>Cube Ceramic Wash basin 60 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow 600 x 490 mm fine fire clay With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) available March 2018</p>				
<p>new</p>  	39 474 00H	4005176438387	alpine white	209.00
<p>Cube Ceramic Wash basin 50 wall fixings not included wall hung 1 hole punched, 2 holes pre-punched with overflow 500 x 490 mm fine fire clay With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) available March 2018</p>				
<p>new</p>  	39 475 00H	4005176442599	alpine white	479.00
<p>Cube Ceramic Counter top basin 100 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 1000 x 490 mm including fixation set fine fire clay With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) available March 2018</p>				
<p>new</p>  	39 476 00H	4005176442605	alpine white	415.00
<p>Cube Ceramic Counter top basin 80 flat back side glazed 1 hole punched, 2 holes pre-punched with overflow 800 x 490 mm wall fixings not included including fixation set fine fire clay With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) available March 2018</p>				









GROHE CUBE CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	39 477 00H	4005176442612	alpine white	225.00
<p>new</p>  	39 478 00H	4005176442629	alpine white	211.00
<p>new</p>  	39 481 00H	4005176442650	alpine white	202.00
<p>new</p>  	39 482 00H	4005176442667	alpine white	179.00
<p>new</p>  	39 480 00H	4005176442643	alpine white	202.00
<p>new</p>  	39 479 00H	4005176442636	alpine white	216.00

GROHE CUBE CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	39 483 00H	4005176442674	alpine white	174.00
<p>Cube Ceramic Hand rinse basin 45 wall hung 1 hole punched with overflow 455 x 350 mm fine fire clay With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) available March 2018</p>				
<p>new</p>  	39 244 00H	4005176442681	alpine white	374.00
<p>Cube Ceramic Wall hung WC horizontal outlet Triple Vortex rimless flush volume 6/3 l including fixation set vitreous China fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) available March 2018</p>				
<p>new</p>  	39 485 00H	4005176442704	alpine white	374.00
<p>Cube Ceramic Floor standing back to wall WC universal trap for horizontal and vertical outlet back to wall wash down rimless flush volume 6/3 l including fixation set vitreous China With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) available March 2018</p>				
<p>new</p>  	39 484 00H	4005176442698	alpine white	402.00
<p>Cube Ceramic Floor standing 2 piece WC close coupled universal trap for horizontal and vertical outlet rimless flush volume 6/3 l including fixation set cistern to be ordered separately vitreous China fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) available March 2018</p>				
<p>new</p>  	39 489 000	4005176442742	alpine white	211.00
<p>Cube Ceramic Exposed flushing cistern for close coupled combination connection from the left/right hand side including flushing set & button including fixation set vitreous China available March 2018</p>				

GROHE CUBE CERAMIC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
<p>new</p>  	39 490 000	4005176442759	alpine white	211.00
<p>Cube Ceramic Exposed flushing cistern for close coupled combination bottom inlet inlet and outlet concealed including flushing set & button including fixation set vitreous China available March 2018</p>				
<p>new</p>  	39 488 000	4005176442735	alpine white	155.00
<p>Cube Ceramic WC seat soft close with lid soft close quick release function detachable material: Duroplast including fixation set available March 2018</p>				
<p>new</p>  	39 486 00H	4005176442711	alpine white	328.00
<p>Cube Ceramic Wall hung bidet 1 hole punched with overflow including fixation set fine fire clay With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) available March 2018</p>				
<p>new</p>  	39 487 00H	4005176442728	alpine white	339.00
<p>Cube Ceramic Floor standing bidet 1 hole punched with overflow including fixation set fine fire clay fully skirted with invisible fixation With PureGuard hygiene coating (anti-stick coating and anti-bacterial glazing) available March 2018</p>				

GROHE
INSTALLATION SYSTEMS





CONTENTS

Rapid SL for WC	661
Rapid SL for Urinal	671
Rapid SL for Wash Basin and Bidet	673
Rapid SL for the Disabled	677
Rapid SL Fitting Supports	679
Rapid SL Accessories	681

GROHE RAPID SL THE **BENEFITS** AT A GLANCE

Fast and simple installation for the WC – in individual as well as in-row installation – depends on all components being in perfect harmony with each other. Numerous special technical features and benefits from both product areas are combined to create a time-saving and economical solution.



- [1] Points for securing the on-the-wall installation accessories
- [2] A QR code printed on each GD2 cistern links to information such as product number, spare parts and technical drawings
- [3] **UNIVERSAL CISTERN**
 - Adjustable from 3 – 6 l
 - Dual Flush or Start/Stop flush
 - Water connection from top, back, right, left
 - Installation of water connection without tools
 - Compatible with all GROHE flush plates including new smaller plates
- [4] **FLEXIBLE**

Revision shaft can be installed horizontally or vertically to suit the individual tile pattern
- [5] **EASYCONNECT**

Pneumatic connection of flush plate for easy and fast installation
- [6] **FAST**
 - Pre-assembled cistern and frame
 - Height adjustment on all frames (200 mm)

“Straight out of the box and onto the wall”
- [7] **SAFE**

TÜV certificate for Load capacity:

 - 400 kg for WC
 - 150 kg for wash basin
- [8] **SILENT**

Noise reduction thanks to GROHE Whisper
- [9] **COMPLETE**

Fixing material, supply and waste pipes for wall-hung WCs
- [10] **VERSATILE**


Element feet with variable fixing points for all applications

GROHE RAPID SL FOR WC




GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------




39 374 KS0	4005176344770	velvet black	631.20
------------	---------------	--------------	--------

Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic



39 374 LS0	4005176344787	moon white	631.20
------------	---------------	------------	--------

Glass Cover Skate Cosmopolitan
for Rapid SL 1.13 m
with flushing cistern GD 2
for connecting shower toilet Sensia Arena or common wall-hung WCs for tiled/plastered walls
two-piece glass cover made of tempered safety glass (8 mm)
upper part removable for maintenance
flush plate Skate Cosmopolitan, chrome, flush plate is kept flush with glass cover
HPL mounting plate with hole pattern for all connections
mounting plate with concealed water connection for shower toilet Sensia Arena
mounting plate with with quality edges in silver finish
Set for noise protection
including accessory for mounting glass plate and WC ceramic



38 827 000	4005176870477	Chrome	379.00
------------	---------------	--------	--------

Rapid SL 5 in 1 set for WC
flushing cistern GD2 , 6 I-2.6 I
1.13 m finished installation height
for on-the-wall installations or studded walls

Includes

Frame/cistern for wall hung pan
Noise protection set
Wall brackets for on-the-wall installation (38 558 00M)
Chrome flush plate
GROHE Fresh retrofit set:
enables access to concealed cistern
to add a cleaning tablet
(chlorine free tablets only)
Fixing bolts for wc and floor


Details:

200mm height adjustment, lockable when at required height
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation
water supply from left/right or back
including integrated angle valve
and push fit flexible hose union
Skate Cosmopolitan flush plate
for vertical and horizontal installation
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No. EAN code Colour Retail Guide Price (£)

38 888 000 4005176879630 Chrome 389.00



Rapid SL 4 in 1 set for WC with flushing cistern 6 - 3 I
1.0 m finished installation height

for on-the-wall installations or studded walls


Includes

Frame/cistern for wall hung pan
Wall brackets for on-the-wall installation (38 558 00M)
Chrome flush plate
GROHE Fresh retrofit set:
enables access to concealed cistern to add a cleaning tablet (chlorine free tablets only)
Fixing bolts for wc and floor

Details:

200mm height adjustment, lockable when at required height
WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation
water supply from left/right or back
including integrated angle valve and push fit flexible hose union
Skate Cosmopolitan flush plate for horizontal installation only

38 885 000 4005176879609 Chrome 379.00



Rapid SL 4 in 1 set for WC with flushing cistern 6 - 3 I
0.82 m finished installation height

for on-the-wall installations or studded walls


Includes

Frame/cistern for wall hung pan
Wall brackets for on-the-wall installation (38 558 00M)
Chrome flush plate
GROHE Fresh retrofit set:
enables access to concealed cistern to add a cleaning tablet (chlorine free tablets only)
Fixing bolts for wc and floor

Details:

200mm height adjustment, lockable when at required height
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
water supply from left/right or back
including integrated angle valve and push fit flexible hose union
Insulated against condensation
Skate Cosmopolitan flush plate for horizontal installation only,

38 721 001 4005176863431 Chrome 339.00



Rapid SL 3 in 1 set for WC flushing cistern GD2 , 6 I-2.6 I
1.13 m finished installation height

for on-the-wall installations or studded walls

Includes

Frame/cistern for wall hung pan
Wall brackets for on-the-wall installation (38 558 00M)
Chrome flush plate
Fixing bolts for wc and floor

Details:


200mm height adjustment, lockable when at required height
WC ceramics with small bearing area (< 205 mm) require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation
water supply from left/right or back
including integrated angle valve and push fit flexible hose union
Skate Air flush plate for vertical installation
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

INSTALLATION SYSTEMS

GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

38 772 001	4005176863288	Chrome	339.00
------------	---------------	--------	--------



Rapid SL 3 in 1 set for WC flushing cistern GD2 , 6 l-2.6 l
1.13 m finished installation height
for on-the-wall installations or studded walls


Includes

Frame/cistern for wall hung pan
Wall brackets for on-the-wall installation (38 558 00M)
Chrome flush plate
Fixing bolts for wc and floor

Details:

200mm height adjustment, lockable when at required height
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation
water supply from left/right or back
including integrated angle valve
and push fit flexible hose union
Skate Cosmopolitan flush plate
for vertical and horizontal installation
for mounting of small flush plates please order
inspection shaft 40 911 000 (sold separately)

38 860 000	4005176878084	Chrome	339.00
------------	---------------	--------	--------



Rapid SL 3 in 1 set for WC flushing cistern GD2 , 6 l-2.6 l
1.13 m finished installation height
for on-the-wall installations or studded walls


Includes

Frame/cistern for wall hung pan
Wall brackets for on-the-wall installation (38 558 00M)
Chrome flush plate
Fixing bolts for wc and floor

Details:

WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation
water supply from left/right or back
including integrated angle valve
and push fit flexible hose union
Nova Cosmopolitan flush plate
for vertical and horizontal installation
for mounting of small flush plates please order
inspection shaft 40 911 000 (sold separately)

38 761 000	4005176841620	Chrome	359.00
------------	---------------	--------	--------



Rapid SL 3 in 1 set for WC with flushing cistern 6 - 3 l
0.82 m finished installation height
for on-the-wall installations or studded walls

Includes


Frame/cistern for wall hung pan
Wall brackets for on-the-wall installation (38 558 00M)
Chrome flush plate
Fixing bolts for wc and floor

Details:

200mm height adjustment, lockable when at required height
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation
water supply from left/right or back
including integrated angle valve
and push fit flexible hose union
Skate Air flush plate
for horizontal installation only,

GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
38 773 000	4005176850288	Chrome	359.00




**Rapid SL 3 in 1 set for WC
with flushing cistern 6 - 3 l
0.82 m finished installation height**
for on-the-wall installations or studded walls

Includes
Frame/cistern for wall hung pan
Wall brackets for on-the-wall installation (38 558 00M)
Chrome flush plate
Fixing bolts for wc and floor

Details:
200mm height adjustment, lockable when at required height
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation
water supply from left/right or back
including integrated angle valve
and push fit flexible hose union
Skate Cosmopolitan flush plate
for horizontal installation only

38 868 000	4005176878091	Chrome	359.00
------------	---------------	--------	--------




**Rapid SL 3 in 1 set for WC
with flushing cistern 6 - 3 l
0.82 m finished installation height**
for on-the-wall installations or studded walls

Includes
Frame/cistern for wall hung pan
Wall brackets for on-the-wall installation (38 558 00M)
Chrome flush plate
Fixing bolts for wc and floor

Details:
200mm height adjustment, lockable when at required height
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation
water supply from left/right or back
including integrated angle valve
and push fit flexible hose union
Nova Cosmopolitan flush plate
for horizontal installation only,

38 947 000	4005176911217		349.00
------------	---------------	--	--------



**Rapid SL 2-in-1 set for WC
with flushing cistern 6 - 3 l
1.0 m finished installation height**
for on-the-wall installations or studded walls


Includes
Frame/cistern for wall hung pan
Wall brackets for on-the-wall installation (38 558 00M)
Fixing bolts for wc and floor

Details:
200mm height adjustment, lockable when at required height
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation
water supply from left/right or back
including integrated angle valve
and push fit flexible hose union

GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

38 948 000	4005176911224		339.00
------------	---------------	--	--------



**Rapid SL 2-in-1 set for WC
with flushing cistern 6 - 3 l
0.82 m finished installation height**
for on-the-wall installations or studed walls

Includes

Frame/cistern for wall hung pan
Wall brackets for on-the-wall installation (38 558 00M)
Fixing bolts for wc and floor


Details:

200mm height adjustment, lockable when at required height
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation
water supply from left/right or back
including integrated angle valve
and push fit flexible hose union

GROHE RAPID SL FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

38 528 001	4005176863943		259.00
------------	---------------	--	--------



Rapid SL set for WC flushing cistern GD2 , 6 I-2.6 I
1.13 m finished installation height
 for on-the-wall installations or studded walls

Includes

Frame/cistern for wall hung pan
 Fixing bolts for wc and floor

Details:


200mm height adjustment, lockable when at required height
 WC ceramics with small bearing area (< 205 mm)
 require additional accessory 38 779 000
 distance of fixing bolts 180/230 mm
 outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm

Insulated against condensation
water supply from left/right or back

including integrated angle valve
 and push fit flexible hose union

wall brackets 38 558 00M (pair) not included and must be ordered separately
 for mounting of small flush plates please order
 revision shaft 40 911 000 (sold separately)

38 536 001	4005176863929		279.00
------------	---------------	--	--------



Rapid SL set for WC flushing cistern GD2 , 6 I-2.6 I
1.13 m finished installation height
 for on-the-wall installations or studded walls

Includes

Frame/cistern for wall hung pan
 Wall brackets for on-the-wall installation (38 558 00M)
 Fixing bolts for wc and floor

Details:


200mm height adjustment, lockable when at required height
 WC ceramics with small bearing area (< 205 mm)
 require additional accessory 38 779 000
 distance of fixing bolts 180/230 mm
 outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm

Insulated against condensation
water supply from left/right or back

including integrated angle valve
 and push fit flexible hose union

for mounting of small flush plates please order
 revision shaft 40 911 000 (sold separately)

39 112 001	4005176359262		299.00
------------	---------------	--	--------



Rapid SL for GROHE Sensia IGS & Arena shower WC flushing cistern GD 2 with connections for GROHE Sensia shower toilets (GROHE Sensia IGS/GROHE Sensia Arena)
1.13 m finished installation height
 for on-the-wall installations or studded walls

Includes

Frame/cistern for wall hung pan
 Wall brackets for on-the-wall installation (38 558 00M)
 Fixing bolts for wc and floor

Details:

200mm height adjustment, lockable when at required height
 distance of fixing bolts 180/230 mm
 PP outlet bend Ø 90 mm
 depth adjustable
 reducer Ø 90/110 mm

Insulated against condensation
 flushing cistern GD 2, 6 - 3 I

water supply required from the back
 inspection shaft for vertical or horizontal use

allows for flush plate to be installed vertically or horizontally.
 universal water connection for shower toilets Sensia Arena and Sensia IGS


concealed socket for mains supply
 positioning help for electrical connection

for mounting of small flush plates please order
 revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No. EAN code Colour Retail Guide Price (£)

38 675 001 4005176863516 279.00



Rapid SL set for WC
flushing cistern 6 l
1.13 m finished installation height
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls

Includes

Frame/cistern for wall hung pan
Fixing bolts for wc and floor


Details:

200mm height adjustment, lockable when at required height
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation

Includes:

1/2" water supply connection including integrated angle valve and push fit flexible hose union
wall brackets 38 558 00M (pair) not included and must be ordered separately

38 994 000 4005176932335 319.00



Rapid SL set for WC

for small, narrow bathrooms
flushing cistern 80 mm
1.13 m finished installation height
element width 0.62 m
for on-the-wall installations or studded walls

Includes

Frame/cistern for wall hung pan
Wall brackets for on-the-wall installation (38 558 00M)
Fixing bolts for wc and floor


Details:

200mm height adjustment, lockable when at required height
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation

water supply from top or back

water supply 1/2" and push fit flexible hose union
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 995 000 4005176932342 329.00



Rapid SL set for WC

for small, narrow bathrooms
flushing cistern 80 mm
1.13 m finished installation height
variable element width 0.70 – 1.20 m
for on-the-wall installation

Includes

Frame/cistern for wall hung pan
Wall brackets for on-the-wall installation (38 558 00M)
Fixing bolts for wc and floor

Details:

200mm height adjustment, lockable when at required height
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation


water supply from top

water supply 1/2" and push fit flexible hose union
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

GROHE RAPID SL FOR WC

Ref. No. EAN code Colour Retail Guide Price (£)

38 525 001 4005176863967 319.00



Rapid SL set for WC
with flushing cistern 6 - 3 l
1.0 m finished installation height
for on-the-wall installations or studded walls

Includes

Frame/cistern for wall hung pan
Fixing bolts for wc and floor

Details:

200mm height adjustment, lockable when at required height
WC ceramics with small bearing area (< 205 mm)
require additional accessory 38 779 000

distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm


Insulated against condensation

water supply from left/right or back

including integrated angle valve
and push fit flexible hose union

wall brackets 38 558 00M (pair) not included and must be ordered separately

38 526 000 4005176291050 319.00



Rapid SL set for WC
with flushing cistern 6 - 3 l
0.82 m finished installation height
for on-the-wall installations or studded walls

Includes

Frame/cistern for wall hung pan
Fixing bolts for wc and floor

Details:

200mm height adjustment, lockable when at required height
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm

Insulated against condensation

water supply from left/right or back

including integrated angle valve
and push fit flexible hose union

wall brackets 38 558 00M (pair) not included and must be ordered separately

40 899 000 4005176413896 35.00



Retrofit kit for shower toilets Sensia Arena and IGS

retrofit of existing Rapid SL installations to
shower toilets Sensia Arena or IGS


including:

conduit pipe with locking ring and flat seal
cable ties

WC connecting pipe Ø 45 mm

waste sleeve Ø 90 mm

38 558 00M 4005176291418 25.00




Rapid SL Front wall brackets

for against-the-wall installations
for fixing the elements at the brick-wall

or in front of the studded wall
adjustment from 130 - 230 mm

2 pieces

42 333 000 4005176845888 13.90



4.5 l adapter for GD2

INSTALLATION
SYSTEMS


GROHE RAPID SL FOR URINAL



GROHE RAPID SL FOR URINAL


Ref. No. EAN code Colour Retail Guide Price (£)

38 786 001 4005176864025 299.00




Rapid SL for urinal
with GROHE Rapido U
for manual actuation or Tectron
infra-red electronic 6 V or 230 V
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
Includes:
height adjustable fitting connections
PE-outlet bend 50 mm dia
fixing bolts M8, with fixing device
for the ceramic
inlet connection and inlet connecting set
with stop valve
flow pressure min 0.5 bar
operating pressure max 10 bar
flush aid
functional unit checked ex factory
water supply connections 1/2" outer thread
connecting box for mains supply 230 V
installation box with gasket
inspection shaft incl. protection during
construction phase
wall brackets 38 558 00M (pair) not included and
must be ordered separately

39 376 000 4005176342998 213.03



Rapid SL for urinal
with roughing-in set for T sensor
1.13 and 1.30 m installation height
for on-the-wall installations or studded walls
Includes:
height adjustable fitting connections
PE-outlet bend 50 mm dia
fixing bolts M8, with fixing device
for the ceramic
inlet connection and inlet connecting set
box for concealed installation
including roughing-in box
water group with stop valve and
flush elbow
without tiling set
without installation set for T sensor electronic
(39 368 000 or 39 369 000)
wall brackets 38 558 00M (pair) not included and
must be ordered separately

38 558 00M 4005176291418 25.00




Rapid SL Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

GROHE RAPID SL FOR WASH BASIN AND BIDET



GROHE RAPID SL FOR WASH BASIN AND BIDET


Ref. No. EAN code Colour Retail Guide Price (£)



38 554 001 4005176863806 119.00


Rapid SL for basin
for single hole installation
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
PE-outlet bend 50 mm dia
seal Ø 32 mm
2 noise protected fitting connections 1/2"
wall brackets 38 558 00M (pair) not included and
must be ordered separately

new





38 748 002 4005176416323 Chrome 469.00

Rapid SL for basin
for wall mounted fittings
with roughing-in set for infra-red electronic Europlus E 36 042 SD0,
Essence E 36 447 000 and Eurocube E 36 442 000
1.13 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
variable distance of fixing bolts
PE-outlet bend 50 mm dia
seal Ø 32 mm
pre-mounted roughing-in set
with protecting block
fire-proof pipe for laying electronic
cables
installation box with water group, stop valve and flush elbow
connection with noise protected fitting holder 1/2"
connecting box for mains supply 230 V
CE approved
for installation with pre-mixed or cold water
wall brackets 38 558 00M (pair) not included and
must be ordered separately



38 541 000 4005176291234 189.00

Rapid SL for basin
1.0 m finished installation height
for on-the-wall installations or studded walls
Includes
wash basin fixing bolts with
fixing device for ceramic
PE-outlet bend 50 mm dia
seal Ø 32 mm
wall brackets 38 558 00M (pair) not included and
must be ordered separately





38 553 001 4005176863813 274.00

Rapid SL for bidet
1.13 m finished installation height
for on-the-wall installations or studded walls
height adjustable fitting connections
Includes:
bidet fixing bolts
PE-outlet bend 50 mm dia, seal Ø 32 mm
2 noise protected fitting connections 1/2"
fixing material for bidet
wall brackets 38 558 00M (pair) not included and
must be ordered separately

GROHE RAPID SL FOR WASH BASIN AND BIDET



Ref. No. EAN code Colour Retail Guide Price (£)



38 545 000 4005176291272

264.00


Rapid SL for bidet
1.0 m finished installation height
 for on-the-wall installations or studded walls
 height adjustable fitting connections
Includes:
 bidet fixing bolts
 PE-outlet bend 50 mm dia
 seal Ø 32 mm
 fixing material for bidet
wall brackets 38 558 00M (pair) not included and
 must be ordered separately



38 543 000 4005176291258

279.00

Rapid SL for bidet
0.82 m finished installation height
 for on-the-wall installations or studded walls
 height adjustable fitting connections
Includes:
 bidet fixing bolts
 PE-outlet bend 50 mm dia
 seal Ø 32 mm
 fixing material for bidet
wall brackets 38 558 00M (pair) not included and
 must be ordered separately



38 558 00M 4005176291418

25.00

Rapid SL Front wall brackets
 for against-the-wall installations
 for fixing the elements at the brick-wall
 or in front of the studded wall
 adjustment from 130 - 230 mm
2 pieces


GROHE RAPID SL FOR THE DISABLED



GROHE RAPID SL FOR THE DISABLED

Ref. No. EAN code Colour Retail Guide Price (£)

38 675 001 4005176863516 279.00



Rapid SL set for WC
flushing cistern 6 l
1.13 m finished installation height
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls

Includes

Frame/cistern for wall hung pan
Fixing bolts for wc and floor


Details:

200mm height adjustment, lockable when at required height
distance of fixing bolts 180/230 mm
outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation

Includes:

1/2" water supply connection including integrated angle valve and push fit flexible hose union
wall brackets 38 558 00M (pair) not included and must be ordered separately

39 140 000 4005176315268 534.25



Rapid SL set for WC
flushing cistern GD2 , 6 l-2.6 l
1.13 m finished installation height
with fixing element for back support and bars
for the disabled
for WC bowls 70 cm projection
for on-the-wall installations or studded walls

Includes


Frame/cistern for wall hung pan
Wall brackets for on-the-wall installation (38 558 00M)
Fixing bolts for wc and floor

Details:

4 wall brackets
200mm height adjustment, lockable when at required height
distance of fixing bolts 180/230 mm
PP outlet bend Ø 90 mm
depth adjustable
reducer Ø 90/110 mm
Insulated against condensation

water supply from left/right or back
including integrated angle valve and push fit flexible hose union
Wall brackets for on-the-wall installation incl.
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)

38 541 000 4005176291234 189.00




Rapid SL for basin
1.0 m finished installation height
for on-the-wall installations or studded walls

Includes

wash basin fixing bolts with fixing device for ceramic
PE-outlet bend 50 mm dia
seal Ø 32 mm

wall brackets 38 558 00M (pair) not included and must be ordered separately

38 559 001 4005176863776 152.55









Rapid SL
Fixing element
to fix **support** for the disabled
1.13 m finished installation height
0.31 m wide

powder coated steel frame
waterproof plywood
wall brackets 38 558 00M (pair) not included and must be ordered separately

GROHE RAPID SL FITTING SUPPORTS



GROHE RAPID SL FITTING SUPPORTS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 998 000	4005176262586		99.00
	<p>Rapid SL fitting support for exposed fittings for studded walls for empty elements 2 noise protected fitting connections 1/2"</p>			
 	38 652 000	4005176294778		104.30
	<p>Rapid SL mounting plate for fixing concealed fittings and room ventilation for studded walls for empty elements for GROHE Rapido 500 x 240 x 77 mm variable depth adjustment 75-115 mm with waterproof plywood board for fixation</p>			
 	38 548 001	4005176863851		86.23
	<p>Rapid SL empty element 1.13 m finished installation height for the installation of fitting holders or to cover the distance between two elements (60 - 170 cm) for installation back to back with free-standing elements Fixing bolts for wc and floor wall brackets 38 558 00M (pair) not included and must be ordered separately</p>			


GROHE RAPID SL ACCESSORIES



GROHE RAPID SL ACCESSORIES



Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

38 558 00M	4005176291418		25.00
------------	---------------	--	-------



Rapid SL Front wall brackets
for against-the-wall installations
for fixing the elements at the brick-wall
or in front of the studded wall
adjustment from 130 - 230 mm
2 pieces

38 548 001	4005176863851		86.23
------------	---------------	--	-------




Rapid SL empty element
1.13 m finished installation height
for the installation of fitting holders
or to cover the distance between
two elements (60 - 170 cm)
for installation back to back with free-standing
elements
Fixing bolts for wc and floor
wall brackets 38 558 00M (pair) not included and
must be ordered separately

37 310 000	4005176148538		36.70
------------	---------------	--	-------




element bar
for row installation
1 piece
2600 x 36 x 20 mm

38 733 000	4005176837289		29.00
------------	---------------	--	-------













Rapid SL mounting angle
for additional fixation of WC elements
or installation without floor fixing
mounting angles including wall bracket and fixing material
2 pieces

38 562 001	4005176863752		89.00
------------	---------------	--	-------



Rapid SL
set for corner installation
for WC, bidet, wash basin and urinal
single installation or fitting to a rail
fitting maximum 625 mm from the corner
fixing material for corner installation
2 wall brackets **1.13 m**
135°

GROHE RAPID SL ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 563 000	4005176291463		29.00
<p>Extension set for Rapid SL for max. distance to the wall 330 mm 2 threaded bolts with sleeves</p>				
 	38 779 000	4005176855306		99.00
<p>Rapid SL Accessory for WC bowls with a bearing area of less than 20 cm vertical traverse for ceramics with small bearing area (< 205 mm)</p>				
	42 397 000	4005176906855		11.00
<p>connecting hose</p>				
	42 766 000	4005176222115		12.00
<p>Distance pipe 3"</p>				
 	38 338 000	4005176286179		26.45
<p>Water supply pipe connector</p>				
 	40 911 000	4005176416132		10.81
<p>Inspection shaft for small flush plates for combination with Rapid SL/GD 2 1.13m cisterns</p>				

GROHE
FLUSHING SYSTEMS





CONTENTS


WC	Flushing Cisterns	687
	Accessories for Flushing Cisterns	691
	Electronic Actuators for WC	697
Urinal	Electronic Actuators for Urinal	701
	Urinal Flush Valves	705

GROHE FLUSHING CISTERNS




GROHE FLUSHING CISTERNS

Ref. No. EAN code Colour Retail Guide Price (£)




37 762 SH0 4005176213250 **alpine white** 69.00

Flushing cistern for WC
for concealed bath furniture installation
non-interruptible flush cycle
flush button not included
min. recommended pressure 0.2 bar
ABS flush pipe 180 mm x 320 mm
connection from the left/right hand side




37 945 SH0 4005176256387 **alpine white** 69.00

Flushing cistern for WC 6L
for concealed bath furniture installation
non-interruptible flush cycle
flush button not included
ABS flush pipe 180 mm x 320 mm
min. recommended pressure 0.2 bar
connection from bottom left or right




38 661 000 4005176294907 149.00

WC concealed cistern
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
connection from left/right/back or top
Insulated against condensation
Includes:
1/2" water supply connection including integrated angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.
flush pipe insulated against condensation
fixing brackets
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)



38 987 000 4005176924798 100.00











WC concealed cistern
factory set 6 l and 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
connection from left/right/back or top
Insulated against condensation
Includes:
1/2" water supply connection including integrated angle valve and push fit flexible hose union
inspection shaft for vertical or horizontal use
allows for flush plate to be installed vertically or horizontally.
flush pipe insulated against condensation
fixing brackets
flush pipe and connector
for mounting of small flush plates please order revision shaft 40 911 000 (sold separately)



38 863 000 4005176832345 119.00

Flushing cistern for WC 80 mm
6 l / 3 l
pneumatic discharge valve offering 2 modes of operation: dual flush or single flush
water supply connection from top
with plaster base coating made of vinyl fleece
with push fit flexible hose union
with isolation valve 1/2"
Inspection shaft incl.
protection during construction phase,
for vertical flush plates only
fixing brackets











GROHE FLUSHING CISTERNS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 422 000	4005176275203		159.00
	Flushing cistern for WC 6 l / 3 l 0.82 m finished installation height front/top actuation water supply from left/right or back Insulated against condensation 415 x 140 x 360 mm fixing brackets without wall plate/actuation GROHE EcoJoy technology for less water and perfect flow			
 	38 691 000	4005176815454		159.00
	Eau2 WC Flushing cistern 0.82 m 6 l / 3 l, Dual Flush water supply from left/right or back including integrated angle valve and push fit flexible hose union with angle stop valve 1/2" and flush pipe fixing brackets min. recommended pressure 0.2 bar air button front/top actuation extended hose length for flexibility when positioning the actuation sleek and minimal styling allows the button to be fitted in any 360° orientation GROHE EcoJoy technology for less water and perfect flow			
 	39 053 000	4005176935978		69.00
	Concealed flushing cistern 6 l / 3 l Dual Flush water supply from bottom min. recommended pressure 0.2 bar mechanical round push button actuation Ø 50 mm with Eco button mechanical actuation from front, top, left or right for walls 18-24 mm thickness bowden cable 0.5 m length for more flexibility in push button position fixing brackets flush pipe WC inlet connector GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
 	39 054 000	4005176936289		69.00
	Concealed flushing cistern 6 l / 3 l Dual Flush min. recommended pressure 0.2 bar mechanical round push button actuation Ø 50 mm with Eco button mechanical actuation from front, top, left or right for walls 18-24 mm thickness bowden cable 0.5 m length for more flexibility in push button position fixing brackets flush pipe WC inlet connector GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
 	39 056 000	4005176936302	Chrome	19.00
	Round push button actuation Ø 50 mm with Eco button in combination with bath furniture for combination with flushing cistern 39 053 000 & 39 054 000 for walls 18-24 mm thickness GROHE StarLight chrome finish			










GROHE ACCESSORIES FOR FLUSHING CISTERNS










GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 095 000	4005176145124		29.00
<p>Filling valve 3/8" universal application</p>				
 	42 181 000	4005176286872		39.00
<p>Filling valve 1/2" (UK)</p>				
 	37 100 SH0	4005176142093	alpine white	19.00
<p>Flush pipe 390 x 350 mm</p>				
	43 733 000	4005176158926		9.00
<p>Membrane filling valve</p>				
	42 271 00M	4005176820588		48.40
<p>Nipple multi-packaging: 10 pieces use to extend the length of the AV1 flush valve hose</p>				
 	37 099 K00	4005176142086	black	29.30
<p>Flush pipe for low level flushing cistern behind the wall two-parts 180 x 70 mm 300 mm extension including protecting plug</p>				

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 735 000	4005176837500		49.00
<p>Dual flush valve set dual flush discharge valve AV1 consisting of valve seat 6l/3l adjustable GROHE EcoJoy technology for less water and perfect flow</p>				
 	38 736 000	4005176837517		39.00
<p>Dual flush valve set for flushing cistern GD 2 / Rapid SL 1.13m only 6 l / 3 l dual flush discharge valve AV1 consisting of valve seat without wall plate/actuation</p>				
 	42 137 000	4005176259524		19.00
<p>Servo discharge valve</p>				
 	43 908 000	4005176160257		19.00
<p>Flush pipe, concealed complete for concealed cisterns with polystyrene insulation and protective cover length 280 mm</p>				
 	37 311 K00	4005176160851	black	19.00
<p>WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia waste sleeve Ø 90 mm 150 mm long 2 chrome finished caps for WC fixing bolts</p>				
 	37 489 000	4005176167386		9.00
<p>Flush pipe extension length 200 mm</p>				
	43 352 000	4005176832413		9.00
<p>Ditto, length 300 mm w/o connector 37119000</p>				

GROHE ACCESSORIES FOR FLUSHING CISTERNS

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 104 K00	4005176160844	black	19.00
WC inlet and outlet connecting set for wall hung WC connecting pipe 45 mm dia length 200 mm connector 150 mm long				
 	37 105 K00	4005176141904	black	19.00
Flush pipe extension length 300 mm				
 	37 119 000	4005176144370		3.90
Connector Ø 55 mm				
 	42 333 000	4005176845888		13.90
4.5 l adapter for GD2				
	43 544 000	4005176157738		9.00
Outlet piston				
	42 075 000	4005176244919		7.95
Flow restrictor reduces flow rate for exposed flushing cisterns installation in flush pipe shorten if necessary				


GROHE ACCESSORIES FOR FLUSHING CISTERNS

Ref. No. EAN code Colour Retail Guide Price (£)

42 300 000 4005176832079 29.00



Flow restrictor
reduces flow rate
for flushing cistern GD 2 / Rapid SL 1.13m only
installation in valve seat











38 714 000 4005176828454 13.90

WC wall plate extension set 70 mm
with pneumatic discharge valve

GROHE ELECTRONIC ACTUATIONS FOR WC



GROHE ELECTRONIC ACTUATIONS FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 698 SD1	4005176929571	stainless steel	629.00
<p>Tectron Skate Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13m only servo motor concealed installation front plate 156 x 197 mm infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 CE approved</p>				
 	38 699 001	4005176929588	Chrome	529.00
<p>Tectron Surf Infra-red electronic for WC flushing cistern with infrared sensor for bi-directional communication for monitoring, configuration and servicing GROHE StarLight chrome finish with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13m only servo motor concealed installation front plate 156 x 197 mm infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved</p>				
 	37 419 000	4005176933806	Chrome	709.00
	37 419 SD0	4005176933813	stainless steel	709.00
<p>Tectron Skate Infra-red electronic for WC flushing cistern with additional manual actuation with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC for flushing cistern GD 2 / Rapid SL 1.13m only servo motor concealed installation front plate 156 x 197 mm 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flush (3 - 9 l) by hand or remote CE approved</p>				
 	36 340 000	4005176911385		49.00
<p>Power extension cable length 3.00 m</p>				

GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.

EAN code

Colour

Retail Guide
Price (£)

36 341 000

4005176911392

88.10


Power extension cable
length 10.00 m



GROHE ELECTRONIC ACTUATIONS FOR WC

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------

36 407 001	4005176368974		249.00
------------	---------------	--	--------



Remote control

for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home

monitoring

consumption and usage data
thermal disinfection cycles (infrared mixers)
auto flush cycles (infrared mixers)
cleaning mode cycles (GROHE Blue Home)
filter and CO₂ capacity (GROHE Blue Home)

configuration

cleaning mode activation
thermal disinfection (infrared mixers)
detection range (infrared mixers)
shut off delay (infrared mixers)
auto flush (infrared mixers)
filter capacity (GROHE Blue Home)

service







send and save profile
reset to factory or user settings
service details
demo mode
error codes (GROHE Blue Home)

3 x 1.5 V DC (AAA) battery supply









GROHE ELECTRONIC ACTUATIONS FOR URINAL



GROHE ELECTRONIC ACTUATIONS FOR URINAL


	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 336 001	4005176929540	Chrome	469.00
	<p>Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with for Rapido U CE approved</p>			
 	37 337 001	4005176929557	Chrome	442.00
	<p>Tectron Surf Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar infra-red control multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with Rapido U or Rapido UMB CE approved</p>			
 	37 321 001	4005176929496	Chrome	469.00
	37 321 SD1	4005176929502	stainless steel	469.00
	<p>Tectron Skate Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing with transformer 100-230 V AC, 50-60 Hz, 6 V DC cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with for Rapido U CE approved</p>			

GROHE ELECTRONIC ACTUATIONS FOR URINAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	37 324 001	4005176929526	Chrome	469.00
	37 324 SD1	4005176929533	stainless steel	442.00
	<p>Tectron Skate Infra-red electronic for Urinal with infrared sensor for bi-directional communication for monitoring, configuration and servicing 6V lithium-battery, type CR-P2 battery lifetime approx. 7 years (150 actuations a day) cartridge with solenoid valve and dirt strainer front plate 116 x 144 mm flow pressure min 0.5 bar operating pressure max 10 bar multistage battery status display 7 pre-set programs auto flush cleaning mode pre-flush on/off additional functions and precise settings by remote control 36 407 adjustable flow time by hand or remote compatible with</p> <p>Rapido U or Rapido UMB CE approved</p>			
	37 338 000	4005176837920		119.00
		<p>GROHE Rapido U roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V or 230 V with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread connecting box for mains supply installation box with gasket fixing points for dry cladding and masonry-in inspection shaft incl. protection</p>		
	38 787 000	4005176855689		99.00
		<p>GROHE Rapido UMB roughing-in set for urinal for manual actuation or Tectron infra-red electronic 6 V with stop valve flow pressure min 0.5 bar operating pressure max 10 bar flush aid functional unit checked ex factory water supply connections 1/2" outer thread installation box with gasket fixing points for dry cladding and masonry-in inspection shaft incl. protection during construction phase</p>		
	36 407 001	4005176368974		249.00
		<p>Remote control for all GROHE one eye infra-red products as of 06/2015 and GROHE Blue Home</p> <p>monitoring consumption and usage data thermal disinfection cycles (infrared mixers) auto flush cycles (infrared mixers) cleaning mode cycles (GROHE Blue Home) filter and CO₂ capacity (GROHE Blue Home)</p> <p>configuration cleaning mode activation thermal disinfection (infrared mixers) detection range (infrared mixers) shut off delay (infrared mixers) auto flush (infrared mixers) filter capacity (GROHE Blue Home)</p> <p>service send and save profile reset to factory or user settings service details demo mode error codes (GROHE Blue Home)</p> <p>3 x 1.5 V DC (AAA) battery supply</p>		


GROHE ELECTRONIC ACTUATIONS FOR URINAL

Ref. No. EAN code Colour Retail Guide Price (£)




39 368 000 4005176341540 465.51

Temperature sensor for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
Waste trap with temperature sensor cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
CE approved



39 367 000 4005176341533 465.51

Temperature sensor for urinal
6V lithium-battery, type CR-P2
with water connection set and stop valve
Waste trap with temperature sensor cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
7 pre-set programs
auto flush
cleaning mode
pre-flush on/off
CE approved
only for certain urinal ceramics, check online TPI



39 369 000 4005176341557 619.36

Temperature sensor with Bluetooth for urinal
with transformer 100-240 V AC, 50-60 Hz, 6.75 V DC
39 376 000 Rapid SL required
Waste trap with temperature sensor cartridge with solenoid valve and dirt strainer
flow pressure min 0.5 bar
operating pressure max 10 bar
with Bluetooth module for bi-directional communication for monitoring, configuration and service purpose
with Bluetooth 4.0* for wireless data communication
Bluetooth transmitter frequency: 2.4 GHz
Bluetooth range (max. 10 m) varies depending on materials used and walls between transmitter and receiver
for Apple** and Android devices
monitoring
password protected products
app detects all Bluetooth products in range
auto flush cycles and timing last auto flush
usage per day over 30 days
configuration
shut-off delay
auto flush
cleaning mode
2 on/off timers
identification by name
service
send and save 3 profiles
reset to factory or user settings
hard and software version
CE approved


System requirements: Apple
iPhone 5/6, iPad 2/3/4/Air/Air 2, iPad mini/2/3
Apple operating system: iOS 8.0 and above (32/64 bit)
System requirements Android
min 4" display with OS Version 4.3 – 5.x
Mobile devices and GROHE IR Remote App*** are not included in delivery and have to be ordered separately via an authorised Apple store/store/iTunes or Google Play store.
* The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by Grohe AG is under license. Other trademarks and trade names are those of their respective owners.
** Apple, the Apple logo, iPod, iPod Touch, iPhone and iTunes are trademarks of Apple Inc., registered in the U.S. and other countries. Apple is not responsible for the function of this device or its compliance with safety and regulatory standards
*** Available for free via iTunes app or Google Play store.

GROHE URINAL FLUSH VALVES




GROHE URINAL FLUSH VALVES

Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



37 396 000	4005176907968	Chrome	109.00
------------	---------------	--------	--------

Press urinal flush valve
1/2"
brass
GROHE StarLight chrome finish
with wall escutcheon



37 044 000	4005176160776		19.00
------------	---------------	--	-------

Urinal inlet connector, 1/2"

GROHE
ACTUATIONS





CONTENTS

WC	Wall Plates for WC	717
	GROHE Fresh	725
Urinal	Wall Plates for Urinal	727

THE NEW STANDARD **NEARLY INVISIBLE!**

Inviting minimalist design meets innovative new technology! The smaller size (130 x 172 mm) is new to the range and ensures you have a choice that is right for your design. It's eco-friendly, too. The dual flush system allows you to select a flush volume of either 3 or 6 litres or 3 and 4.5 litres. The GROHE EcoJoy flush technology also reduces your water consumption by up to 50%! Installation and maintenance is simple and tool-free. The new GROHE flush plates – a bathroom upgrade that balances sleek modern style with performance you can trust.
















Skate Cosmopolitan S				
	37 535 000* chrome	37 535 P00* matt chrome	37 535 SH0* alpine white	37 535 DC0* SuperSteel
New Cosmopolitan S				
	37 601 000* chrome	37 601 P00* matt chrome	37 601 SH0* alpine white	37 601 DC0* SuperSteel
Arena Cosmopolitan S				
	37 624 000* chrome	37 624 P00* matt chrome	37 624 SH0* alpine white	37 624 DC0* SuperSteel
Skate Air				
	37 965 000* chrome	37 965 SH0* alpine white		

* separate revision shaft needed
















GROHE WC ACTUATIONS














SELECTION GUIDE












WC	Manual actuation Dual flush and start & stop								
					 	 		 	 
 <p>38 528 001 38 987 000 38 661 000</p>	37 535 vertical installation	37 601 vertical installation	37 624 vertical installation	37 965 vertical installation	38 845 vertical and horizontal installation 38 957 38 958 Mounting set for wall- aligned installation	38 916 0A0 vertical and horizontal installation	38 821 vertical installation	38 732 vertical and horizontal installation	38 732 BR0 vertical and horizontal installation
 <p>38 525 001 38 526 000 38 422 000</p>					38 845 horizontal installation	38 916 0A0 horizontal installation		38 732 horizontal installation	38 732 BR0 horizontal installation

Manual actuation
Dual flush and start & stop

												
38 732 SD0 vertical installation	38 915 vertical and horizontal installation	38 766 vertical and horizontal installation	38 809 vertical and horizontal installation	38 847 vertical and horizontal installation	38 847 XG0 vertical and horizontal installation	38 765 vertical and horizontal installation	38 844 vertical installation	38 505 vertical installation	38 861 vertical and horizontal installation	38 862 vertical and horizontal installation		
							38 858 horizontal installation	38 506 horizontal installation			38 862 SD0 vertical and horizontal installation	
38 776 SD0 horizontal installation		38 766 horizontal installation	38 809 horizontal installation	38 847 horizontal installation	38 847 XG0 horizontal installation	38 765 horizontal installation	38 858 horizontal installation	38 506 horizontal installation	38 861 horizontal installation	38 862 horizontal installation		

GROHE WC & URINAL ACTUATIONS SELECTION GUIDE











WC	Manual actuation Start & stop				Manual/ electronic	Infra-red electronic	Radio electronic	Pneumatic actuation	Push button	
										
  38 528 001 38 987 000 38 661 000	38 564 vertical installation 38 565 horizontal installation	38 672 SD0 vertical installation	38 573 vertical and horizontal installation	38 574 vertical and horizontal installation	37 419 vertical installation	38 699 001 vertical installation	39 141 000	38 759 SD1 vertical installation	37 059 37 060	38 934 SD0 vertical installation
  38 525 001 38 526 000 38 422 000	38 565 horizontal installation		38 573 horizontal installation	38 574 horizontal installation					37 060	

Urinal	Manual actuation					Infra-red electronic		Temperature sensor
								
 <p>39 376 000 Temperature sensor</p>								<p>39 369 000 Temperature sensor with Bluetooth®</p> <p>39 368 000 Temperature sensor</p>
 <p>38 787 000 GROHE Rapido UMB manual / 6 V</p>	38 846	38 857	38 784	38 804	38 808	37 337 001	37 324 001	
 <p>38 786 001 37 338 000 manuel / 230 V / 6 V</p>	38 846	38 857	38 784	38 804	38 808	37 336 001/ 37 337 001	37 321 001/ 37 324 001	











GROHE WALL PLATES FOR WC



GROHE WALL PLATES FOR WC













	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	37 535 000	4005176416019	Chrome	57.81
	37 535 P00	4005176416026	matt chrome	57.81
	37 535 SH0	4005176416033	alpine white	60.00
	37 535 DC0	4005176416040	supersteel	66.20
	Skate Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm for mounting of small flush plates please order inspection shaft 40 911 000 (sold separately) GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included			
 	37 601 000	4005176416057	Chrome	66.20
	37 601 P00	4005176416064	matt chrome	88.00
	37 601 SH0	4005176416071	alpine white	54.46
	37 601 DC0	4005176416088	supersteel	74.58
	Nova Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm for mounting of small flush plates please order inspection shaft 40 911 000 (sold separately) GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included			
 	37 624 000	4005176416095	Chrome	66.20
	37 624 P00	4005176416101	matt chrome	88.00
	37 624 SH0	4005176416118	alpine white	54.46
	37 624 DC0	4005176416125	supersteel	74.58
	Arena Cosmopolitan S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm for mounting of small flush plates please order inspection shaft 40 911 000 (sold separately) GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included			
 	37 965 000	4005176442506	Chrome	58.00
	37 965 SH0	4005176442513	alpine white	46.00
	Skate Air S Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 compatible with Rapid SL/GD2 1.13 m vertical installation 130 x 172 mm for mounting of small flush plates please order inspection shaft 40 911 000 (sold separately) GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow flush plate with magnetic holder and fixing brackets included			
 	40 911 000	4005176416132		10.81
	Inspection shaft for small flush plates for combination with Rapid SL/GD 2 1.13m cisterns			

GROHE WALL PLATES FOR WC









	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	38 915 KS0	4005176897108	velvet black	763.63
	38 915 LS0	4005176897115	moon white	799.00
	<p>Veris Light Flush plate for dual flush or start & stop actuation for SoftTouch flushing activation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable on/off timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation servo motor 110 V to 240 V 50/60 Hz broad range power supply 9 VA CE approved with function check lamps for GD 2 cisterns with pneumatic discharge valve AV1 200 x 200 mm made of security glass GROHE EcoJoy technology for less water and perfect flow</p>			
	38 809 000	4005176864681	Chrome	519.00
		<p>Nova Cosmopolitan Light Flush plate for dual flush or start & stop actuation external highlighted outline with LEDs in blue, red, yellow, green colour gradient adjustable, on/off button timer for individual regulation of illuminating period 3 m connecting cable transformer for external installation supply voltage 230 V AC, 50/60 Hz, 2.0 VA this product contains built-in LED lamps, which cannot be changed: energy efficiency class: A+ CE approved for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>		
	38 765 000	4005176846830	Chrome	64.00
		<p>Nova Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>		
	38 847 KI0	4005176878596	black/chrome	89.00
	38 847 LI0	4005176878688	White/Chrome	89.00
	38 847 XG0	4005176878701	black graphics	89.00
	<p>Nova Cosmopolitan Flush plate with printed graphics for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE EcoJoy technology for less water and perfect flow</p>			
	38 766 000	4005176847134	Chrome	159.00
		<p>GROHE Ondus Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow</p>		

ACTUATIONS

GROHE WALL PLATES FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 957 000	4005176914409	Chrome	99.00
 	38 958 000	4005176914416	Chrome	59.00
 	38 821 000	4005176868986	Chrome	209.00
 	38 732 SD0	4005176847691	stainless steel	139.00
 	38 732 000	4005176836114	Chrome	64.00
	38 732 BE0	4005176427749	polished nickel	86.00
	38 732 EN0	4005176427756	brushed nickel	86.00
	38 732 GL0	4005176339103	cool sunrise	86.00
	38 732 GN0	4005176427725	brushed cool sunrise	86.00
	38 732 DA0	4005176339097	warm sunset	86.00
	38 732 DL0	4005176427732	brushed warm sunset	86.00
	38 732 A00	4005176339110	hard graphite	86.00
	38 732 AL0	4005176339127	brushed hard graphite	86.00
 	38 732 BR0	4005176873676	titanium	109.00









GROHE WALL PLATES FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	38 844 000	4005176874963	Chrome	64.00
	38 844 SH0	4005176874970	alpine white	49.00
	38 844 P00	4005176875687	matt chrome	59.00
	Arena Cosmopolitan Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation GROHE EcoJoy technology for less water and perfect flow GROHE StarLight chrome finish			
	38 858 000	4005176876714	Chrome	64.00
	ditto, horizontal installation			
	38 505 000	4005176290053	Chrome	44.00
	38 505 SH0	4005176290046	alpine white	29.00
	38 505 P00	4005176290060	matt chrome	79.00
	Skate Air Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 506 000	4005176290121	Chrome	64.00
	ditto, horizontal installation			
	38 862 000	4005176832314	Chrome	64.00
	38 862 SH0	4005176832338	alpine white	49.00
	38 862 P00	4005176832321	matt chrome	58.45
	Skate Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 861 000	4005176832284	Chrome	59.00
	Surf Flush plate for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
				

GROHE WALL PLATES FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 564 000	4005176291784	Chrome	69.00
	Skate Air Flush plate for single flush actuation for pneumatic drop valve for vertical installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
	38 565 000	4005176291845	Chrome	44.00
	ditto, horizontal installation			
 	38 573 000	4005176292316	Chrome	49.00
	Skate Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
 	38 574 000	4005176292385	Chrome	59.00
	Surf Flush plate for single flush actuation for pneumatic drop valve for vertical and horizontal installation GROHE StarLight chrome finish GROHE EcoJoy technology for less water and perfect flow			
 	37 059 000	4005176142857	Chrome	129.00
	Air button GROHE StarLight chrome finish made of ABS escutcheon 100 mm dia wall plate Surf 156 x 197 mm			
 	37 060 000	4005176142901	Chrome	59.00
	Air button GROHE StarLight chrome finish made of ABS escutcheon 100 mm dia pneumatic hose 1500 mm long for use with Adagio cistern 37 762 SH / 37 945 SH comes with nipple adaptor 42267			
	38 488 000	4005176289866	Chrome	39.00
	Air button with 750 mm air hose for panel thickness up to 30 mm for use with Adagio cistern 37 762 SH / 37 945 SH GROHE StarLight finish			


GROHE WALL PLATES FOR WC

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 496 000	4005176289958	Chrome	179.00
<p>Air button air button 63 mm dia. with 750 mm air hose for panel thickness up to 30 mm only for use with a removable shelf / panel chrome plated brass for use with Adagio cistern 37 762 SH / 37 945 SH GROHE StarLight finish</p>				
 	38 771 000	4005176848551	Chrome	39.00
<p>Pneumatic push button actuation for dual flush or start & stop actuation Ø 48 mm in combination with bath furniture for material thickness from 18 -24 mm with 600 mm air hose GROHE StarLight chrome finish</p>				
 	37 761 000	4005176213243	Chrome	39.00
<p>Air button GROHE StarLight chrome finish for use with Adagio cistern 37 762 SH / 37 945 SH</p>				
 	38 714 000	4005176828454		13.90
<p>WC wall plate extension set 70 mm with pneumatic discharge valve</p>				

GROHE FRESH




Ref. No.	EAN code	Colour	Retail Guide Price (£)
----------	----------	--------	------------------------



38 805 000	4005176865596	Chrome	119.00
------------	---------------	--------	--------

Skate Cosmopolitan Set Fresh
Flush plate
 for dual flush or start & stop actuation
 with **GROHE Fresh**
 fixing frame with opening function
 for chlorine-free tablets only
 for pneumatic drop valve AV1
for vertical and horizontal installation
GROHE StarLight chrome finish
GROHE EcoJoy technology for less water and perfect flow



38 796 000	4005176857034		59.00
------------	---------------	--	-------

GROHE Fresh retro-fit set
 for GROHE flushing cisterns with
 pneumatic flush valve
not suitable for Skate Cosmopolitan with
wood or glass or metal surface
 fixing frame with opening function
 for chlorine-free tablets only
 for all GROHE wall plates
 156 x 197 mm



38 882 000	4005176879197		8.00
------------	---------------	--	------

GROHE Fresh Tabs
 2 x 50 g WC-Tabs
 This product is a hazardous substance. Find more information in the safety data sheet. You can download the safety data at: www.grohe.com/safety-data-sheets/

GROHE WALL PLATES FOR URINAL



GROHE WALL PLATES FOR URINAL

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	38 784 000	4005176855535	Chrome	101.95
<p>Skate Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish</p>				
 	38 804 000 38 804 SH0	4005176861512 4005176861529	Chrome alpine white	109.00 99.00
<p>Nova Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish</p>				
 	38 857 000 38 857 SH0	4005176875694 4005176875793	Chrome alpine white	102.00 94.00
<p>Arena Cosmopolitan Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish</p>				
 	38 808 000	4005176864056	Chrome	89.00
<p>Surf Actuation plate manual activation for urinal compatible with Rapido U or Rapido UMB 116 x 144 mm mechanical functional cartridge flow pressure min 0.5 bar operating pressure max 6 bar 1.0 - 6.0 adjustable GROHE StarLight chrome finish</p>				

GROHE
CONNECTION AND SECURITY TECHNOLOGY





CONTENTS













Angle Valves

733







GROHE ANGLE VALVES



GROHE ANGLE VALVES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	22 037 000	4005176305535	Chrome	9.00
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>				
 	22 041 000	4005176305573	Chrome	9.00
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing long connecting shaft ergonomic metal handle marking: neutral metal push-on escutcheon Ø 55 mm GROHE StarLight finish</p>				
 	22 029 000	4005176305467	Chrome	9.00
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet thread 3/8" with length compensation with compression nut Ø 10mm water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>				
 	22 032 000	4005176305481	Chrome	9.00
<p>Angle valve 1/2" pre-roughened connection thread for easy sealing wall connection 1/2" outlet 1/2" water protected spindle shutoff, brass, with grease chamber and double o-ring sealing ergonomic handle marking: neutral metal push-on escutcheon Ø 55 mm blister packaging GROHE StarLight finish</p>				
 	22 939 000	4005176829369	Chrome	19.00
<p>Angle valve 1/2" with compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon GROHE StarLight finish</p>				
 	22 940 000	4005176829376	Chrome	19.00
<p>Angle valve 1/2" without compression nut for copper pipe Ø 10 mm TDL handle marking: neutral escutcheon GROHE StarLight finish</p>				

GROHE ANGLE VALVES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	22 917 000	4005176501388	Chrome	44.25
 	22 012 000	4005176906343	Chrome	39.00
 	22 013 000	4005176909689	Chrome	39.00

GROHE
SPARE PARTS





CONTENTS

Spare Parts and Accessories
Spare parts for Ceramics

739
755







GROHE SPARE PARTS AND ACCESSORIES









GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	46 580 000	4005176831867		89.00
	Cartridge 28 mm GROHE SilkMove with ceramic sealing system with temperature limiter for all single lever mixers			
	46 374 000	4005176169076		89.00
	Cartridge 35 mm GROHE SilkMove with ceramic sealing system with temperature limiter adjustable flow rate limiter for all single lever mixers			
	46 048 000	4005176008283		89.00
	Cartridge GROHE SilkMove adjustable flow rate limiter for all single lever mixers			
	46 409 000	4005176177668		47.30
	ditto, for open water heater			
	46 386 000	4005176169410		109.00
	Cartridge GROHE SilkMove			
	46 278 000	4005176131868		99.00
	Ceramic cartridge for Euroeco special mixer			
	46 308 000	4005176131769		39.00
	Temperature limiter for cartridge 46 048 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	46 375 000	4005176169083		39.00
	Temperature limiter for 35mm cartridge 46 374 000 please see possible utilisation in current Technical Product Information and spare part documentation in print/online media			
	46 277 000	4005176131851		39.00
	Temperature limiter for cartridge 46 278 for Euroeco special mixer			
	48 297 000	4005176361265		36.00
	Cartridge for Rainshower system SmartControl push button including fixation			
	47 450 000	4005176076190		159.00
	Thermo-element wax element with stainless steel slider to avoid corrosion			
	47 282 000	4005176061592		139.00
	ditto, for reverse waterways, 1/2"			
	47 310 000	4005176079238		179.00
	Wax thermo-element-cartridge wax element			
	47 379 000	4005176203169		269.00
	ditto, for reverse waterways, 3/4"			
	47 349 000	4005176141461		119.00
	Wax thermo-element-cartridge 3/8" wax element			







GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	47 217 000	4005176241246		139.00
	Thermo-element wax element with non-rising spindle			
	47 657 000	4005176262838		279.00
	ditto, for reverse waterways, 1/2"			
	47 220 000	4005176241253		179.00
	Wax thermo-element-cartridge wax element with non-rising spindle			
	47 658 000	4005176262845		569.00
	ditto, for reverse waterways, 3/4"			
	47 532 000	4005176206795		189.00
	Thermostatic cartridge			
	00 798 000	4005176229008	Chrome	29.00
	Wax thermo-element			
	47 598 000	4005176229169		269.00
	Control unit			
	47 600 000	4005176228995		229.00
	Control unit			










GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	47 439 000	4005176811975		149.00
	Thermostatic compact cartridge 1/2" GROHE TurboStat compact cartridge with wax thermoelement			
	47 175 000	4005176803895		149.00
	ditto, for reverse waterways, 1/2"			
	47 885 000	4005176924729		39.00
	Thermostatic compact cartridge 1/2" GROHE Turbostat C3 compact cartridge with wax thermoelement			
	47 483 000	4005176815409		179.00
	Thermostatic compact cartridge 3/4" GROHE TurboStat compact cartridge with wax thermoelement			
	47 186 000	4005176803901		179.00
	ditto, for reverse waterways, 3/4"			
	49 028 000	4005176442827		48.00
	Thermostatic compact cartridge 3/4" for Grohtherm SmartControl concealed GROHE TurboStat compact cartridge with wax thermoelement including fastening nut			
	47 167 000	4005176010125		19.00
	Stop ring and regulating nut			
	47 364 000	4005176171819		79.00
	Aquadimmer for thermostatic mixers			

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	07 146 000	4005176017261		19.00
	Headpart 1/2" short spindle, 1/2"			
	45 346 000	4005176104572		49.00
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 342 000	4005176129865		49.00
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 180° stop: left-hand			
	45 885 000	4005176189913		99.00
	Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 869 000	4005176189876		29.00
	Concealed headpart 1/2" with ceramic sealing disks rotation angle 180° stop: right-hand			
	45 882 000	4005176189883		39.00
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: right-hand			

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	45 883 000	4005176189890		39.00
	Ceramic headpart, 1/2" with ceramic sealing disks rotation angle 90° stop: left-hand			
	45 888 000	4005176189944		69.00
	Ceramic headpart 3/4", 180° with ceramic sealing disks rotation angle 90°			
	07 025 000	4005176016929		29.00
	Screw-down valve, 3/4" short spindle for 1/2" handles for concealed valves, 3/4"			
	45 203 000	4005176052842		19.00
	Extension-set 200 mm for concealed valves, 1/2", 3/4"			
	Technical drawing showing dimensions: M24x1, 202, M23x1.5, 184.			
	12 001 000	4005176004339	Chrome	19.00
	S-union 1/2" x 3/4" adjustment range 7.5 mm GROHE StarLight chrome finish			
	Technical drawing showing dimensions: Ø70, G 1/2, 7.5, G 3/4, 26, 36-42.			
	12 400 000	4005176004582	Chrome	39.00
	S-union 1/2" x 3/4" adjustment range 10 mm GROHE StarLight chrome finish			
	Technical drawing showing dimensions: Ø70, G 1/2, 10, G 3/4, 15, 40-50.			

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	12 051 000	4005176213588	Chrome	39.00
<p>S-union 1/2" x 3/4" screw socket to cover the union nut and the rosette sealing towards wall adjustment range 12.5 mm lockable for service suitable for 1/2" connections GROHE StarLight chrome finish</p>				
 	12 952 000	4005176022692	Chrome	39.00
<p>Wall union</p>				
 	18 862 000	4005176028120	Chrome	59.00
<p>Wall union</p>				
 	18 121 000	4005176815812	Chrome	49.00
<p>Pillar union, pair GROHE StarLight chrome finish</p>				
 	12 407 000	4005176004629	Chrome	107.70
<p>Wall union, male 1/2" connection pipe \varnothing 18 mm connector set 3/4" male thread 1/2" escutcheon GROHE StarLight chrome finish</p>				
 	13 954 000	4005176025747	Chrome	9.00
<p>Flow straightener internal thread M 22 x 1 (LP) 6.9 l/min. at 3 bar SpeedClean anti-limescale system GROHE StarLight finish</p>				











GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 950 000	4005176025679	Chrome	12.00
	Economy Mousseur internal thread M 22 x 1(LP) 7.5 l/min at 3 bar GROHE StarLight finish			
 	13 928 000	4005176025365	Chrome	12.00
	Flow restrictor internal thread M 22 x 1(LP) 13.5 l/min at 3 bar GROHE StarLight finish			
 	13 900 000	4005176005442	Chrome	8.95
	Strainer jet regulator Sistra M24x1 internal thread M 22 x 1(LP) no limitation of flow rate including metal connection nipple for better servicing GROHE StarLight finish			
 	48 159 000	4005176919589	Chrome	9.00
	Flow restrictor external thread M 24 x 1 5.7 l/min at 3 bar SpeedClean anti-limescale system			
 	46 837 000	4005176931888	Chrome	13.00
	Flow straightener external thread M 24 x 1 5.7 l/min for pressures 1-5 bar GROHE AquaGuide adjustable mousseur GROHE StarLight finish			
 	13 960 000	4005176109522	Chrome	15.00
	Flow straightener external thread M 24 x 1 7.5 l/min at 3 bar GROHE StarLight finish			











GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	13 955 000	4005176025808	Chrome	10.00
	Flow straightener external thread M 24 x 1 6.9 l/min at 3 bar GROHE StarLight finish			
 	13 951 000	4005176025730	Chrome	12.00
	Economy Mousseur external thread M 24 x 1 7.5 l/min at 3 bar GROHE StarLight finish			
 	13 929 000	4005176025440	Chrome	12.00
	Flow restrictor external thread M 24 x 1 13.5 l/min at 3 bar GROHE StarLight finish			
 	13 927 000	4005176005541	Chrome	19.00
	Flow restrictor external thread M 28 x 1 30 l/min. at 3 bar GROHE StarLight finish			
 	13 907 000	4005176025129	Chrome	19.00
	Strainer jet regulator Sistra M24x1 external thread M 28 x 1 60.0 - 70.0 l/min at 3 bar GROHE StarLight finish			
 	28 910 000	4005176603846	Chrome	59.00
	Pop-up waste set 1 1/4" for wash basins with overflow for basin/bidet fittings			









GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 900 000	4005176603822	Chrome	89.00
<p>Pop-up waste set 1 1/4" for basins GROHE StarLight chrome finish</p>				
 	40 565 000	4005176912757	Chrome	69.00
<p>Waste set with push-open plug for wash basins with overflow GROHE StarLight chrome finish</p>				
 	65 808 000	4005176860065	Chrome	39.00
<p>Waste 1 1/4" for basins mixers without Pop Up Waste removable cover non-closable GROHE StarLight chrome finish</p>				
 	40 824 000	4005176332975	Chrome	19.00
<p>Waste set with push-open plug for wash basins with overflow removable plug closable</p>				
	07 182 000	4005176017438	Chrome	24.00
<p>Plug for pop-up waste set GROHE StarLight chrome finish</p>				
	07 341 000	4005176017728	Chrome	39.00
<p>Extended horizontal pop-up rod</p>				









GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	40 564 000	4005176912740	Chrome	229.00
<p>Bottle trap for wash basin GROHE StarLight chrome finish brass body</p>				
 	28 912 000	4005176266751	Chrome	209.00
<p>Bottle trap, 1 1/4" for basins brass (screw-top for cleaning) large sliding escutcheon GROHE StarLight chrome finish</p>				
	46 914 000	4005176326424		6.90
<p>Compression MI coupling for all basin and kitchen mixers 15 mm x 3/8" including nut & olive</p>				
	47 189 000	4005176010330	Chrome	39.00
<p>Non-return valve GROHE StarLight chrome finish</p>				
 	46 191 000	4005176119996		129.00
<p>Extension set 25 mm for universal single-lever mixer for concealed installation 1/2"</p>				
 	46 343 000	4005176189791		179.00
<p>Extension set 50 mm for universal single-lever mixer for concealed installation 1/2"</p>				










GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	28 817 000	4005176602962	Chrome	12.90
	Adapter 1/2" x 1/4" female thread 3/4" x 1/2" male thread GROHE StarLight chrome finish			
	06 765 000	4005176831973	Chrome	89.00
	Sliding piece suitable for shower rails of Relexa, Rainshower and Euphoria range with diameter of 25mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish			
 	07 659 000	4005176003707	Chrome	49.00
	Sliding piece suitable for shower rails of Tempesta range with diameter of 25mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish			
	12 140 000	4005176288319	Chrome	59.00
	Sliding piece suitable for shower rails with diameter of 22mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish			
	45 650 IP0	4005176137228	chrome/ matt chrome	49.00
	Sliding piece suitable for shower rails Relexa 28 620/28 621 with diameter of 27.8 mm glider with swivel holder for height adjustability of the hand shower GROHE StarLight chrome finish			
	07 264 00M	4005176228797	Chrome	9.00
	Filter multi-packaging: 2 pieces			

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
	45 023 000	4005176006494		9.00
	Seat			
	07 587 000	4005176229015	Chrome	19.00
	Slider			
	45 388 000	4005176212758		74.10
	Supporting legs for baseframe for direct floor installation GROHE Fresh retrofit set: enables access to concealed cistern to add a cleaning tablet (chlorine free tablets only) in units of 2			
	18 283 00M	4005176026669		27.95
	Fitting aid for mounting of 1/2" fittings in units of 10			
	18 370 000	4005176885228	Chrome	79.00
	Wall Mounted Brackets 1 pair for exposed 1/2" mixers includes: wall plate, brass olive, fixing nipple, chrome shroud			
	19 131 000	4005176203763		39.10
	Socket Spanner wrench size 36 mm			

GROHE SPARE PARTS AND ACCESSORIES

	Ref. No.	EAN code	Colour	Retail Guide Price (£)
 	19 332 000	4005176823695		69.00
Socket Spanner 34 mm for dis-/assembly of central screw coupling and GROHE TurboStat thermostatic compact cartridge 32 mm for disassembly of 35 mm cartridge				
	48 021 000	4005176881435		9.00
Disassembling key for mousseurs with housing: (M 22 x 1, M 24 x 1, M 28 x 1) for integrated mousseurs: M 16.5 x 1, M 18.5 x 1, M 21.5 x 1, M 24 x 1 sales unit 10 pieces				
 	19 377 000	4005176872204		39.00
Special Spanner 30 mm for dis-/assembly exposed faucets with covered S-unions 34 mm for dis-/assembly of GROHE TurboStat thermostatic compact cartridge				
 	19 017 000	4005176212024		39.00
Mounting wrench SW 13 for installation of basin mixers with the Rapid system				
	48 166 000	4005176923197		14.00
Grohclean Detergent for fittings and bathrooms 500 ml spray bottle in display box sales unit 10 pieces				
	43 544 000	4005176157738		9.00
Outlet piston				










GROHE SPARE PARTS FOR CERAMICS



GROHE SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	Retail Guide Price (£)		Ref. No.	Colour	Retail Guide Price (£)
	49 512 000		23.00		49 518 000		23.00
	Mounting set for counter top basins 39 337 000, 393 37 00H, 39 475 00H, 39 476 00H, 39 47 00H, 39 478 00H for drop in basin 39 422 000, 39 479 00H for vessel basin 39 481 00H contains 2 pieces				Mounting set for undercounter basins 39 423 000, 39 480 00H contains 4 pieces		
	49 025 000		20.00		49 516 000		20.00
	Mounting set for half pedestal 39 426 000, 39 201 000, 39 325 000 contains 2 pieces				Mounting set for floor standing bidet/WC 39 428 000, 39 429 000, 39 430 000, 39 431 000, 39 432 000, 39 349 000, 39 329 000, 39 329 00H, 39 340 000, 39 340 00H, 39 339 000, 39 339 00H, 39 484 00H, 39 485 00H, 39 487 00H contains 2 pieces		
	49 021 000		3.00		49 022 000	Chrome	22.00
	Rubber sealing for close coupled WC and cistern 39 436 000, 39 437 000, 39 333 000, 39 332 000, 39 489 000, 39 490 000				Fixing bolt for close coupled WC and cistern 39 436 000, 39 437 000, 39 333 000, 39 332 000, 39 489 000, 39 490 000		
	49 526 000	Chrome	12.00		49 017 000		14.00
	Dual flush push button for ceramic cistern 39 436 000, 39 437 000, 39 333 000, 39 32 000				Dual flush push button for close coupled cistern exposed side inlet 39 437 000 universal application		
	49 023 000		14.00		49 020 000		14.00
	Filling valve for close coupled cistern exposed bottom inlet 39 332 000 39 436 000 universal application				Filling valve for Euro Ceramic cistern for close coupled cistern exposed side inlet 39 333 000 universal application		
	49 061 000		14.00		49 066 000		14.00
	Discharge valve for Bau Ceramic cistern for close coupled cistern exposed side inlet 39 436 000 39 437 000 Dual Flush universal application for ceramic lid hole Ø 50 mm				Discharge valve for Euro Ceramic cistern for close-coupled cisterns 39 332 000 39 333 000 Dual Flush universal application for ceramic lid hole Ø 50 mm		

GROHE SPARE PARTS FOR CERAMICS

	Ref. No.	Colour	Retail Guide Price (£)		Ref. No.	Colour	Retail Guide Price (£)
	49 016 000	Chrome	4.00		49 027 000		56.00
	Locking cap for Euro Ceramic close coupled WC 39 338 000 / 39 338 00H available November 2018				Fixing set for Euro Ceramic wall hung bidet 220 mm 39 208 000, 39 208 00H		
	49 510 000		52.00		49 024 000		56.00
	Fixing set for Euro Ceramic wall hung WC 203 mm 39 328 000, 39 328 00H				Fixing set for Euro Ceramic compact wall hung WC 203 mm 39 206 000, 39 206 00H		
	49 509 000		51.00		49 528 000		30.00
	Fixing set for Cube Ceramic wall hung WC 178 mm 39 244 00H				Damper for Bau Ceramic WC seat with soft close left and right 39 493 000 contains 2 pieces		
	49 529 000		18.00		49 530 000		8.00
	Fixing set for Bau Ceramic seat and lid 39 493 000 39 492 000 contains 2 pieces				Buffer set for Bau Ceramic seat and lid 39 492 000 39 493 000 contains 2 pieces for lid and 4 pieces for seat		
	49 019 000		2.00				
	Locking cap for exposed ceramic cistern, side inlet 39 437 000 39 333 000						

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
00				13 929 000	4005176025440	748	12.00
00 798 000	4005176229008	742	29.00	13 950 000	4005176025679	747	12.00
06				13 951 000	4005176025730	748	12.00
06 765 000	4005176831973	751	89.00	13 954 000	4005176025747	746	9.00
07				13 955 000	4005176025808	748	10.00
07 025 000	4005176016929	745	29.00	13 960 000	4005176109522	747	15.00
07 146 000	4005176017261	744	19.00	14			
07 182 000	4005176017438	749	24.00	14 014 000	4005176929274	370	49.00
07 264 00M	4005176228797	751	9.00	14 015 000	4005176932748	331	129.00
07 341 000	4005176017728	749	39.00	14 048 000	4005176413483	46, 263	136.00
07 587 000	4005176229015	752	19.00	14 053 00M	4005176413513	46, 262	46.00
07 659 000	4005176003707	751	49.00	14 055 000	4005176413520	46, 220	146.00
07 749 000	4005176018695	590	89.00	14 159 000	4005176100710		19.00
11				18			
115 221	4005176910081		29.00	18 121 000	4005176815812	746	49.00
118 152	4005176981951		369.00	18 153 000	4005176819094		79.00
118 330	4005176983047		1,849.00	18 283 00M	4005176026669	752	27.95
118 599	4005176993527		369.00	18 349 000	4005176874796	202	25.00
12				18 370 000	4005176885228	589, 752	79.00
12 001 000	4005176004339	745	19.00	18 391 001	4005176888533	182	29.00
12 051 000	4005176213588	584, 589	39.00	18 608 001	4005176985140	280	39.00
12 140 000	4005176288319	751	59.00	18 651 000	4005176931413		108.23
12 400 000	4005176004582	592, 745	39.00	18 700 000	4005176940811	284	39.00
12 407 000	4005176004629	592, 611	107.70	18 862 000	4005176028120	746	59.00
12 952 000	4005176022692	746	39.00	18 863 000	4005176028137		49.00
12 965 000	4005176022708		67.55	18 864 000	4005176413506	46, 263	94.00
13				18 978 000	4005176028809	589	169.00
13 139 000	4005176235856	102, 107	179.00	19			
13 139 003	4005176455131	91	203.00	19 017 000	4005176212024	753	39.00
13 139 AL3	4005176455155	91	284.00	19 025 000	4005176209154	110, 134	49.00
13 139 DC3	4005176455148	91	264.00	19 069 000	4005176236570	107	89.00
13 216 001	4005176846861		988.51	19 069 003	4005176455469	90	79.00
13 218 000	4005176847110	76	1,235.63	19 069 AL3	4005176455483	90	111.00
13 228 001	4005176860058		988.51	19 069 DC3	4005176455476	90	103.00
13 242 000	4005176869198	52	209.00	19 070 000	4005176029653		49.00
13 245 000	4005176870163	52	1,235.63	19 088 000	4005176236600	103	89.00
13 261 000	4005176877384	203	79.00	19 088 003	4005176455162	90	102.00
13 264 000	4005176882449	77	209.00	19 088 AL3	4005176455186	90	142.00
13 276 002	4005176887246	189	89.00	19 088 DC3	4005176455179	90	132.00
13 278 002	4005176887871	177	89.00	19 131 000	4005176203763	752	39.10
13 280 001	4005176888687	184	89.00	19 133 000	4005176235870		123.56
13 299 000	4005176899003	65	289.00	19 134 000	4005176235900	102	129.00
13 301 000	4005176899041	64	1,294.47	19 243 001	4005176926570	280	39.00
13 303 000	4005176906350	144	109.00	19 285 001	4005176307225	161	129.00
13 304 000	4005176906367	144	119.00	19 285 A01	4005176407550	161	210.00
13 315 000	4005176909696		314.62	19 285 AL1	4005176407567	161	210.00
13 317 000	4005176912603	77	669.00	19 285 BE1	4005176426568	161	210.00
13 319 000	4005176912627	65	669.00	19 285 DA1	4005176407536	161	210.00
13 335 000	4005176923746		221.49	19 285 DC1	4005176371110	161	189.00
13 341 000	4005176931000	120	209.00	19 285 DL1	4005176426551	161	210.00
13 341 DA0	4005176327223	120	329.00	19 285 EN1	4005176426575	161	210.00
13 341 IG0	4005176931017	120	279.00	19 285 GL1	4005176407543	161	210.00
13 378 000	4005176351532	583	74.95	19 285 GN1	4005176426544	161	210.00
13 380 000	4005176351549	583	82.84	19 286 001	4005176307294	161	119.00
13 383 001	4005176418167	131	179.00	19 286 A01	4005176426742	161	193.00
13 383 DC1	4005176418174	131	219.00	19 286 AL1	4005176426735	161	193.00
13 900 000	4005176005442	747	8.95	19 286 BE1	4005176426759	161	193.00
13 905 000	4005176025099		10.00	19 286 DA1	4005176426711	161	193.00
13 907 000	4005176025129	748	19.00	19 286 DC1	4005176371158	161	159.00
13 927 000	4005176005541	748	19.00	19 286 DL1	4005176426728	161	193.00
13 928 000	4005176025365	747	12.00	19 286 EN1	4005176426766	161	193.00
				19 286 GL1	4005176426698	161	193.00
				19 286 GN1	4005176426704	161	193.00
				19 287 001	4005176849428	98	389.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
19 287 003	4005176454738	84	338.00	19 468 AL0	4005176426896	165, 272	555.00
19 287 AL3	4005176454752	84	474.00	19 468 BE0	4005176426919	165, 272	555.00
19 287 DC3	4005176454745	84	440.00	19 468 DA0	4005176426872	165, 272	555.00
19 296 000	4005176820755		189.00	19 468 DL0	4005176426889	165, 272	555.00
19 296 001	4005176409219	129	199.00	19 468 EN0	4005176426926	165, 272	555.00
19 296 DC1	4005176412806	129	244.00	19 468 GL0	4005176426858	165, 272	555.00
19 297 000	4005176820762		199.00	19 468 GN0	4005176426865	165, 272	555.00
19 297 001	4005176409226	129	199.00	19 469 000	4005176847998	272	279.00
19 297 DC1	4005176412813	129	244.00	19 470 000	4005176848018	274	59.00
19 309 000	4005176820656	72	509.00	19 479 000	4005176852152		259.00
19 315 000	4005176821677	73	369.00	19 506 002	4005176887185	188	139.00
19 316 000	4005176821783	76	1,149.00	19 506 003	4005176334399	197	129.00
19 317 000	4005176821806	73	329.00	19 506 LS3	4005176334542	197	169.00
19 332 000	4005176823695	753	69.00	19 507 002	4005176887079	188	139.00
19 334 000	4005176823800	77	129.00	19 507 003	4005176334337	196	109.00
19 342 000	4005176860942	49	509.00	19 507 LS3	4005176334528	196	129.00
19 344 000	4005176861062	50	369.00	19 536 002	4005176866067	150	149.00
19 345 001	4005176888953	183	149.00	19 537 002	4005176868412	150	149.00
19 346 001	4005176889080	184	159.00	19 548 002	4005176887840	172, 177	159.00
19 354 001	4005176926563	279	229.00	19 548 LS2	4005176998959	172, 177	189.00
19 355 001	4005176926556	279	239.00	19 549 002	4005176887758	171, 177	149.00
19 364 000	4005176861154	51	549.00	19 549 LS2	4005176998942	171, 177	189.00
19 367 000	4005176861192	50	329.00	19 567 000	4005176895340	271	349.00
19 369 000	4005176861222	50	499.00	19 567 LS0	4005176895364		564.75
19 373 000	4005176866814	51	1,279.00	19 568 000	4005176895371	271	329.00
19 377 000	4005176872204	753	39.00	19 568 LS0	4005176895395		529.00
19 380 000	4005176831539	73	499.00	19 571 002	4005176886973	187	199.00
19 381 000	4005176874673	201	169.00	19 571 003	4005176334269	195	199.00
19 382 000	4005176874697	203	119.00	19 571 LS3	4005176334498	195	249.00
19 383 000	4005176874765	203	99.00	19 573 002	4005176887659	176	189.00
19 384 000	4005176875755	78	129.00	19 575 001	4005176888366	182	179.00
19 386 000	4005176876011	72	549.00	19 576 001	4005176888625		629.00
19 388 000	4005176876042	49	539.00	19 577 000	4005176889790		769.00
19 392 000	4005176831256	106	379.00	19 577 001	4005176409233	130	599.00
19 394 000	4005176831270	105	379.00	19 577 DC1	4005176412820	130	779.00
19 395 000	4005176831287	106	439.00	19 577 EN1	4005176413018	130	779.00
19 396 000	4005176831294		359.99	19 578 001	4005176307195	162	669.00
19 398 000	4005176831317	102	379.00	19 578 A01	4005176426520	162	933.00
19 399 000	4005176831324	102	439.00	19 578 AL1	4005176426513	162	933.00
19 408 001	4005176307133	159	169.00	19 578 BE1	4005176426537	162	933.00
19 408 A01	4005176426209	159	259.00	19 578 DA1	4005176426490	162	933.00
19 408 AL1	4005176426193	159	259.00	19 578 DC1	4005176371103	162	839.00
19 408 BE1	4005176426216	159	259.00	19 578 DL1	4005176426506	162	933.00
19 408 DA1	4005176426179	159	259.00	19 578 EN1	4005176374463	162	933.00
19 408 DC1	4005176369964	159	219.00	19 578 GL1	4005176426476	162	933.00
19 408 DL1	4005176426186	159	259.00	19 578 GN1	4005176426483	162	933.00
19 408 EN1	4005176426223	159	259.00	19 579 000	4005176889813		779.00
19 408 GL1	4005176426155	159	259.00	19 590 000	4005176890529	77	179.00
19 408 GN1	4005176426162	159	259.00	19 781 000	4005176898822	61	619.00
19 409 000	4005176876936		229.00	19 783 000	4005176898846	61	659.00
19 409 001	4005176409158	127	249.00	19 785 000	4005176898969	62	429.00
19 409 DC1	4005176412752	127	319.00	19 785 A00	4005176338649	62	633.00
19 416 000	4005176831492		319.00	19 785 DA0	4005176338656	62	633.00
19 417 000	4005176831508		359.00	19 787 000	4005176898983		1,294.47
19 444 000	4005176840562	53	129.00	19 789 000	4005176899058	62	389.00
19 446 000	4005176840807	74	549.00	19 791 000	4005176899089	63	639.00
19 448 000	4005176841897	52	229.00	19 792 000	4005176899096	63	729.00
19 450 002	4005176862229	209	99.00	19 792 A00	4005176339134	63	1,081.00
19 451 002	4005176862335	209	89.00	19 792 AL0	4005176353093	63	1,081.00
19 455 000	4005176845994		189.00	19 792 BE0	4005176431715	63	1,081.00
19 456 000	4005176846007		199.00	19 792 DA0	4005176339141	63	1,081.00
19 459 001	4005176849473	100	329.00	19 792 DL0	4005176431708	63	1,081.00
19 463 001	4005176849459	99	279.00	19 792 EN0	4005176431692	63	1,081.00
19 467 000	4005176847974	271	339.00	19 792 GL0	4005176352164	63	1,081.00
19 467 LS0	4005176997419	271	382.85	19 792 GN0	4005176431685	63	1,081.00
19 468 000	4005176847981	132, 165	349.00	19 796 000	4005176899133	65	169.00
19 468 A00	4005176426902	165, 272	555.00	19 798 000	4005176899157	65	239.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
19 808 001	4005176843204		19.00	19 984 000	4005176313837	292	209.00
19 887 000	4005176900907	63	579.00	19 985 000	4005176313844	292	219.00
19 895 000	4005176901072	141	229.00	19 986 000	4005176313851	292	219.00
19 896 000	4005176454776	138, 143	169.00	19 993 003	4005176335068		n.A.
19 897 000	4005176901263		869.00	19 995 003	4005176335082		n.A.
19 898 000	4005176901300	138, 143	159.00	19 997 000	4005176342189	137	219.00
19 910 000	4005176987014	144, 283	49.00	19 998 000	4005176342196	137	249.00
19 918 000	4005176912566	98	469.00	20			
19 918 003	4005176454769	84	383.00	20 008 000	4005176236099	104	489.00
19 918 AL3	4005176454783	84	537.00	20 008 003	4005176455285	88	451.00
19 918 DC3	4005176454776	84	498.00	20 008 AL3	4005176455308	88	631.00
19 919 000	4005176924125	119	1,049.00	20 008 DC3	4005176455292	88	586.00
19 919 DA0	4005176327209	119	1,499.00	20 009 000	4005176236129	101	489.00
19 919 IG0	4005176924132	119	1,369.00	20 009 003	4005176454974	88	361.00
19 920 000	4005176924149	117	289.45	20 009 AL3	4005176454998	88	505.00
19 920 DA0	4005176327186	117	452.00	20 009 DC3	4005176454981	88	469.00
19 920 IG0	4005176924156	117	376.28	20 021 000	4005176286957	104	247.13
19 929 000	4005176930430	115	362.45	20 021 003	4005176455193	87	226.00
19 929 IG0	4005176930447	115	499.00	20 021 AL3	4005176455216	87	316.00
19 930 000	4005176930454	115	419.00	20 021 DC3	4005176455209	87	293.00
19 930 IG0	4005176930461	115	549.00	20 025 000	4005176099403	604	119.00
19 932 000	4005176930713	116	279.00	20 143 000	4005176832581	71	569.00
19 932 IG0	4005176930720	116	343.57	20 164 000	4005176855191	104	439.00
19 934 000	4005176930751	117	399.00	20 164 003	4005176455315	88	383.00
19 934 IG0	4005176930768	117	488.62	20 164 AL3	4005176455339	88	537.00
19 936 000	4005176930812	118	989.00	20 164 DC3	4005176455322	88	498.00
19 936 A00	4005176338724	118	1,453.00	20 169 000	4005176855207	101	439.00
19 936 AL0	4005176338731	118	1,453.00	20 169 003	4005176455001	88	383.00
19 936 DA0	4005176327193	118	1,453.00	20 169 AL3	4005176455025	88	537.00
19 936 GL0	4005176338717	118	1,453.00	20 169 DC3	4005176455018	88	498.00
19 936 IG0	4005176930829	118	1,279.00	20 180 000	4005176860980		569.00
19 937 000	4005176930904	118	429.00	20 181 000	4005176860997	48	509.00
19 937 DA0	4005176327247	118	634.00	20 186 001	4005176874437	216	59.00
19 937 IG0	4005176930911	118	549.00	20 187 000	4005176874680	201	189.00
19 941 000	4005176930980		359.00	20 188 000	4005176875724	71	569.00
19 941 IG0	4005176930997		469.00	20 189 000	4005176875731	71	509.00
19 942 000	4005176931048	120	129.00	20 190 000	4005176875748	71	509.00
19 942 IG0	4005176931055	120	163.61	20 192 000	4005176875991	71	539.00
19 944 000	4005176931086	120	99.00	20 193 000	4005176876004	71	539.00
19 944 IG0	4005176931093	120	119.00	20 195 000	4005176876035		511.43
19 948 000	4005176935220	118	429.00	20 208 002	4005176886980	187	229.00
19 948 DA0	4005176327254	118	634.00	20 216 001	4005176888373	181	219.00
19 948 IG0	4005176935237	118	520.70	20 293 000	4005176896354		162.70
19 952 000	4005176174230	109, 134	44.00	20 296 001	4005176307072	159	229.00
19 958 000	4005176940835	283	299.00	20 299 001	4005176307096	159	289.00
19 959 000	4005176940842	282	269.00	20 301 000	4005176896422	149	279.00
19 962 000	4005176982071	272	419.00	20 304 000	4005176896453		309.00
19 963 000	4005176982187	272	369.00	20 304 001	4005176409141	127	319.00
19 964 000	4005176982194	279	239.00	20 306 000	4005176896491		329.00
19 965 001	4005176409240	130	439.00	20 342 000	4005176898860	61	629.00
19 967 001	4005176307140	159	189.00	20 344 000	4005176898884	61	749.00
19 967 A01	4005176426285	159	292.00	20 344 A00	4005176338342	61	1,212.00
19 967 AL1	4005176426278	159	292.00	20 344 AL0	4005176353185	61	1,212.00
19 967 BE1	4005176426292	159	292.00	20 344 DA0	4005176338304	61	1,212.00
19 967 DA1	4005176426254	159	292.00	20 344 GL0	4005176338328	61	1,212.00
19 967 DC1	4005176369971	159	259.00	20 346 000	4005176898907	61	649.00
19 967 DL1	4005176426261	159	292.00	20 348 000	4005176898921	61	689.00
19 967 EN1	4005176426308	159	292.00	20 351 000	4005176901041	141	269.00
19 967 GL1	4005176426230	159	292.00	20 386 000	4005176912573		466.80
19 967 GN1	4005176426247	159	292.00	20 387 000	4005176912580	104	489.00
19 968 000	4005176993657	170	189.00	20 389 000	4005176924101	115	499.00
19 968 LS0	4005176993664	170	299.00	20 389 A00	4005176338694	115	735.00
19 969 000	4005176993671	170	209.00	20 389 AL0	4005176338700	115	735.00
19 969 LS0	4005176993688	170	229.00	20 389 DA0	4005176327131	115	999.00
19 974 002	4005176305948	176	199.00	20 389 GL0	4005176338687	115	735.00
19 976 001	4005176307218	162	399.00	20 389 IG0	4005176924118	115	649.00
19 981 000	4005176310706	293	39.00				

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
20 393 001	4005176842993	216	65.00	23 055 002	4005176887680	176	209.00
20 404 001	4005176842986	216	49.00	23 061 002	4005176417917	361	491.00
20 414 000	4005176930492	115	369.00	23 064 000	4005176890109	48	429.00
20 414 IGO	4005176930508	115	458.09	23 065 000	4005176890130	48	429.00
20 415 000	4005176930515	115	390.12	23 076 000	4005176890505	70	459.00
20 415 IGO	4005176930522	115	539.00	23 105 00L	4005176917059		219.00
20 417 000	4005176930553	114	449.00	23 106 000	4005176894329		219.00
20 417 IGO	4005176930560	114	589.00	23 106 001	4005176409110	126	209.00
20 421 000	4005176934353	212	49.00	23 106 DC1	4005176412721	126	259.00
20 421 00M	4005176986932	212	97.00	23 109 000	4005176898754	60	639.00
20 422 000	4005176934490		49.00	23 112 000	4005176898778	60	639.00
20 575 000	4005176388422		49.00	23 114 000	4005176898792	60	789.00
21				23 116 000	4005176898815		1,679.00
21 019 000	4005176235979	104	399.00	23 117 000	4005176898938	62	579.00
21 019 003	4005176455223	87	361.00	23 119 000	4005176899027	64	2,299.00
21 019 AL3	4005176455247	87	505.00	23 119 A00	4005176338601	64	3,386.00
21 019 DC3	4005176455230	87	469.00	23 119 DA0	4005176338557	64	3,386.00
21 022 000	4005176235993	101	399.00	23 127 000	4005176900341	140	199.00
21 022 003	4005176454943	87	361.00	23 127 00E	4005176901591	140	199.00
21 022 AL3	4005176454967	87	505.00	23 132 000	4005176900990	140	189.00
21 022 DC3	4005176454950	87	469.00	23 132 00E	4005176906725	140	189.00
21 044 000	4005176270468	104	549.00	23 135 000	4005176901027	141	219.00
21 044 003	4005176455254	87	496.00	23 135 00E	4005176906732	141	209.00
21 044 AL3	4005176455278	87	694.00	23 137 000	4005176901096	140	149.00
21 044 DC3	4005176455261	87	619.00	23 138 000	4005176901133	142	189.00
21 107 000	4005176930393	114	379.00	23 140 000	4005176901157	142	239.00
21 107 IGO	4005176930409	114	499.00	23 141 000	4005176901164	142	299.00
21 374 001	4005176843013	217	79.00	23 145 000	4005176901270	142	219.00
21 375 001	4005176843037	216	89.00	23 200 000	4005176908354	62, 142	209.00
21 390 001	4005176843006	216	129.00	23 296 000	4005176922701		259.00
22				23 296 001	4005176409127	127	269.00
22 012 000	4005176906343	145, 735	39.00	23 296 DC1	4005176412738	127	334.00
22 013 000	4005176909689	145, 735	39.00	23 297 000	4005176922718		259.00
22 029 000	4005176305467	734	9.00	23 303 000	4005176924088	114	319.00
22 032 000	4005176305481	734	9.00	23 303 A00	4005176338663	114	472.00
22 037 000	4005176305535	734	9.00	23 303 AL0	4005176338670	114	472.00
22 041 000	4005176305573	734	9.00	23 303 DA0	4005176327094	114	472.00
22 501 000	4005176409318	27	57.91	23 303 GL0	4005176338625	114	472.00
22 505 LNO	4005176411779	26	43.33	23 303 IGO	4005176924095	114	419.00
22 506 LNO	4005176411786	26	22.49	23 310 000	4005176930331	114	319.00
22 513 LNO	4005176416484	27	365.83	23 310 DA0	4005176327100	114	313.00
22 517 LNO	4005176416729	26	465.83	23 310 IGO	4005176930348	114	419.00
22 521 LNO	4005176437151	27	19.00	23 313 000	4005176930614	114	419.00
22 917 000	4005176501388	735	44.25	23 313 IGO	4005176930621	114	549.00
22 939 000	4005176829369	734	19.00	23 315 000	4005176930652	116	359.00
22 940 000	4005176829376	734	19.00	23 315 IGO	4005176930669	116	469.00
23				23 316 000	4005176930690	116	352.37
23 029 000	4005176898709	60	509.00	23 316 IGO	4005176930706	116	458.09
23 029 A00	4005176338335	60	830.00	23 317 000	4005176930799	116	469.00
23 029 AL0	4005176353154	60	830.00	23 317 IGO	4005176930805	116	572.61
23 029 BE0	4005176431678	60	830.00	23 318 000	4005176930874	119	1,499.00
23 029 DA0	4005176338298	60	830.00	23 318 A00	4005176338755	119	2,203.00
23 029 DL0	4005176431661	60	830.00	23 318 AL0	4005176338762	119	2,203.00
23 029 EN0	4005176431654	60	830.00	23 318 DA0	4005176327216	119	2,203.00
23 029 GL0	4005176338311	60	830.00	23 318 EN0	4005176930898		2,203.00
23 029 GN0	4005176431647	60	830.00	23 318 GL0	4005176338748	119	2,203.00
23 033 000	4005176898716	60	509.00	23 318 IGO	4005176930881	119	1,939.00
23 037 002	4005176886355	186	129.00	23 319 000	4005176931192	116	209.00
23 039 002	4005176886881	186	79.00	23 322 001	4005176934506	207	99.00
23 043 002	4005176886966	187	169.00	23 323 001	4005176934513	207	99.00
23 048 002	4005176887178		749.00	23 324 001	4005176934520	207	89.00
23 049 002	4005176887536	174	169.00	23 325 000	4005176933974	200	119.00
23 051 002	4005176887567	174	89.00	23 327 000	4005176934094	200	109.00
23 054 002	4005176887642	175	169.00	23 330 000	4005176934278	212	64.00
				23 333 000	4005176934308	213	69.00
				23 334 000	4005176934322	213	84.00
				23 335 000	4005176934391		79.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
23 337 000	4005176934414		64.00	23 567 003	4005176334214	193	109.00
23 338 000	4005176934421		89.00	23 568 30L	4005176333637	193	119.00
23 340 000	4005176934445		69.00	23 569 003	4005176334238	194	189.00
23 341 000	4005176934469		79.00	23 569 LS3	4005176334467	194	299.00
23 356 000	4005176934131	212	74.00	23 570 003	4005176334245	194	209.00
23 374 003	4005176334153	192	109.00	23 570 LS3	4005176334474	194	249.00
23 374 LS3	4005176334450	192	149.00	23 571 000	4005176334276	98, 128	199.00
23 379 001	4005176306891	157	149.00	23 589 001	4005176339172	156	144.00
23 380 10E	4005176938245	180	139.00	23 589 A01	4005176407338	156	209.00
23 387 20E	4005176938382	186	109.00	23 589 AL1	4005176407345	156	209.00
23 390 00E	4005176938436	140	199.00	23 589 BE1	4005176419638	156	209.00
23 392 00E	4005176938450	140	199.00	23 589 DA1	4005176407314	156	209.00
23 403 000	4005176941627	70	609.00	23 589 DC1	4005176369919	156	169.00
23 404 000	4005176941634		299.00	23 589 DL1	4005176419621	156	209.00
23 405 000	4005176941641		309.00	23 589 EN1	4005176425844	156	209.00
23 405 001	4005176409134	127	249.00	23 589 GL1	4005176407321	156	209.00
23 405 DC1	4005176412745	127	299.00	23 589 GN1	4005176419614	156	209.00
23 406 000	4005176941658	141	249.00	23 590 001	4005176339189	156	134.00
23 425 000	4005176993596	170	159.00	23 590 A01	4005176426001	156	195.00
23 425 LS0	4005176993602	170	209.00	23 590 BE1	4005176426018	156	195.00
23 427 000	4005176993619	170	179.00	23 590 DA1	4005176425875	156	195.00
23 427 LS0	4005176993626	170	229.00	23 590 DC1	4005176369926	156	169.00
23 428 000	4005176993633	170	269.00	23 590 DL1	4005176425882	156	195.00
23 428 LS0	4005176993640	170	349.00	23 590 EN1	4005176426025	156	195.00
23 429 000	4005176993695	84, 137	209.00	23 590 GL1	4005176425851	156	195.00
23 430 000	4005176993725	171	199.00	23 590 GN1	4005176425868	156	195.00
23 430 LS0	4005176993732	171	219.00	23 591 001	4005176339196	156	119.00
23 431 000	4005176993749	171	199.00	23 654 000	4005176342080	136	209.00
23 431 LS0	4005176993756	171	229.00	23 656 000	4005176342103	136	189.00
23 432 000	4005176993763	176	259.00	23 657 000	4005176342110	136	259.00
23 441 000	4005176998645		239.00	23 658 000	4005176342127	136	199.00
23 442 000	4005176998669		269.00	23 661 000	4005176342158	136	269.00
23 443 000	4005176998676		239.00	23 664 000	4005176342202	137	219.00
23 444 000	4005176998690		269.00	23 665 000	4005176342219	137	239.00
23 444 001	4005176411977	127	249.00	23 666 000	4005176342226	137	279.00
23 444 DC1	4005176412769	127	319.00	23 667 000	4005176342233		1,569.00
23 445 000	4005176998706	140	209.00	23 707 003	4005176364778	192	99.00
23 446 000	4005176998720	141	199.00	23 707 LS3	4005176364785	192	139.00
23 447 000	4005176998737	141	229.00	23 709 003	4005176365003	192	99.00
23 448 002	4005176998744	175	169.00	23 709 LS3	4005176365010	192	129.00
23 449 002	4005176998768	175	159.00	23 712 30L	4005176365034	193	89.00
23 450 001	4005176998775	181	149.00	23 715 003	4005176365065	193	89.00
23 451 001	4005176998799	181	139.00	23 717 30L	4005176365089	194	89.00
23 462 001	4005176306907	157	169.00	23 718 003	4005176365096	194	169.00
23 462 A01	4005176425325	157	236.00	23 718 LS3	4005176365102	194	199.00
23 462 AL1	4005176426070	157	236.00	23 719 003	4005176365119	194	199.00
23 462 BE1	4005176426087	157	236.00	23 719 LS3	4005176365126	194	229.00
23 462 DA1	4005176426056	157	236.00	23 720 003	4005176365157	195	99.00
23 462 DC1	4005176369933	157	209.00	23 720 LS3	4005176365164	195	139.00
23 462 DL1	4005176426063	157	236.00	23 722 003	4005176365188	196	149.00
23 462 EN1	4005176426094	157	236.00	23 722 LS3	4005176365195	196	149.00
23 462 GL1	4005176426032	157	236.00	23 725 003	4005176365249	197	139.00
23 462 GN1	4005176426049	157	236.00	23 726 003	4005176365256	196	149.00
23 463 001	4005176306914	157	159.00	23 726 LS3	4005176365263	196	199.00
23 491 001	4005176307263	163	1,029.00	23 730 003	4005176365324	198	149.00
23 491 A01	4005176407598	163	1,473.00	23 739 001	4005176369728	181	199.00
23 491 AL1	4005176407604	163	1,473.00	23 741 001	4005176371509	163	1,549.00
23 491 BE1	4005176426605	163	1,473.00	23 741 DC1	4005176371516	163	2,029.00
23 491 DA1	4005176407574	163	1,473.00	23 741 EN1	4005176371523	163	2,029.00
23 491 DC1	4005176371127	163	1,319.00	23 751 000	4005176388149		74.00
23 491 DL1	4005176426599	163	1,473.00	23 752 000	4005176388156		64.00
23 491 EN1	4005176371134	163	1,473.00	23 753 000	4005176388163		98.00
23 491 GL1	4005176407581	163	1,473.00	23 754 000	4005176388170		89.00
23 491 GN1	4005176426582	163	1,473.00	23 755 000	4005176388187		69.00
23 537 002	4005176312212	207	119.00	23 756 000	4005176388392		79.00
23 541 001	4005176313912	158	169.00	23 758 000	4005176388460	212	86.00
23 565 30L	4005176333620	192	109.00	23 759 000	4005176388477	213	86.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
23 760 000	4005176388484	213	98.00	26 052 000	4005176937064	377	339.00
23 761 000	4005176388491	213	116.00	26 053 000	4005176937071	378	339.00
23 762 000	4005176388538		86.00	26 053 LSO	4005176997334	378	431.00
23 763 000	4005176388545		98.00	26 054 000	4005176937088	79, 377	479.00
23 764 000	4005176388552		116.00	26 055 000	4005176937095	79, 377	469.00
23 790 001	4005176408380	126	199.00	26 056 000	4005176937101	107, 375	469.00
23 791 001	4005176409097	126	199.00	26 057 000	4005176937118	108, 376	469.00
23 791 DC1	4005176412707	126	249.00	26 058 000	4005176937125	54, 376	394.25
23 792 001	4005176409257	130	1,479.00	26 059 000	4005176937132	54, 376	419.00
23 792 DC1	4005176412837	130	1,799.00	26 060 000	4005176937149	78, 376	419.00
23 792 EN1	4005176413001	130	1,799.00	26 061 000	4005176937156	79, 377	419.00
24				26 062 000	4005176937163	377	339.00
24 026 000	4005176820359	101	381.67	26 063 000	4005176937170	378	339.00
24 027 000	4005176820366	105	399.00	26 064 000	4005176937187	377	479.00
24 027 003	4005176455346	89	383.00	26 065 000	4005176937194	79, 377	439.00
24 027 AL3	4005176455360	89	537.00	26 066 000	4005176937200	107, 132	469.00
24 027 DC3	4005176455353	89	498.00	26 066 A00	4005176427237	165, 375	674.00
24 036 000	4005176993701	171	189.00	26 066 AL0	4005176427220	165, 375	674.00
24 036 LSO	4005176993718	171	219.00	26 066 BE0	4005176427244	165, 375	674.00
25				26 066 DA0	4005176427206	165, 375	674.00
25 010 000	4005176236334	105	519.00	26 066 DC0	4005176371172	107, 132	639.00
25 010 003	4005176455407	89	541.00	26 066 DL0	4005176427213	165, 375	674.00
25 010 AL3	4005176455421	89	757.00	26 066 EN0	4005176427251	165, 375	674.00
25 010 DC3	4005176455414	89	703.00	26 066 GL0	4005176427183	165, 375	674.00
25 044 000	4005176237324	106	1,482.76	26 066 GN0	4005176427190	165, 375	674.00
25 044 003	4005176455438	90	1,690.00	26 067 000	4005176937217	108, 132	469.00
25 044 AL3	4005176455452	90	2,366.00	26 067 A00	4005176427312	165, 376	674.00
25 044 DC3	4005176455445	90	2,197.00	26 067 AL0	4005176427305	165, 376	674.00
25 098 000	4005176881633	208	169.00	26 067 BE0	4005176427329	165, 376	674.00
25 100 002	4005176887215	189	219.00	26 067 DA0	4005176427282	165, 376	674.00
25 102 000	4005176881671	184	229.00	26 067 DC0	4005176371189	108, 132	639.00
25 104 000	4005176881794	130	369.00	26 067 DL0	4005176427299	165, 376	674.00
25 105 000	4005176881800	209	199.00	26 067 EN0	4005176427336	165, 376	674.00
25 107 002	4005176887222	189	239.00	26 067 GL0	4005176427268	165, 376	674.00
25 109 000	4005176881848	184	259.00	26 067 GN0	4005176427275	165, 376	674.00
25 113 000	4005176881862	129	399.00	26 068 000	4005176937224	54, 376	419.00
25 128 000	4005176905209	202	189.00	26 069 000	4005176937231	54, 376	419.00
25 129 000	4005176905216	202	229.00	26 070 000	4005176937248	78, 376	419.00
25 132 002	4005176905247	150	259.00	26 071 000	4005176937255	79, 377	419.00
25 133 002	4005176905254	150	229.00	26 072 000	4005176937262	379, 420	169.00
25 136 000	4005176906763	144	279.00	26 073 000	4005176937279	379, 422	209.00
25 137 000	4005176906770	143	319.00	26 075 000	4005176937606	132, 166	716.00
25 140 002	4005176906800		259.00	26 075 A00	4005176425387	166, 356	1,499.00
25 141 002	4005176906817		309.00	26 075 AL0	4005176425370	166, 356	2,003.00
25 165 000	4005176942303		379.00	26 075 BE0	4005176428593	166, 356	1,499.00
25 167 000	4005176942310		459.00	26 075 DA0	4005176425356	166, 356	1,499.00
25 172 001	4005176307249	162	229.00	26 075 DC0	4005176371219	132, 166	1,069.00
25 173 001	4005176307256	162	279.00	26 075 DL0	4005176425363	166, 356	1,499.00
25 216 000	4005176479779	214	129.00	26 075 EN0	4005176428609	166, 356	1,499.00
25 217 000	4005176479786	214	159.00	26 075 GL0	4005176425332	166, 356	1,499.00
25 450 001	4005176843372	217	119.00	26 075 GN0	4005176425349	166, 356	1,499.00
25 460 001	4005176843099		139.00	26 082 001	4005176940163		19.00
26				26 082 002	4005176443268	428	20.00
26 003 000	4005176236396	105	419.00	26 083 001	4005176940415		59.00
26 003 003	4005176455377	89	406.00	26 083 002	4005176451546	429	58.00
26 003 AL3	4005176455391	89	568.00	26 084 001	4005176940521		29.00
26 003 DC3	4005176455384	89	528.00	26 084 002	4005176451645	430	32.00
26 037 000	4005176935381	121	99.00	26 085 000	4005176940538		39.00
26 037 DA0	4005176327285	121	147.00	26 085 001	4005176444036	426	41.00
26 037 IG0	4005176936210	121	129.00	26 086 000	4005176940545		79.00
26 042 000	4005176935954	382	177.91	26 086 001	4005176451904	426	83.00
26 050 000	4005176936999		39.00	26 087 000	4005176940828	357	1,099.00
26 050 001	4005176444166	389, 437	42.00	26 089 001	4005176444067	380, 426	62.00
26 051 001	4005176443954	389, 431	47.00	26 090 001	4005176443992	380, 430	65.00
				26 114 001	4005176417870	360	634.00
				26 115 DG0	4005176982170	401	69.00
				26 115 DP0	4005176982316	401	69.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
27 226 GL1	4005176427107	166, 417	169.00	27 513 001	4005176333842	442	29.00
27 226 GN1	4005176427114	166, 417	169.00	27 514 000	4005176886409		59.60
27 230 001	4005176899546	417	84.00	27 514 001	4005176333910	442	59.00
27 231 001	4005176899553	416	89.00	27 519 000	4005176886485	427, 454	49.00
27 239 000	4005176854323	416	54.00	27 520 000	4005176886492	427, 454	49.00
27 243 001	4005176899799	416	89.00	27 521 000	4005176886508	431, 454	39.00
27 251 000	4005176856327	383	99.00	27 522 000	4005176886515	431, 454	49.00
27 253 000	4005176856365	383	149.00	27 523 000	4005176886522	437, 454	39.00
27 256 001	4005176899805	417	74.00	27 524 000	4005176886539	437, 454	59.00
27 271 000	4005176860690	79, 382	399.00	27 530 000	4005176889219	387, 412	419.00
27 271 LSO	4005176898556		496.40	27 531 000	4005176889486	450	249.00
27 272 000	4005176860836	403	99.00	27 532 000	4005176889707	55	199.00
27 273 001	4005176875502	403	219.00	27 541 001	4005176451676	390, 431	75.00
27 274 000	4005176861383	404	99.00	27 569 000	4005176894275	351	1,009.00
27 276 000	4005176861437	400	79.00	27 571 001	4005176940170		19.00
27 277 001	4005176875489	401	189.00	27 571 002	4005176443893	428	25.00
27 283 000	4005176861444	400	99.00	27 571 20E	4005176443275	428	25.00
27 285 000	4005176860713	382	399.00	27 572 001	4005176940286		29.00
27 286 000	4005176860737	381	1,599.00	27 572 002	4005176443923	428	32.00
27 287 000	4005176842061	383	499.00	27 573 001	4005176940293		39.00
27 296 001	4005176896293	359	549.00	27 573 002	4005176443947	428	42.00
27 296 002	4005176417818	356	517.00	27 574 001	4005176940132		29.00
27 339 000	4005176872266		159.00	27 574 002	4005176443916	428	32.00
27 354 000	4005176874444	418	49.00	27 575 001	4005176940149		39.00
27 355 000	4005176874451	418	89.00	27 575 002	4005176443930	428	42.00
27 367 000	4005176875939	420	39.00	27 576 002	4005176451560	428	74.00
27 369 000	4005176875953	420	69.00	27 578 001	4005176940354		59.00
27 370 000	4005176877773	385, 403	149.00	27 578 002	4005176451386	429	58.00
27 371 000	4005176877889		149.00	27 578 10E	4005176940309		59.00
27 374 000	4005176877285	351	1,239.00	27 578 20E	4005176451362	429	58.00
27 375 000	4005176877452	401	59.00	27 579 001	4005176940330		59.00
27 376 000	4005176877469	403	59.00	27 579 002	4005176451492	429	65.00
27 377 000	4005176877476	401	59.00	27 580 001	4005176940347		69.00
27 378 000	4005176877780	402	159.00	27 580 002	4005176451515	429	72.00
27 379 000	4005176877797	402	169.00	27 584 001	4005176940491		49.00
27 383 000	4005176877827	402	89.00	27 584 002	4005176451621	430	48.00
27 400 000	4005176877292	167, 420	39.00	27 588 001	4005176940514		39.00
27 400 BE0	4005176427077	167, 420	63.00	27 588 002	4005176451669	430	45.00
27 400 DA0	4005176407611	167, 420	63.00	27 591 000	4005176895890		59.00
27 400 DC0	4005176374470	167, 420	56.00	27 591 001	4005176443985	389, 431	59.00
27 400 DL0	4005176427060	167, 420	63.00	27 594 000	4005176895920	450	10.90
27 400 EN0	4005176889394	167, 420	63.00	27 595 000	4005176895937	448	16.00
27 400 GL0	4005176407628	167, 420	63.00	27 596 000	4005176895944	419, 431	9.00
27 400 GN0	4005176427053	167, 420	63.00	27 597 000	4005176914287		22.00
27 402 001	4005176877919	401	189.00	27 597 001	4005176985508	432	23.00
27 420 001	4005176896316		529.00	27 597 00E	4005176895951		22.00
27 421 001	4005176896323		399.00	27 597 10E	4005176985409	432	23.00
27 421 002	4005176417924	362	413.00	27 598 000	4005176914294		54.00
27 437 000	4005176880476		183.95	27 598 001	4005176985515	434	53.00
27 467 000	4005176882609	382	549.00	27 598 00E	4005176896019		54.00
27 469 000	4005176882593	351	1,009.00	27 598 10E	4005176985416	434	53.00
27 470 000	4005176882531	54, 383	419.00	27 600 000	4005176896033		59.00
27 472 000	4005176882814	53, 350	1,009.00	27 600 001	4005176451775	433	67.00
27 473 001	4005176417900	361	465.00	27 601 10E	4005176985430	435	38.00
27 475 000	4005176882654		629.00	27 606 000	4005176896163		49.00
27 475 001	4005176417863	360	647.00	27 606 001	4005176444180	389, 437	53.00
27 477 000	4005176883286	108, 384	439.00	27 608 000	4005176895661		39.00
27 479 000	4005176883309	384	429.00	27 608 001	4005176444029	426	47.00
27 484 000	4005176885488	393	59.00	27 609 000	4005176895678		89.00
27 485 000	4005176885495	393	49.00	27 609 001	4005176451898	426	88.00
27 488 000	4005176885525	392	69.00	27 610 000	4005176895685		49.00
27 491 000	4005176885549	420	119.00	27 610 001	4005176444050	390, 426	54.00
27 492 000	4005176885556	388, 420	119.00	27 615 000	4005176896330		499.00
27 499 000	4005176886041	419, 453	39.00	27 615 001	4005176417825	357	517.00
27 500 000	4005176886058	419, 453	49.00	27 618 000	4005176898280	266	629.00
27 512 000	4005176886386		27.10	27 619 000	4005176898297	266	549.00
27 513 000	4005176886393		49.00	27 621 000	4005176898310	266	279.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
27 623 000	4005176898334	266	209.00	27 794 000	4005176914300		59.00
27 625 000	4005176898358	266	529.00	27 794 001	4005176451737	434	59.00
27 637 000	4005176900808	401	79.00	27 795 000	4005176914317		64.00
27 641 000	4005176901645	352	1,009.00	27 795 001	4005176451751	433	65.00
27 644 000	4005176904806		59.00	27 796 001	4005176451850	434	65.00
27 644 001	4005176451720	434	59.00	27 798 10E	4005176985447	435	33.00
27 645 000	4005176904813		64.00	27 799 000	4005176914362		34.00
27 645 001	4005176451744	433	65.00	27 799 001	4005176985539	435	33.00
27 646 001	4005176985522	435	59.00	27 805 000	4005176914133		59.00
27 646 10E	4005176985423	435	59.00	27 805 001	4005176451911	426	61.00
27 660 000	4005176905421		89.00	27 812 000	4005176222009		59.00
27 661 000	4005176905438	406	89.00	27 838 000	4005176916168	407	119.00
27 663 000	4005176905452		99.00	27 839 000	4005176916175	410	99.00
27 664 000	4005176905469	406	99.00	27 841 000	4005176916670	453	179.00
27 667 000	4005176905681		119.00	27 852 000	4005176917493		17.00
27 668 000	4005176905698	406	119.00	27 852 001	4005176444081	432	18.00
27 669 000	4005176905711		69.00	27 853 000	4005176917509		49.00
27 671 000	4005176905728	408	69.00	27 853 001	4005176451706	434	44.00
27 671 LSO	4005176409837	409	77.00	27 854 001	4005176451829	435	50.00
27 672 000	4005176905735	408	79.00	27 861 000	4005176918131	54, 383	589.00
27 673 000	4005176905742	408	79.00	27 863 000	4005176918155	383	599.00
27 673 LSO	4005176409844	408	87.00	27 865 000	4005176918179	329, 381	3,812.24
27 674 000	4005176905759		91.60	27 869 001	4005176444005	380, 430	70.00
27 675 000	4005176905766	408	99.00	27 884 001	4005176919695	421	79.00
27 693 000	4005176907043	450	19.00	27 888 000	4005176921179	421	79.00
27 698 000	4005176907098	329, 422	39.00	27 889 000	4005176921186	421	119.00
27 699 000	4005176907104	422	39.00	27 890 000	4005176921193	421	229.00
27 700 000	4005176907111	422	189.00	27 891 000	4005176921209	421	219.00
27 702 000	4005176907135	422	69.00	27 892 000	4005176921216	453	169.00
27 703 000	4005176907142	422	69.00	27 911 000	4005176921902	362	449.00
27 704 000	4005176907159	451	29.00	27 922 000	4005176923364	365	479.00
27 705 000	4005176907166	388, 422	129.00	27 922 001	4005176985348	364	465.00
27 706 000	4005176908439	66, 449	29.00	27 923 000	4005176923371		17.00
27 707 000	4005176908446	66, 451	39.00	27 923 001	4005176444074	432	18.00
27 709 000	4005176909092	392	99.00	27 924 000	4005176923784		49.00
27 711 000	4005176909115	393	79.00	27 924 001	4005176451690	434	44.00
27 731 000	4005176910913		179.00	27 926 001	4005176451768	433	61.00
27 732 000	4005176910920	406	179.00	27 938 001	4005176927072	382	2,739.00
27 733 000	4005176910937		189.00	27 939 001	4005176927287	382	2,739.00
27 734 000	4005176910944	406	189.00	27 964 000	4005176929595	358	649.00
27 735 000	4005176910951		169.00	27 966 000	4005176929250	350	1,009.00
27 736 000	4005176910968	409	169.00	27 967 000	4005176929670	352	889.00
27 737 000	4005176910975		179.00	27 968 000	4005176929687	351	1,009.00
27 741 000	4005176911125	407	139.00	27 969 000	4005176931123	122	79.00
27 742 000	4005176911132	410	119.00	27 969 A00	4005176431517	122	112.00
27 743 000	4005176912894		199.00	27 969 AL0	4005176431500	122	112.00
27 744 000	4005176912900	406	199.00	27 969 BE0	4005176431494	122	112.00
27 745 000	4005176912917		199.00	27 969 DA0	4005176327308	122	112.00
27 746 000	4005176912924	406	199.00	27 969 DL0	4005176431470	122	112.00
27 747 000	4005176912931		189.00	27 969 EN0	4005176931147	122	112.00
27 748 000	4005176912948	409	189.00	27 969 GL0	4005176431463	122	112.00
27 749 000	4005176912955		180.99	27 969 GN0	4005176431456	122	112.00
27 750 000	4005176912962	409	189.00	27 969 IG0	4005176931130	122	99.00
27 753 000	4005176913006	407	169.00	27 970 000	4005176931154	122	109.00
27 755 000	4005176913020	407	179.00	27 970 A00	4005176431784	122	167.00
27 757 000	4005176913044	409	159.00	27 970 AL0	4005176431777	122	167.00
27 759 000	4005176913068	409	159.00	27 970 BE0	4005176431760	122	167.00
27 764 000	4005176913112		129.00	27 970 DA0	4005176327292	122	167.00
27 765 000	4005176913129	386, 407	129.00	27 970 DL0	4005176431753	122	167.00
27 766 000	4005176913143		119.00	27 970 EN0	4005176431746	122	167.00
27 767 000	4005176913150	386, 410	119.00	27 970 GL0	4005176431739	122	167.00
27 784 000	4005176913976	410, 453	89.00	27 970 GN0	4005176431722	122	167.00
27 785 000	4005176913983	410, 453	99.00	27 970 IG0	4005176931161	122	149.00
27 786 001	4005176940361		59.00	27 974 000	4005176932793	121, 385	389.00
27 786 002	4005176451508	429	65.00	27 974 DA0	4005176327278	121	549.00
27 787 001	4005176940378		69.00	27 974 IG0	4005176933486	121, 385	509.00
27 787 002	4005176451522	429	72.00	27 976 000	4005176932816	121, 385	389.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
27 978 000	4005176932830	121, 393	69.00	28 388 EN0	4005176427718	167, 445	22.91
27 978 IG0	4005176933509	121, 393	89.00	28 388 GL0	4005176427657	167, 445	22.91
27 982 000	4005176932878	121, 393	79.00	28 388 GN0	4005176427664	167, 445	22.91
27 982 IG0	4005176933523	121, 393	99.00	28 389 000	4005176269837	396, 455	11.90
27 986 000	4005176933011	121, 393	89.00	28 405 000	4005176264559	452, 596	49.00
27 986 DA0	4005176327315	121	149.00	28 406 000	4005176264566	452, 596	49.00
27 986 IG0	4005176933547	121, 393	119.00	28 409 000	4005176264580		11.24
27 993 000	4005176933080	122	139.00	28 410 000	4005176264627		12.91
27 993 IG0	4005176933585	122	179.00	28 410 001	4005176933240	445	17.00
28				28 413 000	4005176264665		14.16
28 002 000	4005176858796	391, 414	169.00	28 417 000	4005176264702	444	21.66
28 034 000	4005176231810	109, 396	129.00	28 419 001	4005176895982		29.00
28 094 000	4005176601132	391, 413	49.00	28 419 002	4005176444128	432	29.00
28 105 000	4005176601217	444	16.66	28 421 001	4005176895999		34.00
28 140 000	4005176601323	444	19.99	28 421 002	4005176444142	432	39.00
28 142 000	4005176601330	444, 597	18.33	28 422 001	4005176985546		22.00
28 143 000	4005176601347	329, 444	19.99	28 422 002	4005176444111	432	23.00
28 143 KSO	4005176842252	444, 597	26.24	28 429 000	4005176601910	394, 437	49.00
28 143 LSO	4005176842269	444, 597	26.24	28 436 002	4005176451799	433	73.00
28 145 000	4005176601354	444, 597	23.74	28 438 001	4005176985553		54.00
28 150 000	4005176601439		8.16	28 497 000	4005176270338	109, 393	59.00
28 150 001	4005176933196	445, 597	13.00	28 541 000	4005176040528	394, 437	39.00
28 151 000	4005176601514		9.58	28 576 000	4005176274022	54, 108	69.00
28 151 001	4005176933202	445, 597	9.58	28 578 001	4005176895975		34.00
28 154 000	4005176601552		11.24	28 578 002	4005176444159	432	39.00
28 154 001	4005176933219	445, 597	11.24	28 580 000	4005176276965		169.00
28 155 000	4005176601576		12.91	28 581 000	4005176276996	396	189.00
28 155 001	4005176933226	445, 597	12.49	28 587 000	4005176282966	453, 596	179.00
28 158 000	4005176601606	446	28.33	28 605 000	4005176041105	450	19.00
28 161 000	4005176038273		15.83	28 622 000	4005176041297	450	29.00
28 161 001	4005176935107	340, 446	15.41	28 623 000	4005176031595	448	29.00
28 189 000	4005176075650	391, 414	129.00	28 626 000	4005176041358	452	49.00
28 214 002	4005176896002		19.00	28 628 000	4005176041396	452	49.00
28 214 003	4005176444098	432	22.00	28 636 000	4005176078606	452	49.00
28 232 000	4005176868009	420	79.00	28 671 000	4005176103070	452, 596	29.00
28 233 000	4005176868016	388, 420	79.00	28 678 000	4005176116711	452	49.00
28 261 001	4005176895968		29.00	28 679 000	4005176116759	452	49.00
28 261 002	4005176444135	432	29.00	28 680 000	4005176116780	452	39.00
28 278 002	4005176985386		29.00	28 690 000	4005176256196	396, 449	89.00
28 286 000	4005176198526	391, 414	89.00	28 708 000	4005176602375	455	79.00
28 308 000	4005176254949	387, 396	119.00	28 724 000	4005176812644	109, 393	49.00
28 341 000	4005176259463	109, 396	129.00	28 737 000	4005176872983	388, 423	49.00
28 346 000	4005176262760		209.00	28 755 000	4005176819650	398	99.00
28 347 000	4005176262791	396	209.00	28 756 000	4005176819667	398	109.00
28 348 000	4005176263262	396	129.00	28 757 001	4005176875526	398	199.00
28 361 000	4005176295157	108, 392	89.00	28 758 001	4005176875533	398	209.00
28 362 000	4005176295225	133, 168	12.91	28 762 001	4005176875540	398	219.00
28 362 A00	4005176427633	168, 445	17.91	28 763 001	4005176875557	398	229.00
28 362 AL0	4005176427626	168, 445	17.91	28 764 000	4005176820113	399	89.00
28 362 BE0	4005176295249	168, 445	17.91	28 765 000	4005176820120	399	99.00
28 362 DA0	4005176427602	168, 445	17.91	28 767 001	4005176875564	399	179.00
28 362 DL0	4005176427619	168, 445	17.91	28 768 001	4005176875571	399	189.00
28 362 EN0	4005176427640	168, 445	17.91	28 769 001	4005176875588	399	199.00
28 362 GL0	4005176427589	168, 445	17.91	28 770 001	4005176875595	399	209.00
28 362 GN0	4005176427596	168, 445	17.91	28 778 000	4005176820526	108, 384	579.00
28 364 000	4005176295294	445	14.58	28 789 002	4005176451843	434	65.00
28 368 000	4005176267253	108, 384	199.00	28 792 001	4005176985560		34.00
28 368 00E	4005176867385	108, 384	299.00	28 793 000	4005176823961	413	69.00
28 369 000	4005176267260	385, 400	319.00	28 796 000	4005176824296	413	119.00
28 375 000	4005176267338	385	319.00	28 797 001	4005176870941	404, 453	109.00
28 384 000	4005176267451	392	159.00	28 817 000	4005176602962	751	12.90
28 388 000	4005176295362	133, 167	16.66	28 819 001	4005176870958	404, 453	119.00
28 388 A00	4005176427701	167, 445	22.91	28 885 000	4005176826818		9.00
28 388 AL0	4005176427695	167, 445	22.91	28 900 000	4005176603822	749	89.00
28 388 BE0	4005176295386	167, 445	22.91	28 910 000	4005176603846	748	59.00
28 388 DA0	4005176427671	167, 445	22.91	28 912 000	4005176266751	55, 110	209.00
				28 939 000	4005176209161	221	79.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
28 943 000	4005176209178	221	89.00	30 215 000	4005176982019		279.00
28 948 000	4005176209871	391, 414	129.00	30 215 001	4005176409066	510	318.00
28 982 000	4005176829987	108, 392	119.00	30 215 DC0	4005176982026		369.00
28 990 000	4005176174025	220	119.00	30 215 DC1	4005176409073	510	413.00
28 991 000	4005176174032	220	179.00	30 219 000	4005176983313		679.00
29				30 219 001	4005176343063	500	629.00
29 025 000	4005176841927	49, 61	219.00	30 219 DC0	4005176983320		843.05
29 032 000	4005176845277	53, 65	29.00	30 219 DC1	4005176343070	500	849.00
29 033 000	4005176845338	53, 65	229.00	30 221 002	4005176984235	520	119.00
29 037 000	4005176865749	51, 64	689.00	30 260 002	4005176310386	526	99.00
29 037 001	4005176455490	91	799.00	30 269 000	4005176314902	502	239.00
29 069 000	4005176918384	330	119.00	30 269 A00	4005176428661	502	309.00
29 072 000	4005176918421	330	219.00	30 269 AL0	4005176428654	502	309.00
29 073 000	4005176918445	330	219.00	30 269 BE0	4005176428678	502	309.00
29 074 000	4005176918469	331	349.00	30 269 DA0	4005176428630	502	309.00
29 086 000	4005176935497	52, 60	209.00	30 269 DC0	4005176314919	502	299.00
29 094 000	4005176354106	584	191.33	30 269 DL0	4005176428647	502	309.00
29 095 000	4005176354113	584	195.28	30 269 EN0	4005176428685	502	309.00
29 096 000	4005176354120	584	157.80	30 269 GL0	4005176428616	502	309.00
29 098 003	4005176365225	197	109.00	30 269 GN0	4005176428623	502	309.00
29 099 003	4005176365300	197	129.00	30 270 000	4005176314926	503	299.00
29 099 LS3	4005176365317	197	158.80	30 270 A00	4005176427473	503	399.00
29 118 000	4005176412240	91, 259	450.00	30 270 AL0	4005176427466	503	399.00
29 119 000	4005176412257	92, 259	519.00	30 270 BE0	4005176427480	503	399.00
29 120 000	4005176412264	92, 259	588.00	30 270 DA0	4005176427442	503	399.00
29 121 000	4005176412271	92, 260	530.00	30 270 DC0	4005176314933	503	349.00
29 122 000	4005176412288	93, 260	323.00	30 270 DL0	4005176427459	503	399.00
29 123 000	4005176413292	74, 256	450.00	30 270 EN0	4005176427497	503	399.00
29 124 000	4005176413308	74, 256	490.00	30 270 GL0	4005176427428	503	399.00
29 125 000	4005176413315	75, 256	588.00	30 270 GN0	4005176427435	503	399.00
29 126 000	4005176413322	75, 257	530.00	30 274 000	4005176314988	497	249.00
29 127 000	4005176413339	75, 257	323.00	30 274 DC0	4005176314995	497	299.00
29 144 000	4005176413407	44	388.00	30 284 000	4005176316845		n.A.
29 145 000	4005176413414	45	429.00	30 287 000	4005176316876		n.A.
29 146 000	4005176413421	45	467.00	30 294 000	4005176341472	502	379.00
29 147 000	4005176413438	44	388.00	30 294 DC0	4005176341489	502	489.00
29 148 000	4005176413445	44	429.00	30 305 000	4005176343285	526	149.00
29 149 000	4005176413452	44	467.00	30 305 DC0	4005176359811	526	189.00
29 150 LSO	4005176413544	260	579.00	30 309 000	4005176351235	494	319.00
29 151 LSO	4005176413551	261	619.00	30 311 000	4005176351259	494	579.00
29 152 LSO	4005176413575	261	409.00	30 311 DC0	4005176351266	494	689.00
29 153 LSO	4005176413582	257	579.00	30 312 000	4005176351273	494	849.00
29 156 LSO	4005176413599	258	619.00	30 312 DC0	4005176351280	494	1,059.00
29 157 LSO	4005176413605	258	659.00	30 321 DG0	4005176438219	502	89.00
29 158 LSO	4005176413612	258	409.00	30 321 DP0	4005176438264	502	89.00
29 707 000	4005176102646		257.55	30 321 DU0	4005176438257	502	89.00
29 708 000	4005176102653	103, 120	279.00	30 321 GE0	4005176438271	502	89.00
29 811 000	4005176062711	78, 103	49.00	30 321 HGO	4005176385742	502	89.00
29 813 000	4005176062735	274, 293	79.00	30 321 MW0	4005176385728	502	89.00
29 904 LSO	4005176413568	261	659.00	30 321 TY0	4005176438240	502	89.00
30				30 321 XCO	4005176385735	502	89.00
30 058 000	4005176880827		1,799.00	30 321 YF0	4005176438233	502	89.00
30 058 001	4005176989162	488	1,799.00	30 321 YR0	4005176438226	502	89.00
30 058 DC0	4005176893582		1,909.00	30 329 001	4005176414121	490	1,599.00
30 058 DC1	4005176989179	488	1,899.00	30 340 001	4005176414893	488	1,899.00
30 060 000	4005176880841		1,589.00	30 340 DC1	4005176414909	488	1,999.00
30 060 001	4005176989186	489	1,599.00	30 341 001	4005176414916	489	1,799.00
30 153 000	4005176904127		1,799.00	30 341 DC1	4005176414923	489	1,899.00
30 153 DC0	4005176904134		1,909.00	30 978 000	4005176098918	604	189.00
30 155 000	4005176904165		1,589.00	31			
30 155 DC0	4005176904172		1,689.00	31 087 001	4005176987809		529.00
30 189 000	4005176914102	508	149.00	31 087 DC1	4005176987816		629.00
30 190 000	4005176914119	508	159.00	31 122 002	4005176888199	512	239.00
30 193 000	4005176919459	524	119.00	31 124 002	4005176886614	520	149.00
30 208 000	4005176927836	600	229.00	31 126 002	4005176886645	520	189.00
				31 128 001	4005176886737	517	179.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
31 128 DC1	4005176891007	517	229.00	31 543 DC0	4005176437069	480	2,099.00
31 129 001	4005176886744	517	219.00	31 819 001	4005176843471	532	89.00
31 129 DC1	4005176891021	517	279.00	32			
31 255 000	4005176901416	506	179.00				
31 301 001	4005176987922	482	479.00	32 042 001	4005176849404	98	399.00
31 301 DC1	4005176987939	482	539.00	32 042 003	4005176454448	84	338.00
31 302 001	4005176988097	472	1,999.00	32 042 AL3	4005176454462	84	474.00
31 302 DC1	4005176988103	472	1,999.00	32 042 DC3	4005176454455	84	440.00
31 323 001	4005176987946	470	2,099.00	32 067 000	4005176811142	498	199.00
31 323 DC1	4005176987953	470	2,199.00	32 067 DC0	4005176811166	498	259.00
31 324 001	4005176987960	470	2,099.00	32 108 001	4005176849435	99	399.00
31 324 DC1	4005176987977	470	2,199.00	32 108 003	4005176454790	85	383.00
31 338 001	4005176987823		529.00	32 108 AL3	4005176454813	85	537.00
31 338 DC1	4005176987830		629.00	32 108 DC3	4005176454806	85	498.00
31 344 001	4005176987861	482	789.00	32 109 000	4005176820687		219.00
31 344 DC1	4005176987878	482	799.00	32 109 001	4005176408373	126	199.00
31 345 002	4005176987885	482	639.00	32 109 DC1	4005176412691	126	244.00
31 345 DC2	4005176987892	482	739.00	32 114 001	4005176409103	126	189.00
31 346 001	4005176988035	471	2,199.00	32 114 00L	4005176890673		229.00
31 346 DC1	4005176988042	471	2,299.00	32 114 DC1	4005176412714	126	244.00
31 347 002	4005176988059	471	2,099.00	32 129 001	4005176857348	98	399.00
31 347 DC2	4005176988066	471	2,199.15	32 130 001	4005176857355		549.00
31 354 001	4005176987908		799.00	32 134 001	4005176857362	99	381.67
31 354 DC1	4005176987915		899.00	32 146 000	4005176821622	70	459.00
31 358 000	4005176929830		519.00	32 147 000	4005176821653	72	359.00
31 358 001	4005176343001	496	499.00	32 154 002	4005176862113	207	90.00
31 358 DC0	4005176929847		669.00	32 168 000	4005176824425	496	199.00
31 358 DC1	4005176343018	496	649.00	32 168 DC0	4005176824432	496	259.00
31 360 000	4005176931642		519.00	32 175 000	4005176860232	492	579.00
31 360 001	4005176343025	496	499.00	32 175 DC0	4005176860249	492	739.00
31 360 DC0	4005176931659		629.00	32 176 000	4005176860256	492	599.00
31 360 DC1	4005176343032	496	649.00	32 176 DC0	4005176860263	492	849.00
31 367 000	4005176934346	534	99.00	32 179 000	4005176860447		789.00
31 368 000	4005176934483	534	99.00	32 179 DC0	4005176860454		929.00
31 375 000	4005176934155	496	199.00	32 183 000	4005176860362	48	359.00
31 375 DC0	4005176934162	496	259.00	32 184 000	4005176860379	48	489.00
31 379 000	4005176938085	492	569.00	32 186 000	4005176860898	48	359.00
31 379 DC0	4005176938092	492	739.00	32 187 000	4005176860904	48	464.05
31 395 000	4005176304774	506	519.00	32 191 000	4005176860966	48	617.19
31 395 DC0	4005176304767	506	669.00	32 193 000	4005176861024	49	337.74
31 454 000	4005176323003	474	1,799.00	32 195 000	4005176861048	50	719.41
31 454 001	4005176454110	474	1,799.00	32 196 000	4005176861055	50	969.00
31 454 DC0	4005176323010	474	1,999.00	32 197 000	4005176861185	49	634.29
31 454 DC1	4005176454127	474	1,999.00	32 202 10L	4005176903960	180	129.00
31 455 000	4005176323027	475	1,799.00	32 204 10E	4005176887345	180	139.00
31 455 001	4005176454134	475	1,799.00	32 208 001	4005176888908	182	129.00
31 455 DC0	4005176323034	475	1,999.00	32 210 001	4005176888939	182	149.00
31 455 DC1	4005176454141	475	1,999.00	32 211 001	4005176889028	183	169.00
31 456 000	4005176327377	476	1,799.00	32 212 001	4005176889035	183	199.00
31 456 001	4005176454158	476	1,799.00	32 221 002	4005176861949	527	89.00
31 456 DC0	4005176327384	476	1,999.00	32 222 001	4005176890222	51	1,939.00
31 456 DC1	4005176454165	476	1,999.00	32 240 10E	4005176906794	180	129.00
31 481 000	4005176341014	524	209.00	32 240 10L	4005176903977	180	119.00
31 482 002	4005176341021	520	219.00	32 249 000	4005176832383	70	649.00
31 483 001	4005176341038	516	229.00	32 257 001	4005176834165	514	189.00
31 483 DC1	4005176341076	516	299.00	32 257 002	4005176886591	512	239.00
31 491 000	4005176343308	516	319.00	32 259 002	4005176888182	512	199.00
31 491 DC0	4005176343315	516	419.00	32 294 001	4005176932380	500	339.00
31 498 000	4005176356360	477	1,799.00	32 294 SD1	4005176932397	500	509.00
31 498 001	4005176454172	477	1,799.00	32 296 000	4005176864599	500	299.00
31 498 DC0	4005176356377	477	1,999.00	32 296 SD0	4005176864612	500	449.00
31 498 DC1	4005176454189		1,999.00	32 321 000	4005176830228	497	199.00
31 539 000	4005176437014	478	1,899.00	32 321 DC0	4005176830235	497	259.00
31 539 DC0	4005176437021	478	2,099.00	32 322 000	4005176830242	498	199.00
31 541 000	4005176437038	479	1,899.00	32 322 DC0	4005176830259	498	259.00
31 541 DC0	4005176437045	479	2,099.00	32 467 002	4005176862069	206	79.00
31 543 000	4005176437052	480	1,899.00	32 467 20L	4005176304736	206	79.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
33 265 002	4005176861543	206	89.00	34 021 000	4005176201301	578	895.80
33 265 20L	4005176304729	206	89.00	34 038 ILO	4005176224973	300	419.00
33 281 002	4005176861932	526	99.00	34 041 ILO	4005176224997	300	529.00
33 300 002	4005176862182	208	99.00	34 065 A02	4005176426827	164, 286	329.00
33 302 002	4005176862199		129.00	34 065 AL2	4005176426810	164, 286	329.00
33 303 002	4005176862243	208	179.00	34 065 BE2	4005176426834	164, 286	329.00
33 339 000	4005176222818	76	709.00	34 065 DA2	4005176426797	164, 286	329.00
33 390 002	4005176887796	177	189.00	34 065 DC2	4005176374432	131, 164	269.00
33 412 002	4005176862205	208	99.00	34 065 DL2	4005176426803	164, 286	329.00
33 547 002	4005176866081	150	259.00	34 065 EN2	4005176426841	164, 286	329.00
33 552 20E	4005176886300	186	109.00	34 065 GL2	4005176426773	164, 286	329.00
33 553 002	4005176865978	149	209.00	34 065 GN2	4005176426780	164, 286	329.00
33 558 003	4005176334139	192	109.00	34 143 003	4005176309618	290	209.00
33 565 002	4005176887000	188	109.00	34 146 003	4005176309625	290	199.00
33 565 003	4005176334283	195	89.00	34 155 003	4005176310027	291	259.00
33 569 002	4005176887734	177	169.00	34 156 003	4005176310034	291	269.00
33 577 002	4005176866074	149	199.00	34 170 001	4005176926471	276	259.00
33 590 002	4005176887048	188	119.00	34 195 001	4005176926631	278	299.00
33 590 003	4005176334306	195	149.00	34 202 000	4005176808661	588	409.00
33 590 LS3	4005176334511	195	159.00	34 205 000	4005176809996	588	359.00
33 591 002	4005176887123	188	139.00	34 222 000	4005176815911	300	449.00
33 591 003	4005176334351	196	159.00	34 224 000	4005176815935	300	529.00
33 591 LS3	4005176334535	196	199.00	34 254 000	4005176837715	589	389.00
33 592 002	4005176887147		149.00	34 255 000	4005176837722	588	349.00
33 624 001	4005176990786	160	179.00	34 256 003	4005176312434		239.00
33 624 A01	4005176426445	160	274.00	34 268 002	4005176310997	286	219.00
33 624 AL1	4005176426438	160	274.00	34 274 000	4005176847905	270	389.00
33 624 BE1	4005176426452	160	274.00	34 275 000	4005176847912	270	569.00
33 624 DA1	4005176426414	160	274.00	34 276 000	4005176847929	270	459.00
33 624 DC1	4005176371097	160	219.00	34 277 000	4005176847936	270	419.00
33 624 DL1	4005176426421	160	274.00	34 278 000	4005176848001	274	629.00
33 624 EN1	4005176426469	160	274.00	34 281 001	4005176926501	278	439.00
33 624 GL1	4005176426391	160	274.00	34 283 001	4005176926594	279	769.00
33 624 GN1	4005176426407	160	274.00	34 286 002	4005176311000	287	269.00
33 628 001	4005176990793	161	219.00	34 294 001	4005176306877	157	129.00
33 636 001	4005176307287	160	149.00	34 309 000	4005176199486	592	329.00
33 636 A01	4005176426667	160	229.00	34 321 002	4005176311017	288	269.00
33 636 AL1	4005176426650	160	229.00	34 323 002	4005176311024	287	259.00
33 636 BE1	4005176426674	160	229.00	34 399 000	4005176895401	274	669.00
33 636 DA1	4005176426636	160	229.00	34 408 000	4005176895418	273	849.00
33 636 DC1	4005176371141	160	209.00	34 430 000	4005176917981	288	229.00
33 636 DL1	4005176426643	160	229.00	34 437 000	4005176918025	288	269.00
33 636 EN1	4005176426681	160	229.00	34 438 003	4005176309632	290	209.00
33 636 GL1	4005176426612	160	229.00	34 439 003	4005176310041	291	269.00
33 636 GN1	4005176426629	160	229.00	34 440 002	4005176311048	286	229.00
33 769 000	4005176819605	72	219.00	34 441 002	4005176311031	287	269.00
33 770 001	4005176828959	514	179.00	34 446 001	4005176926402	276	279.00
33 770 002	4005176888137	512	199.00	34 448 000	4005176919183	288	339.00
33 782 000	4005176819827		419.00	34 464 001	4005176926433	277	339.00
33 786 000	4005176819865		399.00	34 466 001	4005176926440	277	349.00
33 848 000	4005176820717		219.00	34 469 001	4005176926396	276	299.00
33 848 001	4005176409172	128	229.00	34 484 001	4005176932519	278	359.00
33 848 DC1	4005176412776	128	279.00	34 487 000	4005176936234	580, 602	119.00
33 849 000	4005176820724		269.00	34 506 000	4005176940804	283	959.00
33 849 001	4005176409189	128	259.00	34 507 000	4005176940767	572, 576	154.00
33 849 DC1	4005176412783	128	334.00	34 508 000	4005176941795	282	429.00
33 850 000	4005176820731		339.00	34 509 000	4005176941801	282	329.00
33 850 001	4005176409196	128	300.00	34 557 000	4005176310003		239.00
33 865 001	4005176409202	128	259.00	34 562 000	4005176310102	296	189.00
33 865 DC1	4005176412790	128	334.00	34 565 000	4005176310133		199.00
33 930 002	4005176865558		209.00	34 565 001	4005176456718	297	199.00
33 933 002	4005176865572		299.00	34 567 000	4005176310157	296	229.00
33 975 002	4005176886638	520	169.00	34 569 000	4005176310171	296	229.00
33 977 002	4005176886560	521	129.00	34 571 000	4005176310751	273	999.00
				34 575 000	4005176310690		419.00
				34 582 000	4005176313820		559.00
				34 582 001	4005176408250	293	575.00
34 020 000	4005176201295	578	909.75				

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
34 588 000	4005176322952		n.A.	36 278 000	4005176893445		1,006.78
34 605 000	4005176347696		n.A.	36 289 000	4005176894619	336	1,329.00
34 627 000	4005176344046	273	1,229.00	36 292 000	4005176894640	337	929.00
34 630 000	4005176344053	273	1,109.00	36 295 000	4005176894671	336	1,499.00
34 634 000	4005176343650		n.A.	36 298 000	4005176894701	338	1,109.00
34 665 000	4005176351556	582	313.63	36 303 000	4005176894725		1,299.00
34 666 000	4005176351563	583	278.12	36 307 000	4005176894763		1,249.00
34 667 000	4005176351570	582	250.51	36 309 000	4005176894794	337	239.00
34 671 000	4005176351587	583	319.54	36 315 000	4005176896590	571	419.00
34 681 000	4005176354090	583	299.00	36 317 000	4005176896514	614	249.00
34 705 000	4005176413285	262	1,249.00	36 318 000	4005176896521	614	269.00
34 706 000	4005176413797	74, 262	1,239.00	36 319 000	4005176896538	614	418.45
34 709 000	4005176413803	45	1,189.00	36 320 000	4005176896545	614	389.00
34 712 000	4005176413810	45	1,149.00	36 321 000	4005176896552	614	279.00
34 713 000	4005176409776	263	799.00	36 322 000	4005176896569	614	104.65
34 714 000	4005176409783	264	749.00	36 325 001	4005176305764	568	339.00
34 725 000	4005176457081	582	328.00	36 327 001	4005176305771	568	299.00
35				36 330 001	4005176305788	569	319.00
35 003 000	4005176211621		1,330.45	36 331 001	4005176305795	568	262.00
35 028 000	4005176908316	53, 78	119.00	36 332 000	4005176896682	570	704.75
35 031 000	4005176908330	266, 316	349.00	36 333 000	4005176896699	570	692.20
35 034 000	4005176915697	267	189.00	36 334 SD0	4005176896705	570	389.00
35 050 000	4005176982064	50, 51	229.00	36 335 SD0	4005176896712	570	369.00
35 061 000	4005176343667		n.A.	36 336 000	4005176896729	557, 571	261.55
35 085 000	4005176207068	594	1,742.45	36 337 000	4005176896736	557, 571	99.00
35 087 000	4005176207082	594	2,139.00	36 338 000	4005176896743	548, 552	79.00
35 501 000	4005176833847	50, 62	84.00	36 339 000	4005176896842	558, 571	170.00
35 600 000	4005176413469	45, 76	125.00	36 340 000	4005176911385	548, 551	49.00
36				36 341 000	4005176911392	548, 551	88.10
36 014 000	4005176286889	610	190.90	36 342 000	4005176909702		969.02
36 015 001	4005176929359	564	459.00	36 343 000	4005176909719		1,031.94
36 016 001	4005176929366	564	395.88	36 346 000	4005176909740		994.19
36 078 000	4005176856532	338	99.00	36 356 000	4005176911347	338	149.00
36 088 000	4005176869921		582.90	36 359 000	4005176918414	330	1,129.00
36 091 000	4005176869945		610.80	36 360 000	4005176918438	330	969.00
36 092 000	4005176869952		589.00	36 362 000	4005176918537	331	2,959.00
36 093 000	4005176869969		559.00	36 367 000	4005176923203	333	259.00
36 094 000	4005176869976		610.80	36 371 000	4005176928970	332	549.00
36 095 000	4005176870187		869.00	36 376 000	4005176932243	571	499.00
36 097 000	4005176870200		878.50	36 384 000	4005176982774	574	549.00
36 098 000	4005176870217		809.00	36 386 001	4005176311673	570	581.49
36 157 000	4005176140556		52.05	36 387 000	4005176983207	565	834.90
36 207 001	4005176929373	564	529.00	36 397 000	4005176999413	332	969.00
36 208 001	4005176929380	564	449.00	36 407 001	4005176368974	547, 551	249.00
36 209 000	4005176207105	566, 611	68.65	36 409 000	4005176320538	556	425.00
36 210 000	4005176207112	610	50.10	36 410 000	4005176320545	557	488.00
36 233 000	4005176283338	610	499.00	36 411 000	4005176320552	555	635.00
36 234 000	4005176870231		822.70	36 412 000	4005176320569	558	550.00
36 235 000	4005176870248		1,029.00	36 413 000	4005176320576	555	516.00
36 236 001	4005176929403	564	402.19	36 414 000	4005176320583	556	700.00
36 239 001	4005176929410	565	1,080.45	36 415 000	4005176320590	558	462.55
36 240 001	4005176929427	565	1,006.80	36 416 000	4005176321009	559	444.80
36 244 000	4005176252624	610	759.00	36 421 000	4005176368523	569	315.60
36 247 000	4005176252655	610	869.00	36 422 000	4005176368530	568	317.57
36 252 000	4005176870255		859.00	36 439 000	4005176389740	569	246.56
36 264 000	4005176888250		279.00	36 440 000	4005176415623	550	729.00
36 264 001	4005176416279	547, 551	199.00	36 441 000	4005176415630	550	699.00
36 265 000	4005176893131	616	109.00	36 442 000	4005176415647	550	789.00
36 266 000	4005176893148	616	89.00	36 444 000	4005176415661	546	589.00
36 267 000	4005176893155	616	89.00	36 445 000	4005176415678	546	569.00
36 268 000	4005176893162	616	89.00	36 446 000	4005176415685	546	529.00
36 269 000	4005176893179	574	269.00	36 447 000	4005176416293	547	749.00
36 271 000	4005176893193	574	249.00	37			
36 273 000	4005176893216	575	326.90	37 044 000	4005176160776	706	19.00
36 277 000	4005176893438		980.66	37 059 000	4005176142857	722	129.00
				37 060 000	4005176142901	722	59.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
37 095 000	4005176145124	692	29.00	38 573 000	4005176292316	722	49.00
37 099 K00	4005176142086	692	29.30	38 574 000	4005176292385	722	59.00
37 100 SH0	4005176142093	692	19.00	38 652 000	4005176294778	312, 314	104.30
37 101 SH0	4005176141942		9.00	38 661 000	4005176294907	688	149.00
37 104 K00	4005176160844	694	19.00	38 675 001	4005176863516	668, 678	279.00
37 105 K00	4005176141904	694	19.00	38 691 000	4005176815454	689	159.00
37 119 000	4005176144370	694	3.90	38 698 SD1	4005176929571	698	629.00
37 310 000	4005176148538	682	36.70	38 699 001	4005176929588	698	529.00
37 311 K00	4005176160851	693	19.00	38 714 000	4005176828454	695, 723	13.90
37 321 001	4005176929496	702	469.00	38 721 001	4005176863431	663	339.00
37 321 SD1	4005176929502	702	469.00	38 732 000	4005176836114	720	64.00
37 324 001	4005176929526	703	469.00	38 732 A00	4005176339110	720	86.00
37 324 SD1	4005176929533	703	442.00	38 732 AL0	4005176339127	720	86.00
37 336 001	4005176929540	702	469.00	38 732 BE0	4005176427749	720	86.00
37 337 001	4005176929557	702	442.00	38 732 BR0	4005176873676	720	109.00
37 338 000	4005176837920	559, 703	119.00	38 732 DA0	4005176339097	720	86.00
37 396 000	4005176907968	706	109.00	38 732 DL0	4005176427732	720	86.00
37 419 000	4005176933806	698	709.00	38 732 EN0	4005176427756	720	86.00
37 419 SD0	4005176933813	698	709.00	38 732 GL0	4005176339103	720	86.00
37 489 000	4005176167386	693	9.00	38 732 GN0	4005176427725	720	86.00
37 503 000	4005176320507	559	599.00	38 732 SD0	4005176847691	720	139.00
37 504 000	4005176320521	560	749.00	38 733 000	4005176837289	682	29.00
37 505 SD0	4005176321016	560	599.00	38 735 000	4005176837500	693	49.00
37 535 000	4005176416019	145, 718	57.81	38 736 000	4005176837517	693	39.00
37 535 DC0	4005176416040	718	66.20	38 748 001	4005176863387		479.00
37 535 P00	4005176416026	718	57.81	38 748 002	4005176416323	547, 551	469.00
37 535 SH0	4005176416033	718	60.00	38 761 000	4005176841620	664	359.00
37 601 000	4005176416057	134, 164	66.20	38 765 000	4005176846830	110, 719	64.00
37 601 DC0	4005176416088	164, 718	74.58	38 766 000	4005176847134	719	159.00
37 601 P00	4005176416064	718	88.00	38 771 000	4005176848551	723	39.00
37 601 SH0	4005176416071	718	54.46	38 772 001	4005176863288	664	339.00
37 624 000	4005176416095	151, 178	66.20	38 773 000	4005176850288	665	359.00
37 624 DC0	4005176416125	718	74.58	38 779 000	4005176855306	683	99.00
37 624 P00	4005176416101	718	88.00	38 784 000	4005176855535	728	101.95
37 624 SH0	4005176416118	718	54.46	38 786 001	4005176864025	672	299.00
37 761 000	4005176213243	723	39.00	38 787 000	4005176855689	703	99.00
37 762 SH0	4005176213250	688	69.00	38 796 000	4005176857034	726	59.00
37 945 SH0	4005176256387	688	69.00	38 804 000	4005176861512	728	109.00
37 965 000	4005176442506	718	58.00	38 804 SH0	4005176861529	728	99.00
37 965 SH0	4005176442513	718	46.00	38 805 000	4005176865596	726	119.00
37 998 000	4005176262586	680	99.00	38 808 000	4005176864056	728	89.00
38				38 809 000	4005176864681	719	519.00
38 338 000	4005176286179	683	26.45	38 820 000	4005176868405		40.05
38 422 000	4005176275203	689	159.00	38 821 000	4005176868986	720	209.00
38 488 000	4005176289866	722	39.00	38 827 000	4005176870477	662	379.00
38 496 000	4005176289958	723	179.00	38 844 000	4005176874963	721	64.00
38 505 000	4005176290053	721	44.00	38 844 P00	4005176875687	721	59.00
38 505 P00	4005176290060	721	79.00	38 844 SH0	4005176874970	721	49.00
38 505 SH0	4005176290046	721	29.00	38 847 K10	4005176878596	719	89.00
38 506 000	4005176290121	721	64.00	38 847 L10	4005176878688	719	89.00
38 525 001	4005176863967	669	319.00	38 847 LSO	4005176879753		86.90
38 526 000	4005176291050	669	319.00	38 847 XG0	4005176878701	719	89.00
38 528 001	4005176863943	667	259.00	38 857 000	4005176875694	728	102.00
38 536 001	4005176863929	667	279.00	38 857 SH0	4005176875793	728	94.00
38 541 000	4005176291234	674, 678	189.00	38 858 000	4005176876714	721	64.00
38 543 000	4005176291258	675	279.00	38 860 000	4005176878084	664	339.00
38 545 000	4005176291272	675	264.00	38 861 000	4005176832284	721	59.00
38 548 001	4005176863851	680, 682	86.23	38 862 000	4005176832314	721	64.00
38 553 001	4005176863813	674	274.00	38 862 P00	4005176832321	721	58.45
38 554 001	4005176863806	674	119.00	38 862 SH0	4005176832338	721	49.00
38 558 00M	4005176291418	669, 672	25.00	38 863 000	4005176832345	688	119.00
38 559 001	4005176863776	678	152.55	38 868 000	4005176878091	665	359.00
38 562 001	4005176863752	682	89.00	38 882 000	4005176879197	726	8.00
38 563 000	4005176291463	683	29.00	38 885 000	4005176879609	663	379.00
38 564 000	4005176291784	722	69.00	38 888 000	4005176879630	663	389.00
38 565 000	4005176291845	722	44.00	38 915 KSO	4005176897108	719	763.63
				38 915 LSO	4005176897115	719	799.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
38 947 000	4005176911217	665	349.00	39 386 00H	4005176438356	652	479.00
38 948 000	4005176911224	666	339.00	39 418 000	4005176390555		339.00
38 957 000	4005176914409	720	99.00	39 420 000	4005176405983	638	64.00
38 958 000	4005176914416	720	59.00	39 421 000	4005176428906	638	59.00
38 987 000	4005176924798	688	100.00	39 422 000	4005176406195	638	99.00
38 994 000	4005176932335	668	319.00	39 423 000	4005176406201	638, 646	99.00
38 995 000	4005176932342	668	329.00	39 424 000	4005176406218	638	54.00
39				39 425 000	4005176406225	639	54.00
39 053 000	4005176935978	689	69.00	39 426 000	4005176406232	639	59.00
39 054 000	4005176936289	689	69.00	39 427 000	4005176406249	639	99.00
39 056 000	4005176936302	689	19.00	39 428 000	4005176406256	639	114.00
39 057 000	4005176936319		19.00	39 429 000	4005176406263	639	124.00
39 111 SH0	4005176304668	624	4,379.00	39 430 000	4005176406270	640	84.00
39 112 001	4005176359262	624, 626	299.00	39 431 000	4005176406287	640	84.00
39 140 000	4005176315268	678	534.25	39 432 000	4005176406294	641	169.00
39 201 000	4005176344947	647	64.00	39 433 000	4005176406300	641	169.00
39 202 000	4005176344954	647	74.00	39 436 000	4005176406331	640	99.00
39 206 000	4005176344992	648	229.00	39 437 000	4005176406348	640	99.00
39 206 00H	4005176418495	648	274.00	39 438 000	4005176406355	641	189.00
39 208 000	4005176345029	649	224.00	39 439 000	4005176406362	641	189.00
39 208 00H	4005176418532	649	269.00	39 440 000	4005176405976	638	54.00
39 244 00H	4005176442681	654	374.00	39 453 000	4005176421099	643, 650	19.00
39 323 000	4005176407116	646	89.00	39 454 000	4005176421105	643, 650	19.00
39 323 00H	4005176417344	646	134.00	39 457 000	4005176421112	643, 650	19.00
39 324 000	4005176407123	646	59.00	39 458 000	4005176418204	649	89.00
39 324 00H	4005176417375	646	104.00	39 459 000	4005176418211	649	59.00
39 325 000	4005176407130	647	64.00	39 469 00H	4005176438363	652	414.00
39 327 000	4005176390104	647	74.00	39 473 00H	4005176438370	652	224.00
39 327 00H	4005176418341	647	119.00	39 474 00H	4005176438387	652	209.00
39 328 000	4005176407161	647	249.00	39 475 00H	4005176442599	652	479.00
39 328 00H	4005176417382	647	294.00	39 476 00H	4005176442605	652	415.00
39 329 000	4005176407178	648	149.00	39 477 00H	4005176442612	653	225.00
39 329 00H	4005176418518	648	194.00	39 478 00H	4005176442629	653	211.00
39 330 000	4005176407185	649	89.00	39 479 00H	4005176442636	653	216.00
39 331 000	4005176407192	649	59.00	39 480 00H	4005176442643	653	202.00
39 332 000	4005176407208	648	179.00	39 481 00H	4005176442650	653	202.00
39 333 000	4005176407215	648	179.00	39 482 00H	4005176442667	653	179.00
39 335 000	4005176407239	646	84.00	39 483 00H	4005176442674	654	174.00
39 335 00H	4005176417351	646	124.00	39 484 00H	4005176442698	654	402.00
39 336 000	4005176407246	646	79.00	39 485 00H	4005176442704	654	374.00
39 336 00H	4005176417368	646	119.00	39 486 00H	4005176442711	655	328.00
39 337 000	4005176407253	646	89.00	39 487 00H	4005176442728	655	339.00
39 337 00H	4005176418334	646	134.00	39 488 000	4005176442735	655	155.00
39 338 000	4005176407260	648	194.00	39 489 000	4005176442742	654	211.00
39 338 00H	4005176418501	648	239.00	39 490 000	4005176442759	655	211.00
39 339 000	4005176407277	649	174.00	39 492 000	4005176450013	640	39.00
39 339 00H	4005176418525	649	219.00	39 493 000	4005176450020	641	79.00
39 340 000	4005176423697	650	194.00	39 499 000	4005176450082		339.00
39 340 00H	4005176423703	650	239.00	40			
39 346 000	4005176449673	642	279.00	40 254 000	4005176211065	80, 111	39.00
39 347 000	4005176449680	642	269.00	40 256 000	4005176211089	80, 111	34.99
39 349 000	4005176449659	639	124.00	40 256 003	4005176462443	94	56.00
39 350 000	4005176449666	640	84.00	40 278 000	4005176824081	80	73.33
39 351 000	4005176450006	641	169.00	40 279 000	4005176824098	81	95.83
39 354 SH0	4005176335532	626	2,499.00	40 284 000	4005176824104	80	40.41
39 355 SH0	4005176335549		n.A.	40 304 000	4005176236921	111	87.49
39 367 000	4005176341533	704	465.51	40 304 003	4005176461576	94	73.00
39 368 000	4005176341540	704	465.51	40 304 AL3	4005176462399	94	102.00
39 369 000	4005176341557	704	619.36	40 304 DC3	4005176461583	94	95.00
39 374 KSO	4005176344770	662	631.20	40 305 000	4005176236952	111	87.49
39 374 LSO	4005176344787	662	631.20	40 305 003	4005176462412	94	73.00
39 376 000	4005176342998	672	213.03	40 305 AL3	4005176462436	94	102.00
39 377 LSO	4005176351143		364.91	40 305 DC3	4005176462429	94	95.00
39 377 XI0	4005176383243		463.54	40 306 000	4005176237133	111	154.16
39 379 SH0	4005176351006		n.A.	40 306 003	4005176461545	94	73.00
39 383 000	4005176356926	557	49.00	40 306 AL3	4005176461569	94	102.00

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
40 306 DC3	4005176461552	94	95.00	40 369 001	4005176326196	228	17.49
40 307 000	4005176236969	111	99.99	40 369 A01	4005176429576	228	24.58
40 307 003	4005176462450	94	98.00	40 369 AL1	4005176429729	228	24.58
40 307 AL3	4005176462474	94	137.00	40 369 BE1	4005176430176	228	24.58
40 307 DC3	4005176462467	94	127.00	40 369 DA1	4005176428975	228	24.58
40 308 000	4005176236990	111	108.33	40 369 DL1	4005176430022	228	24.58
40 308 003	4005176462481	94	163.00	40 369 EN1	4005176326202	228	24.58
40 308 AL3	4005176462504	94	228.00	40 369 GL1	4005176429422	228	24.58
40 308 DC3	4005176462498	94	212.00	40 369 GN1	4005176429873	228	24.58
40 309 000	4005176237003	111	145.83	40 371 001	4005176326318	229	31.24
40 309 003	4005176462511	95	156.00	40 371 A01	4005176429538	229	43.74
40 309 AL3	4005176462627	95	218.00	40 371 AL1	4005176429682	229	43.74
40 309 DC3	4005176462528	95	202.00	40 371 BE1	4005176430138	229	43.74
40 312 000	4005176237072	112	46.66	40 371 DA1	4005176428937	229	43.74
40 312 003	4005176462535	95	51.00	40 371 DL1	4005176429989	229	43.74
40 312 AL3	4005176462559	95	71.00	40 371 EN1	4005176430268	229	43.74
40 312 DC3	4005176462542	95	66.00	40 371 GL1	4005176429385	229	43.74
40 313 000	4005176237089	112	120.83	40 371 GN1	4005176429835	229	43.74
40 313 003	4005176462566	95	111.00	40 372 001	4005176326226	228, 236	5.83
40 313 AL3	4005176462580	95	155.00	40 374 001	4005176326400	233	28.74
40 313 DC3	4005176462573	95	144.00	40 374 A01	4005176429590	233	40.41
40 314 000	4005176237102	112	165.83	40 374 AL1	4005176429743	233	40.41
40 314 003	4005176462597	95	220.00	40 374 BE1	4005176430190	233	40.41
40 314 AL3	4005176462610	95	307.00	40 374 DA1	4005176429293	233	40.41
40 314 DC3	4005176462603	95	285.00	40 374 DC1	4005176412486	233	37.49
40 339 000	4005176824111	80	95.83	40 374 DL1	4005176430046	233	40.41
40 340 000	4005176824128	81	158.33	40 374 EN1	4005176430282	233	40.41
40 341 000	4005176824135	80	145.83	40 374 GL1	4005176429446	233	40.41
40 342 000	4005176824142	80	145.83	40 374 GN1	4005176429897	233	40.41
40 363 000	4005176824920		158.33	40 376 000	4005176840241	56	83.33
40 364 001	4005176326332	230	9.58	40 377 000	4005176840272	57	120.83
40 364 A01	4005176429514	230	13.33	40 378 000	4005176840302	56	47.08
40 364 AL1	4005176429668	230	13.33	40 379 000	4005176840333	56	104.16
40 364 BE1	4005176430114	230	13.33	40 380 000	4005176840364	57	174.17
40 364 DA1	4005176428913	230	13.33	40 381 000	4005176840395	56	174.17
40 364 DL1	4005176429965	230	13.33	40 385 001	4005176326356	232	17.49
40 364 EN1	4005176326349	230	13.33	40 385 A01	4005176429606	232	24.58
40 364 GL1	4005176429361	230	13.33	40 385 AL1	4005176429750	232	24.58
40 364 GN1	4005176429811	230	13.33	40 385 BE1	4005176430206	232	24.58
40 365 001	4005176326240	229	17.49	40 385 DA1	4005176429309	232	24.58
40 365 A01	4005176429521	229	24.58	40 385 DL1	4005176430053	232	24.58
40 365 AL1	4005176429675	229	24.58	40 385 EN1	4005176430299	232	24.58
40 365 BE1	4005176430121	229	24.58	40 385 GL1	4005176429453	232	24.58
40 365 DA1	4005176428920	229	24.58	40 385 GN1	4005176429903	232	24.58
40 365 DL1	4005176429972	229	24.58	40 386 001	4005176326301	230	34.99
40 365 EN1	4005176326257	229	24.58	40 386 A01	4005176429569	230	49.16
40 365 GL1	4005176429378	229	24.58	40 386 AL1	4005176429712	230	49.16
40 365 GN1	4005176429828	229	24.58	40 386 BE1	4005176430169	230	49.16
40 366 001	4005176326264	230	27.91	40 386 DA1	4005176428968	230	49.16
40 366 A01	4005176429552	230	39.16	40 386 DL1	4005176430015	230	49.16
40 366 AL1	4005176429705	230	39.16	40 386 EN1	4005176430275	230	49.16
40 366 BE1	4005176430152	230	39.16	40 386 GL1	4005176429415	230	49.16
40 366 DA1	4005176428951	230	39.16	40 386 GN1	4005176429866	230	49.16
40 366 DL1	4005176430008	230	39.16	40 387 000	4005176846526		951.90
40 366 EN1	4005176326271	230	35.41	40 388 000	4005176846533		740.83
40 366 GL1	4005176429408	230	39.16	40 389 000	4005176847189	56	37.91
40 366 GN1	4005176429859	230	39.16	40 390 000	4005176847196	56	40.83
40 367 001	4005176326387	232	23.33	40 391 000	4005176847202	56	40.83
40 367 A01	4005176429620	232	32.49	40 394 001	4005176326233	228, 236	14.16
40 367 AL1	4005176429774	232	32.49	40 394 A01	4005176429583	228	19.99
40 367 BE1	4005176430220	232	32.49	40 394 AL1	4005176429736	228	19.99
40 367 DA1	4005176429323	232	32.49	40 394 BE1	4005176430183	228	19.99
40 367 DL1	4005176430077	232	32.49	40 394 DA1	4005176428982	228	19.99
40 367 EN1	4005176326394	232	27.49	40 394 DC1	4005176421532	228	18.74
40 367 GL1	4005176429477	232	32.49	40 394 DL1	4005176430039	228	19.99
40 367 GN1	4005176429927	232	32.49	40 394 EN1	4005176412646	228	19.99
40 368 001	4005176326219	228, 236	4.83	40 394 GL1	4005176429439	228	19.99

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
40 394 GN1	4005176429880	228	19.99	40 627 IG0	4005176927775	123	190.83
40 404 001	4005176984068	484	50.83	40 628 000	4005176927898	123	137.49
40 405 000	4005176860812	484	25.41	40 628 IG0	4005176927904	123	174.17
40 407 001	4005176328350	233	55.41	40 629 000	4005176927928	123	154.16
40 412 001	4005176984082	484	124.99	40 629 DA0	4005176327513	123	354.00
40 421 001	4005176326325	231	27.91	40 629 EN0	4005176927942	123	354.00
40 421 A01	4005176429637	231	39.16	40 629 IG0	4005176927935	123	199.17
40 421 AL1	4005176429781	231	39.16	40 630 000	4005176927959	123	95.83
40 421 BE1	4005176430237	231	39.16	40 630 DA0	4005176327520	123	217.00
40 421 DA1	4005176429330	231	39.16	40 630 EN0	4005176927973	123	217.00
40 421 DL1	4005176430084	231	39.16	40 630 IG0	4005176927966	123	120.83
40 421 EN1	4005176430305	231	39.16	40 631 000	4005176927980	123	44.58
40 421 GL0	4005176351969	n.A.		40 631 A00	4005176352515	123	62.08
40 421 GL1	4005176429484	231	39.16	40 631 AL0	4005176352966	123	62.08
40 421 GN1	4005176429934	231	39.16	40 631 BE0	4005176430787	123	62.08
40 430 001	4005176984075	484	95.83	40 631 DA0	4005176327537	123	62.08
40 432 000	4005176883255	490	54.00	40 631 DL0	4005176430770	123	62.08
40 434 001	4005176985294	485	29.16	40 631 EN0	4005176928000	123	62.08
40 437 000	4005176885471	484	25.41	40 631 GL0	4005176352034	123	62.08
40 444 001	4005176328336	229	22.49	40 631 GN0	4005176430763	123	62.08
40 447 001	4005176328701	229	21.66	40 631 IG0	4005176927997	123	57.91
40 448 001	4005176328343	228	32.49	40 632 000	4005176928017	124	162.49
40 457 001	4005176327865	243	17.49	40 632 IG0	4005176928024	124	207.50
40 459 001	4005176327810	242	19.99	40 633 000	4005176928048	124	104.16
40 460 001	4005176327803	242	13.74	40 633 EN0	4005176928062	124	145.83
40 461 001	4005176327858	243	8.33	40 633 IG0	4005176928055	124	133.33
40 462 001	4005176327827	243	73.74	40 652 001	4005176324321	246	17.49
40 463 001	4005176327872	243	22.49	40 652 EN1	4005176324239	246	24.58
40 479 000	4005176894787	337	89.00	40 653 001	4005176324345	246	27.91
40 493 000	4005176899256	67	190.83	40 653 EN1	4005176324253	246	35.41
40 494 000	4005176899263	67	290.83	40 654 001	4005176324352	247	47.91
40 496 000	4005176899287	67	158.33	40 654 EN1	4005176324260	247	67.08
40 497 000	4005176899294	67	174.17	40 655 001	4005176324338	246	17.49
40 498 000	4005176899300	68	74.58	40 655 EN1	4005176324246	246	24.58
40 499 000	4005176899317	68	149.99	40 656 001	4005176324383	247	9.58
40 500 000	4005176899324	68	249.17	40 656 EN1	4005176324291	247	13.33
40 503 000	4005176900068	67	224.17	40 657 001	4005176324390	247	20.83
40 504 000	4005176900075	67	224.17	40 657 EN1	4005176324307	247	29.16
40 507 001	4005176324598	238	26.66	40 658 001	4005176324406	247	28.74
40 508 001	4005176324413	236	23.33	40 658 EN1	4005176324314	247	40.41
40 509 001	4005176324437	237	35.41	40 659 001	4005176324376	247	31.24
40 510 001	4005176324420	237	32.08	40 659 EN1	4005176324284	247	40.83
40 511 001	4005176324475	237	13.33	40 660 001	4005176324369	247	95.83
40 512 001	4005176324451	237	116.66	40 660 EN1	4005176324277	247	133.33
40 513 001	4005176324604	238	46.24	40 663 001	4005176327834	233, 243	39.16
40 514 001	4005176324468	238	47.91	40 664 001	4005176327841	233, 243	31.24
40 535 000	4005176905490	536	59.00	40 666 000	4005176935633	334	499.00
40 535 DC0	4005176905520	536	69.00	40 688 001	4005176326288	229	25.41
40 536 000	4005176905506	536	49.00	40 688 A01	4005176429545	229	35.83
40 536 DC0	4005176905537	536	69.00	40 688 AL1	4005176429699	229	35.83
40 537 000	4005176905513	536	59.00	40 688 BE1	4005176430145	229	35.83
40 547 001	4005176984099	484	65.41	40 688 DA1	4005176428944	229	35.83
40 548 000	4005176909832	337	113.26	40 688 DL1	4005176429996	229	35.83
40 553 000	4005176911422	536	69.00	40 688 EN1	4005176326295	229	35.83
40 553 DC0	4005176911439	536	89.00	40 688 GL1	4005176429392	229	35.83
40 564 000	4005176912740	750	229.00	40 688 GN1	4005176429842	229	35.83
40 565 000	4005176912757	749	69.00	40 689 001	4005176326363	232	20.83
40 585 001	4005176327797	242	13.74	40 689 A01	4005176429613	232	29.16
40 623 001	4005176324482	238	22.49	40 689 AL1	4005176429767	232	29.16
40 624 001	4005176324444	237	44.99	40 689 BE1	4005176430213	232	29.16
40 625 000	4005176927706	124	116.66	40 689 DA1	4005176429316	232	29.16
40 625 DA0	4005176327551	124	162.49	40 689 DL1	4005176430060	232	29.16
40 625 EN0	4005176927720	124	162.49	40 689 EN1	4005176326370	232	29.16
40 625 IG0	4005176927713	124	149.99	40 689 GL1	4005176429460	232	29.16
40 626 000	4005176927737	123	112.49	40 689 GN1	4005176429910	232	29.16
40 626 IG0	4005176927744	123	145.83	40 691 001	4005176984129	485	50.83
40 627 000	4005176927768	123	145.83	40 694 000	4005176985300	485	21.66

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £	Material	EAN/UPC	Page	2018 RRP £
40 754 001	4005176328367	237	28.33	43			
40 755 001	4005176328374	236	27.91	43 352 000	4005176832413	693	9.00
40 756 001	4005176328381	236	37.49	43 544 000	4005176157738	694, 753	9.00
40 757 001	4005176328497	238	77.91	43 733 000	4005176158926	692	9.00
40 764 000	4005176327391		n.A.	43 880 00M	4005176177644		19.00
40 766 000	4005176347849	224	43.74	43 908 000	4005176160257	693	19.00
40 767 000	4005176347856	225	82.49	45			
40 768 000	4005176347863	224	124.99	45 023 000	4005176006494	752	9.00
40 775 001	4005176328626	233	54.58	45 203 000	4005176052842	316, 745	19.00
40 776 001	4005176328633	234	70.41	45 314 000	4005176099250	604	79.00
40 777 001	4005176328640	238	68.33	45 316 000	4005176099267	604	69.00
40 778 001	4005176328657	239	95.83	45 342 000	4005176129865	744	49.00
40 781 000	4005176347870	225	67.08	45 346 000	4005176104572	744	49.00
40 782 000	4005176347887	225	23.33	45 388 000	4005176212758	51, 64	74.10
40 783 000	4005176347894	224	20.83	45 473 000	4005176257742	106	449.00
40 784 000	4005176347900	225	30.83	45 650 IP0	4005176137228	751	49.00
40 793 001	4005176327599	231	39.99	45 869 000	4005176189876	744	29.00
40 794 001	4005176327605	231	47.91	45 882 000	4005176189883	744	39.00
40 795 001	4005176327612	231	59.16	45 883 000	4005176189890	745	39.00
40 796 001	4005176327629	231	68.74	45 885 000	4005176189913	744	99.00
40 797 001	4005176327636	232	124.99	45 887 000	4005176189937		59.00
40 799 001	4005176327971	232	32.08	45 888 000	4005176189944	745	69.00
40 800 001	4005176327988	230	95.83	45 984 001	4005176992056	52, 64	319.00
40 800 A01	4005176429644	230	133.33	46			
40 800 AL1	4005176429798	230	133.33	46 048 000	4005176008283	740	89.00
40 800 BE1	4005176430244	230	133.33	46 191 000	4005176119996	62, 100	129.00
40 800 DA1	4005176429347	230	133.33	46 277 000	4005176131851	607, 741	39.00
40 800 DL1	4005176430091	230	133.33	46 278 000	4005176131868	607, 740	99.00
40 800 EN1	4005176430312	230	133.33	46 308 000	4005176131769	740	39.00
40 800 GL1	4005176429491	230	133.33	46 343 000	4005176189791	63, 100	179.00
40 800 GN1	4005176429941	230	133.33	46 374 000	4005176169076	740	89.00
40 802 001	4005176328107	230	47.91	46 375 000	4005176169083	741	39.00
40 802 A01	4005176429651	230	67.08	46 386 000	4005176169410	740	109.00
40 802 AL1	4005176429804	230	67.08	46 409 000	4005176177668	740	47.30
40 802 BE1	4005176430251	230	67.08	46 580 000	4005176831867	740	89.00
40 802 DA1	4005176429354	230	67.08	46 686 000	4005176883088	607	25.80
40 802 DL1	4005176430107	230	67.08	46 837 000	4005176931888	747	13.00
40 802 EN1	4005176430329	230	67.08	46 914 000	4005176326424	750	6.90
40 802 GL1	4005176429507	230	67.08	46 944 000	4005176359705	626	259.00
40 802 GN1	4005176429958	230	67.08	46 977 00M	4005176423727	627	47.00
40 804 000	4005176347917	225	232.50	46 978 000	4005176423734	627	47.00
40 805 000	4005176347924	224	38.74	46 979 000	4005176423741	627	19.00
40 806 000	4005176347931	224	25.83	47			
40 807 000	4005176347948	225	129.16	47 095 000	4005176128646	592	69.00
40 808 000	4005176347955	226	112.49	47 167 000	4005176010125	743	19.00
40 809 000	4005176347962	226	91.66	47 175 000	4005176803895	743	149.00
40 824 000	4005176332975	749	19.00	47 186 000	4005176803901	312, 743	179.00
40 848 000	4005176351082	484	7.24	47 189 000	4005176010330	750	39.00
40 848 SD0	4005176386008	484	10.83	47 201 000	4005176803925		137.55
40 855 000	4005176356452		n.A.	47 217 000	4005176241246	742	139.00
40 857 000	4005176378393	226	91.66	47 220 000	4005176241253	742	179.00
40 865 000	4005176378140	224	30.83	47 282 000	4005176061592	741	139.00
40 899 000	4005176413896	624, 627	35.00	47 310 000	4005176079238	741	179.00
40 911 000	4005176416132	683, 718	10.81	47 349 000	4005176141461	741	119.00
40 919 SD0	4005176450136	490	35.00	47 364 000	4005176171819	743	79.00
42				47 379 000	4005176203169	741	269.00
42 075 000	4005176244919	694	7.95	47 439 000	4005176811975	743	149.00
42 137 000	4005176259524	693	19.00	47 450 000	4005176076190	741	159.00
42 181 000	4005176286872	692	39.00	47 483 000	4005176815409	743	179.00
42 271 00M	4005176820588	692	48.40	47 532 000	4005176206795	742	189.00
42 300 000	4005176832079	695	29.00	47 533 000	4005176207181	580, 602	29.00
42 333 000	4005176845888	669, 694	13.90	47 569 000	4005176214189	594	365.70
42 393 000	4005176905872	548, 552	65.05	47 598 000	4005176229169	742	269.00
42 397 000	4005176906855	683	11.00				
42 429 000	4005176918520	332	99.00				
42 766 000	4005176222115	683	12.00				

GROHE SURVEY OF CONTENTS

Material	EAN/UPC	Page	2018 RRP £
47 600 000	4005176228995	742	229.00
47 657 000	4005176262838	742	279.00
47 658 000	4005176262845	742	569.00
47 727 000	4005176884160	338	29.00
47 732 000	4005176810053	590	43.15
47 733 000	4005176810060	590	59.00
47 735 000	4005176810084	590	9.00
47 763 000	4005176824166	590	69.00
47 767 000	4005176826436		149.00
47 779 000	4005176838088	590	43.00
47 781 000	4005176836558	102, 106	149.00
47 790 000	4005176841491	46, 263	53.00
47 837 000	4005176918490	333	69.00
47 838 000	4005176918506	333	69.00
47 867 000	4005176923227	333	69.00
47 868 000	4005176923234	333	69.00
47 877 000	4005176923241	333	69.00
47 885 000	4005176924729	743	39.00
47 950 000	4005176986789		49.00
47 994 000	4005176364723	584	1.97

48

48 021 000	4005176881435	753	9.00
48 159 000	4005176919589	747	9.00
48 166 000	4005176923197	753	14.00
48 297 000	4005176361265	741	36.00
48 348 000	4005176408502	334, 347	20.00
48 349 000	4005176409851	347, 370	100.00
48 350 000	4005176409868	347, 370	125.00
48 359 000	4005176442810		41.00

49

49 003 000	4005176413537	263	196.00
49 016 000	4005176452819	757	4.00
49 017 000	4005176452826	756	14.00
49 019 000	4005176452840	757	2.00
49 020 000	4005176452857	756	14.00
49 021 000	4005176452864	756	3.00
49 022 000	4005176452871	756	22.00
49 023 000	4005176452888	756	14.00
49 024 000	4005176454196	757	56.00
49 025 000	4005176454202	756	20.00
49 027 000	4005176454226	757	56.00
49 028 000	4005176442827	743	48.00
49 061 000	4005176472800	756	14.00
49 066 000	4005176472848	756	14.00
49 509 000	4005176373312	757	51.00
49 510 000	4005176373329	757	52.00
49 512 000	4005176373343	756	23.00
49 516 000	4005176373381	756	20.00
49 518 000	4005176373404	756	23.00
49 522 000	4005176421501	650	23.00
49 526 000	4005176421129	756	12.00
49 528 000	4005176472763	757	30.00
49 529 000	4005176472770	757	18.00
49 530 000	4005176472787	757	8.00
49 532 000	4005176474224	643, 650	9.00

64

64 508 001	4005176984112	485	39.00
------------	---------------	-----	-------

65

65 808 000	4005176860065	749	39.00
------------	---------------	-----	-------

DISCOVER THE WORLD OF GROHE

What you see here represents just a small selection of what the world of GROHE has to offer. Whether you are looking for ideas and inspiration or solutions for bath and kitchen, here's where you'll find it.


Just scan the QR codes to view the latest brochures as download or PDF on your tablet or smartphone.

OR VISIT THE WORLD OF GROHE AT GROHE.CO.UK



**WATER. INTELLIGENCE. ENJOYMENT.
MAGAZINE**






BATH BROCHURE



CERAMICS BROCHURE



SENSIA ARENA BROCHURE



SANITARY SYSTEMS BROCHURE



KITCHEN BROCHURE



BLUE HOME BROCHURE



A GLOBALLY CONNECTED COMPANY

GROHE IS PART OF LIXIL – A GLOBAL LEADER IN THE HOUSING AND BUILDING INDUSTRY.

Beginning back in early 20th century Japan, LIXIL is today the most comprehensive company in our industry, with a unique portfolio spanning everything from technologies that revolutionize how we interact with water, to a full lineup of interior and exterior materials and products for houses and major architectural projects. Operating in 150 countries, LIXIL companies design and manufacture products that are used by more than a billion people around the world every day.

The world is changing rapidly, and LIXIL companies are helping to shape it. Across our brands and technologies, we design and manufacture tomorrow's living solutions, today. From developing smart innovations in people's homes and offices, to redefining the world's most famous city skylines, LIXIL products are transforming the spaces in which we all work, learn, travel, relax, and live.

Alongside GROHE in LIXIL's family of world-class brands are American Standard, INAX, DXV by American Standard and Permasteelisa. Combined, our brands make us number one in mixers and plumbing-related products worldwide and Japan's premier provider of housing products. We're leading the way in many other areas around the world, thanks to our shared focus on creating innovations that genuinely improve people's lives.

Together we're stronger. Combining our GROHE expertise as a world leader in sanitary fittings with the unique technology and insights from LIXIL's other Water Technology brands, GROHE now offers complete bathroom solutions, featuring innovative products like shower toilets and SmartControl showers, alongside revolutionary technologies such as AquaCeramic sanitaryware that stays clean for 100 years. Beautiful, functional and reliable, LIXIL's products and solutions are changing the way people live, all over the world.

Together, we share a powerful vision of a better tomorrow, for our customers and for the world. As a truly global manufacturing company, we know that we have an important part to play in securing the future of our planet. We're leading the way in areas such as energy efficiency and water saving technology and aim to achieve a net zero environmental footprint by 2030. We believe everyone should have access to clean and safe sanitation, and are committed to using our expertise to help make this possible.

Together we're creating the future of good living for everyone, everywhere.



VISIT US ONLINE


Follow us



QUALITY



TECHNOLOGY



FORTUNE®
**CHANGE
THE WORLD**
2017

DESIGN

300+
DESIGN AWARDS

SUSTAINABILITY



From FORTUNE, September 15, 2017. FORTUNE is a registered trademark of Time Inc., used under license. FORTUNE and Time Inc. are not affiliated with, and do not endorse, products or services of, GROHE.

GROHE Limited
World Business Centre 2
Newall Road
London Heathrow Airport
Middlesex
TW6 2SF
Tel: 0871 200 3414
Fax: 0871 200 3415
E-Mail: info-uk@grohe.com

